

Microsoft Exchange Server 2016

Number: 70-345
Passing Score: 800
Time Limit: 120 min
File Version: 1.0



VCE to PDF Converter : <https://vceplus.com/vce-to-pdf/>

Facebook: <https://www.facebook.com/VCE.For.All.VN/>

Twitter : https://twitter.com/VCE_Plus

Google+ : <https://plus.google.com/+Vcepluscom>

LinkedIn : <https://www.linkedin.com/company/vceplus>

<https://vceplus.com/>

Exam A**QUESTION 1**

Topic 1

You deploy Layer 7 load balancers to the New York and London offices.

You are planning the namespace configuration that will be used once you complete the planned upgrade to Exchange Server 2016. You need to recommend a solution to meet the connectivity requirements for the namespaces. What should you recommend?

- A. On the New York office servers, change the internal URLs to mail.fabrikam.com.
- B. On all of the branch office servers, change the external URLs to Snull.
- C. On all of the branch office servers, change the external URLs to mail.fabnkam.com.
- D. On the New York office servers, change the internal URLs to Snull.

Correct Answer: C**Section: (none)****Explanation****Explanation/Reference:****QUESTION 2**

Topic 1-

You need to recommend changes to the existing environment to meet the high-availability requirements for the mailbox databases. What should you recommend?

<https://vceplus.com/>

- A. Run the Suspend-MailboxDatabaseCopy cmdlet
- B. Run the Update-MailboxDatabaseCopy cmdlet.
- C. Deploy a file share witness to a branch office.
- D. Modify the cluster resource properties.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 3

Topic 1

You need to recommend changes to the messaging infrastructure. The changes must meet the connectivity requirements after the planned upgrade. Which two actions should you recommend? Each correct answer presents part of the solution.

- A. From the Mailbox servers, import the Edge Subscription file.
- B. On the Edge Transport Servers, start Edge Synchronization.
- C. On the Edge Transport servers, import the Edge Subscription file.
- D. On the Edge Transport servers, create an Edge Subscription file.
- E. On the Mailbox servers, restart the Microsoft Exchange Transport service.

Correct Answer: AE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 4

Topic 1

You need to recommend a solution for the users involved in the legal disputes. What should you include in the recommendation?

- A. a journal rule
- B. an Outlook protection rule
- C. an in-place Hold
- D. a Litigation Hold

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 5

Topic 1

You need to recommend changes to the existing environment to meet the high-availability requirements for the mailbox databases. What should you recommend?

- A. Run TheSet-MailBoxDatabasecmdlet.
- B. Run theSet-DatabaseAvailabilityGroupcmdlet
- C. Run theSet-MailBoxServercmdlet.
- D. Run theSet-MailBoxDatabaseCopycmdlet.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:



QUESTION 6

Topic 2

You need to meet the connectivity requirement for the Exchange ActiveSync clients after the planned upgrade. What should you do?

- A. Modify the EdgeTransport.exe.config file.
- B. Run theSet-TransportConfigcmdlet
- C. Run theSet-ActiveSyncMailboxPolicycmdlet
- D. Modify the Web.config file.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 7

Topic 3, Contoso Ltd, Overview General Overview Contoso. Ltd. is an international company that has 3,000 employees. The company has sales, marketing, research, and human resource departments. Physical Locations Contoso has two main offices. The offices are located in New York and Chicago. Each office has a data center. The New York office uses a network subnet of 10.1.0.0/16. The Chicago office uses a network subnet of 10.128.0.0/16. The offices connect to each other by using a WAN link. Each office connects directly to the Internet. Existing Environment Active Directory The network contains an Active Directory forest named contoso.com. The forest contains a single domain. All domain controllers run Windows Server 2012 R2. The forest functional level is Windows Server 2012 R2. The forest contains six domain controllers configured as shown in the following table.

Server name	Office	Global Catalog
DC01	Chicago	YES
DC02	Chicago	YES
DC03	Chicago	NO
DC04	New York	YES
DC05	New York	YES
DC06	New York	YES

The forest is configured as a single Active Directory site. Active Directory administrators manage the Active Directory schema. Exchange Server administrators do not have access to modify the schema. Contoso has deployed Active Directory Rights Management Services (AD RMS). Current Business Model Contoso partners with a company names Fabrikam. Inc. on manufacturing initiatives. The partnership between Contoso and Fabrikam requires that both companies share confidential information frequently. Requirements Business Goals Contoso plans to install Exchange Server 2016 to provide messaging services for its users. It must be as easy as possible for the users at Contoso to share free/busy information with the users at Fabrikam. As much as possible. Contoso plans to minimize the costs associated with purchasing hardware and software. Planned Changes Install hardware Network Load Balancing (NLB) in the New York and Chicago offices.

Implement Microsoft Office Online Servers in the

You need to prevent all of the users from deleting certain email messages after the planned upgrade. The solution must meet the compliance requirements. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions

Modify the compliance search.

Create and start a compliance search.

Create a retention policy tag (RPT).

Create a retention policy.

Create and start a mailbox search.

Modify the mailbox search.



Answer Area

Correct Answer:

Actions		Answer Area
Modify the compliance search.		Create and start a compliance search.
		Create and start a mailbox search.
Create a retention policy tag (RPT).		Modify the mailbox search.
Create a retention policy.		

 **VCEplus**
VCE To PDF - Free Practice Exam

Section: (none)
Explanation

Explanation/Reference:

QUESTION 8

Topic 3

You need to recommend a solution that meets the security requirements for mobile devices.
Which two objects should you include in the recommendation? Each correct answer presents part of the solution.

- A. a device access rule
- B. a mobile device mailbox policy

- C. a data loss prevention (DLP) policy
- D. an Outlook Web App policy

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 9

Topic 3

You run the Get-SendConnector cmdlet and you receive the following output.

```
AddressSpaces                : {SMTP:*;1}
AuthenticationCredential      :
CloudServicesMailEnabled     : False
Comment                       :
ConnectedDomains              : {}
ConnectionInactivityTimeout  : 00:10:00
ConnectorType                 : Default
DNSRoutingEnabled            : True
DomainSecureEnabled          : False
Enabled                       : True
ErrorPolicies                 : Default
ForceHELO                    : False
Fqdn                         : smtp.contoso.com
FrontendProxyEnabled          : False
HomeMTA                       : Microsoft MTA
HomeMTAServerID              : EX01
Identity                      : Internet Mail
IgnoreSTARTTLS                : False
IsScopedConnector            : False
IsSmtplibConnector           : True
MaxMessageSize                : 35 MB (36,700,160, bytes)
Name                          : Internet Mail
Port                          : 25

ProtocolLoggingLevel          : None
RequireOrg                    : False
RequireTLS                    : False
SmartHostAuthMechanism        : None
SmartHosts                    : {}
SmartHostsString              :
SmtplibMaxMessagesPerConnection : 20
SourceIPAddress               : 0.0.0.0
SourceRoutingGroup            : Exchange Routing Group (DWBGZMFD01QNBJR)
SourceTransportServers        : {EX01, EX02}
TlsAuthLevel                  :
TlsCertificateName            :
TlsDomain                     :
UseExternalDNSServerEnabled   : False
```



You need to recommend which actions are required to secure email connectivity between the contoso.com SMTP domain and the fabrikam.com SMTP domain. Which two actions should you recommend? Each correct answer presents part of the solution.

- A. Import a server certificate that has a subject name of ex01.contoso.com and a subject alternate name of ex02.contoso.com.
- B. Create an Outlook protection rule.
- C. Import a server certificate that has a subject name of smtp.contoso.com. for the organization.
- D. Modify the ConnectorType parameter for the Send connector.

Correct Answer: CD
Section: (none)
Explanation

Explanation/Reference:

QUESTION 10

Topic 3

You need to instruct the Active Directory administrators how to prepare the Active Directory environment to support the planned Exchange Server 2016 deployment. What command should you instruct administrators to run? To answer, select the



appropriate options in the answer area.

Hot Area:


Answer Area

adprep.exe ▾ ▾ ▾ /IacceptExchangeServerLicenseTerms

<ul style="list-style-type: none">/DomainPrep/ForestPrep/PrepareAD/PrepareAllDomains/PrepareDomain/PrepareSchema	<ul style="list-style-type: none">/OrganizationName "Contoso"/PrepareDomain contoso.com/TenantOrganizationConfig "Contoso"
---	--

Correct Answer:

Answer Area



The screenshot shows the command line for `adprep.exe`. The command prompt is `/IAcceptExchangeServerLicenseTerms`. A list of actions is shown in a dropdown menu, with `/PrepareAD` selected. The answer area contains the following commands in order:

```
/OrganizationName "Contoso"  
/PrepareDomain contoso.com  
/TenantOrganizationConfig "Contoso"
```

Section: (none)

Explanation

Explanation/Reference:

QUESTION 11

Topic 3

You need to configure the Exchange Server organization to support the security requirements for Calendar sharing.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions


Edit the default sharing policy

Purchase an SSL certificate from a third-party certification authority (CA).

Create a new sharing policy.

Create a federation trust.

Create an organization relationship.



Answer Area

Correct Answer:

Actions **Answer Area**

Purchase an SSL certificate from a third-party certification authority (CA).

Create a new sharing policy.




Create a federation trust.

Create an organization relationship.

Edit the default sharing policy

 **VCEplus**
VCE To PDF - Free Practice Exam

Section: (none)
Explanation

Explanation/Reference:

QUESTION 12

Topic 3

You need to recommend a solution that meets the security requirements for the mailbox databases. What should you include in the recommendation?

- A. Resilient File System (ReFS)
- B. Transparent Data Encryption (TDE)
- C. BitLocker Drive Encryption (BitLocker)

D. Encrypting Files System (EFS)

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 13

Topic 3

You need to recommend a solution that meets the security requirements for the tablets.

Which two objects should you include in the recommendation? Each correct answer presents part of the solution.

- A. a mobile device mailbox policy
- B. an Outlook Web App policy
- C. a data loss prevention (DLP) policy
- D. a device access rule

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:



QUESTION 14

Topic 4

Your company has an Exchange Server 2016 organization. The organization contains three servers and 2,000 mailboxes.

The organization audits all access to user mailboxes.

The company's security policy has the following requirements:

Audit the name of each administrator who modifies the Exchange Server organization settings.

Reduce the amount of audit log information generated by a service account named Service1.

Create an audit entry when an administrator modifies the permissions of another administrative mailbox.

You need to identify which PowerShell cmdlets must be used to meet the requirements.

Which PowerShell cmdlet should you identify for each requirement? To answer, drag the appropriate cmdlets to the correct requirements. Each cmdlet may be used once, more than once or not at all.

You may need to drag the split bar between panes or scroll to view content.

Select and Place:

Cmdlets

- Set-AdminAuditLogConfig
- Set-MailboxAUditBypassAssociation
- Set-OrganizationConfig
- Write-AdminAuditLog

Correct Answer:

Cmdlets

-
-
- Set-OrganizationConfig
- Write-AdminAuditLog

Answer Area

- Reduce the amount of audit log information generated by Service 1:
- Cretae an Audit entry when an adminsitratormodifies the permissions of another administrative mailbox:
- Audit the name of each administrator who modifies the Exchange Server organization settings:

Answer Area

- Reduce the amount of audit log information generated by Service 1:
- Cretae an Audit entry when an adminsitratormodifies the permissions of another administrative mailbox:
- Audit the name of each administrator who modifies the Exchange Server organization settings:

Section: (none)

Explanation

Explanation/Reference:

QUESTION 15

Topic 4

You have an Exchange Server 2016 organization.

All users work from a main office and use Microsoft Outlook 2016.

You recently ran the Microsoft Office 365 Hybrid Configuration Wizard and moved most of the user mailboxes to Exchange Online. A network administrator reports an increase in the amount of outbound SMTP traffic from the network.

You need to reduce the amount of bandwidth utilization for the outbound SMTP traffic.

What should you do?

- A. From the Exchange Server organization, create a Receive connector that uses the IP address of Exchange Online as a remote range.
- B. From the public DNS zone, modify the MX record to point to Exchange Online.
- C. From the public DNS zone, modify the SRV record to point to Exchange Online.
- D. From the Exchange Server organization, create a Send connector that uses Exchange Online as an SMTP smart host.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 16

Topic 4

Your company has three offices. The offices are located in New York, London and Sydney.

The offices connect to each other by using a WAN link. Each office connects directly to the Internet.

The company has an Exchange Server organization. The organization contains six mailbox servers. The servers are configured as shown in the following table.

Server name	Office	Active Directory site	Database Availability group
EX1	New York	Site1	DAG1
EX2	New York	Site1	DAG1
EX3	London	Site2	DAG1
EX4	London	Site2	DAG1
EX5	Sydney	Site3	DAG1
EX6	Sydney	Site3	DAG1

Each office is configured to use a different Send connector to send email messages to the Internet. You need to ensure that the servers route email messages that have Internet recipients through their respective site only. What should you modify?

- A. the permissions of each Send connector
- B. the settings of the site links
- C. the cost of each Send connector
- D. the scope of each Send connector

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 17

Topic 4

You have an Exchange Server 2016 organization. The organization contains 10 mailbox databases. You have a mailbox database named DB4 on a disk that has only 10 percent free disk space. You need to prevent automatic mailbox distribution from selecting DB4 as a target.

Which cmdlet should you use?

- A. Set-MailBoxDatabase
- B. Set-MailboxServer
- C. Set-SiteMailboxProvisioningPolicy
- D. Set-DatabaseAvailabilityGroup

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 18

Topic 4

Your network contains a single Active Directory forest. The forest contains two sites named Site1 and Site2.

You have an Exchange Server 2016 organization. The organization contains two servers in each site. You have a database availability group (DAG) that spans both sites. The file share witness is in Site1.

If a power failure occurs at Site1, you plan to mount the databases in Site2.

When the power is restored in Site1, you need to prevent the databases from mounting in Site1.

What should you do?

- A. Disable AutoReseed for the DAG.
- B. Implement an alternate file share witness.
- C. Configure Datacenter Activation Coordination (DAC) mode.
- D. Force a rediscovery of the network when the power is restored.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 19

Topic 4

Your company has two offices. The offices are located in San Francisco and Los Angeles.

Each office contains a data center.

Each data center has a local connection to the Internet.

You deploy an Exchange Server 2016 organization named Contoso and install three servers in each data center.

All of the servers are members of a single database availability group (DAG). Each data center hosts 2,000 mailboxes that replicate to the other data center.

You create four records in DNS. The records are configured as shown in the following table.

Record Name	Type	Points to	Zone
Lamail.contoso.com	A	Los Angeles data center	Public
Sfmail.contoso.com	A	San Francisco data center	Public
Mail.contoso.com	CNAME	Lamail.contoso.com Sfmail.contoso.com	Public
Mail.contoso.com	A	Los Angeles data center	Internal

You need to recommend a client access solution for the organization to meet the following requirements:

When connecting from the Internet, all users must connect to the same namespace for Outlook on the Web.

If a connection to the Internet fails at one data center, all users must be able to access their mailbox from the Internet.

When connecting from the Internet, all user connections to Exchange ActiveSync must be balanced equally across both data centers.

What is the best recommendation to achieve the goal? More than one answer choice may achieve the goal. Select the BEST answer.

- A. in the San Francisco office, configure the internal URLs of the servers to use the internal URL of sfmail.contoso.com. In the Los Angeles office, configure
- B. in the San Francisco office, configure the external URLs of the servers to use the internal URL of sfmail.contoso.com. In the Los Angeles office, configure
- C. Deploy a hardware-based load balancer to each office and configure all of the internal URLs to use mail.contoso.com.
- D. Deploy a hardware-based load balancer to each office and configure all of the external URLs to use mail.contoso.com.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 20

Topic 4

You have an Exchange Server organization. The organization contains four servers. The servers configured as shown in the following table.

Server name	Exchange Server version	Role	Configuration
EX1	2013	Client Access Server	Provides MAPI access for a third-party application
EX2	2013	Mailbox Server	Hosts public folders that are accessed by using Microsoft Outlook 2013
EX3	2010	Mailbox Server, Hub Transport server	Filters the content of all email messages from the Internet by using the content filtering agent
EX4	2010	Mailbox server	Provides retention by using managed folders

VCE To PDF - Free Practice Exam

You plan to upgrade the organization to Exchange Server 2016.

You need to identify which servers have functionalities that can be fully achieved by using Exchange Server 2016.

What should you identify? To answer, select the appropriate options in the answer area.

Hot Area:

All the functionalities in EX01 can be achieved by using Exchange Server 2016:

<input type="checkbox"/>	▼
Yes	<input type="checkbox"/>
No	<input type="checkbox"/>

All the functionalities in EX02 can be achieved by using Exchange Server 2016:

<input type="checkbox"/>	▼
Yes	<input type="checkbox"/>
No	<input type="checkbox"/>

All the functionalities in EX03 can be achieved by using Exchange Server 2016:

<input type="checkbox"/>	▼
Yes	<input type="checkbox"/>
No	<input type="checkbox"/>

All the functionalities in EX04 can be achieved by using Exchange Server 2016:

<input type="checkbox"/>	▼
Yes	<input type="checkbox"/>
No	<input type="checkbox"/>

Correct Answer:

All the functionalities in EX01 can be achieved by using Exchange Server 2016:

<input type="checkbox"/>	▼
Yes	<input type="checkbox"/>
No	<input checked="" type="checkbox"/>

All the functionalities in EX02 can be achieved by using Exchange Server 2016:

<input type="checkbox"/>	▼
Yes	<input checked="" type="checkbox"/>
No	<input type="checkbox"/>

All the functionalities in EX03 can be achieved by using Exchange Server 2016:

<input type="checkbox"/>	▼
Yes	<input checked="" type="checkbox"/>
No	<input type="checkbox"/>

All the functionalities in EX04 can be achieved by using Exchange Server 2016:

<input type="checkbox"/>	▼
Yes	<input type="checkbox"/>
No	<input checked="" type="checkbox"/>

Section: (none)

Explanation

Explanation/Reference:



<https://vceplus.com/>

Exam B**QUESTION 1**

Topic 4

You have an Exchange Server 2016 organization. The organization contains three Mailbox servers. The servers are configured as shown in the following table

Server Name	Active Directory site
EX01	Site1
EX02	Site2
EX03	Site3

You have distribution group named Group1. Group1 contains three members. The members are configured as shown in the following table.

User Name	Mailbox server
User1	EX01
User2	EX02
User3	EX03

You discover that when User1 sends email messages to Group1, all of the messages are delivered to EX02 first. You need to identify why the email messages sent to Group1 are sent to EX02 instead. What should you identify?

- A. EX02 is configured as an expansion server.
- B. The arbitration mailbox is hosted on EX02.
- C. Site2 has universal group membership caching enabled.
- D. Site2 is configured as a hub site.

Correct Answer: A**Section:** (none)**Explanation****Explanation/Reference:****QUESTION 2**

Topic 4

You need to configure a distribution group named CustomerService that has the following configurations:

A user named CSManager must be the only user allowed to add members to CustomerService.

All email messages sent to CustomerService must be approved by CSManager.

External users must be allowed to send email messages to CustomerService.

You configure CSManager as the group owner.

What should you configure in the Exchange admin center for each requirement?

To answer, drag the appropriate configurations to the correct requirements. Each configuration may be used once, more than once, or not at all. You may need to drag the split bar, between panes or scroll to view content.

Select and Place:

Configurations	Answer Area
Delivery Management	A user named CSManager must be the only user allowed to add members to CustomerService: Configuration
Membership Approval	All email messages sent to CustomerService must be approved by CSManager: Configuration
Moderation	External users must be allowed to send email messages to CustomerService: Configuration
Ownership	

Correct Answer:

Configurations

Membership Approval

Answer Area

A user named CSManager must be the only user allowed to add members to CustomerService:

All email messages sent to CustomerService must be approved by CSManager:

External users must be allowed to send email messages to CustomerService:

Section: (none)

Explanation

Explanation/Reference:



<https://vceplus.com/>



QUESTION 3

Topic 4

You need to configure the virtual directories for the Exchange Server organization. Which three commands should you use? Each correct answer presents part of the solution.

- A. Set-MapiVirtualDirectory-ExternalUrl "https://office-online.contoso.com/hosting/discovery"
- B. Set-ActiveSyncVirtualDirectory -ExternalUrl "https://mail.contoso.com/Microsoft-Server-ActiveSync"
- C. Set-WebServicesVirtualDirectory -ExternalUrl "https://mail.contoso.com/ews/exchange.asmx"
- D. Set-AutodiscoverVirtualDirectory -ExternalUrl "https://autodiscover.contoso.com/autodiscover/autodiscover.xmr"

E. Set-OwaVirtualDirectory -ExternalUrl "https://mail.contoso.com/owa"

Correct Answer: BCD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 4

Topic 4

You have three Hyper-V hosts that each have 20 processor cores and 64 GB of RAM. Nine virtual machines are deployed to the hosts as shown in the following table.

Virtual machine name	Hyper-V host name	Number of processor cores	Amount of memory (GB)
DC1	Host1	4	8
FileServer1	Host1	4	8
WAP1	Host1	4	4
DC2	Host2	4	8
SQL1	Host2	12	32
ADFS1	Host2	4	8
Skype1	Host3	12	16
SharePoint1	Host3	12	16
SCOM1	Host3	8	12

You plan to deploy a two-node Exchange Server 2016 database availability group (DAG) by using the virtual machines. Each node will have 12 processor cores and 24 GB of memory.

You are evaluating whether you can use the existing servers for the deployment or whether you must purchase additional servers.

You need to recommend where to place the Exchange servers. The solution must minimize costs.

What is the best recommendation to achieve the goal? More than one answer choice may achieve the goal. Select the BEST answer.

- A. One Exchange server on Host1 and one Exchange server on a new Hyper-V host
- B. One Exchange server on Host1 and one Exchange server on Host3.
- C. Both Exchange servers on Host1.
- D. One Exchange server on Host1 and one Exchange server on Host2.
- E. One Exchange server on Host2 and one Exchange server on Host3

Correct Answer: E

Section: (none)

Explanation

Explanation/Reference:

QUESTION 5

Topic 4

You have an Exchange Server organization. The organization contains servers that have Exchange Server 2010 and Exchange Server 2016 installed.

You establish a hybrid deployment between Exchange Server and Microsoft Office 365.

Some users have on-premises mailboxes and personal archives in Exchange Online. You discover that you are unable to use In-Place eDiscovery to search user mailboxes and Exchange Online Archiving archives concurrently.

You need to recommend a solution to ensure that In-Place eDiscovery can search the mailboxes and the personal archives concurrently. What should you include in the recommendation?

- A. Auth authentication
- B. an organization relationship
- C. a retention policy
- D. the Mailbox Replication service (MRS)

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 6

Topic 4

You have an Exchange Server 2016 organization. Users report that they receive an Autodiscover error when they attempt to configure a Microsoft Outlook profile. You need to view the URLs that are returned to the users when they attempt to establish an Autodiscover connection. Which command should you run from an Exchange server?

- A. Test-OutlookConnectivity
- B. Test-OutlookWebServices
- C. Test-WebServicesConnectivity
- D. Test-MAPIConnectivity

Correct Answer: B**Section: (none)****Explanation****Explanation/Reference:****QUESTION 7**

Topic 4

Your company has a data center. The data center contains a server that has Exchange Server 2016 and the Mailbox server role installed. Outlook anywhere clients connect to the Mailbox server by using the name outlook.contoso.com.

The company plans to open a second data center and to provision a database availability group (DAG) that spans both data centers.

You need to ensure that Outlook Anywhere clients can connect if one of the data centers becomes unavailable. What should you add to DNS?

- A. one A record
- B. two TXT records
- C. two SRV records
- D. one MX record

Correct Answer: A
Section: (none)
Explanation

Explanation/Reference:

QUESTION 8

Topic 4

Your company has an Exchange Server 2016 organization and a Microsoft Office 365 subscription configured in a hybrid deployment.

You configure the synchronization of on-premises Active Directory accounts to Office 365. All users connect to email services by using Outlook 2016.

You plan to deploy Office 365 Message Encryption for the mailboxes of two executives named Exec1 and Exec2. The mailboxes are hosted in Office 365. You need to recommend which actions must be performed to ensure that all of the email messages sent from Exec1 and Exec2 to any recipient on the Internet are encrypted.

Which two actions should you recommend? Each correct answer presents part of the solution.

- A. Deploy Microsoft Azure Rights Management (Azure RMS) to the Office 365 subscription.
- B. Deploy Active Directory Rights Management Services (AD RMS) to the network.
- C. Run the Set-MSOLUserLicense cmdlet.
- D. From the Office 365 Exchange admin center, create a rule.
- E. Install a certificate on the computer of Exec1 and the computer of Exec2.
- F. From the on-premises Exchange admin center, create a transport rule.

Correct Answer: AF
Section: (none)
Explanation

Explanation/Reference:

QUESTION 9

Topic 4

All users connect to their mailbox by using Microsoft Outlook and Outlook on the web.

You need to ensure that all of the users are notified before they send an email message to a distribution group named Executives.

Which cmdlet should you use?

- A. New-TransportRule
- B. Set-Mailbox

- C. New-PolicyTipConfig
- D. Set-DistributionGroup
- E. Set-DLPPolicy

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 10

Topic 4

You have an Exchange Server 2010 organization. The organization has 500 mailboxes and three servers. The servers are configured as shown in the following table.

Server name	Role
EX10MBX	Mailbox Server
EX10CH	Client Access server, Hub Transport server
EX10EDGE	Edge Transport server

EX10EDGE is located in the perimeter network. EX10CH has an Edge Subscription. All Internet mail flows through EX10EDGE.

You deploy an Exchange Server 2016 Mailbox server named EX16MBX to the organization. You deploy an Exchange Server 2016 Edge Transport server named EX16EDGE to the perimeter network.

You need to transition all Internet mail to flow through EX16EDGE. The solution must minimize disruptions to the mail flow.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions

Configure the perimeter Firewall to forward HTTPS traffic to EX16EDGE.

Modify the Edge Subscription on EX10CH.

Remove the Edge Subscription on EX10CH and EX10EDGE.

Create an Edge Subscription between EX16EDGE and EX16MBX.

Configure the perimeter firewall to forward SMTP traffic to EX16EDGE.

Creatae an Edge Subscription between EX10EDGE and EX16MBX.



Answer Area

Correct Answer:

Actions

Configure the perimeter Firewall to forward HTTPS traffic to EX16EDGE.

Modify the Edge Subscription on EX10CH.

Create an Edge Subscription between EX10EDGE and EX16MBX.



Answer Area

Create an Edge Subscription between EX16EDGE and EX16MBX.

Configure the perimeter firewall to forward SMTP traffic to EX16EDGE.

Remove the Edge Subscription on EX10CH and EX10EDGE.

Section: (none)
Explanation

Explanation/Reference:

QUESTION 11

Topic 4

Your company has an Exchange Server 2016 organization.

You plan to allow several users to access the mailboxes of the other group.

You need to ensure that a user named User1 can read and delete the email messages in the mailbox of a user named User2.

User1 must add the mailbox of User2 manually to the Microsoft Outlook profile.

What command should you run? To answer, select the appropriate options in the answer area.

Hot Area:

▼

- Add-MailboxFolderPermission
- Add-MailboxPermission

▼

- Identify User1
- Identify User2

▼

- User User1
- User User2

▼

- AccessRight ExternalAccount
- AccessRight FullAccess
- AccessRight ReadPermission

▼

- Atomapping \$false
- Atomapping \$true
- Confirm \$false
- Confirm \$true

-inheritanceType All

Correct Answer:

```
Add-MailboxFolderPermission  
Add-MailboxPermission
```

```
-Identify User1  
-Identify User2
```

```
-User User1  
-User User2
```

```
-AccessRight ExternalAccount  
-AccessRight FullAccess  
- AccessRight ReadPermission
```

```
-Atomapping $false  
-Atomapping $true  
-Confirm $false  
-Confirm $true
```

```
-inheritanceType A11
```

Section: (none)

Explanation

Explanation/Reference:

QUESTION 12

Topic 4

You run the Get-DlpPolicy cmdlet and you receive the following output.

```
RunspaceID           : 07479925-f4bf-4bb2-80e0-4d1eab557dfe
Name                 : Policy1
Version              : 15.0.3.0
ContentVersion       : 4
ImmutableID          : 4bf920ba-536b-4370-8dc2-4f71157702f1
State                : Enabled
Mode                 : AuditAndNotify
Description           :
PublisherName        : Microsoft
Keywords             : {}
Identity             : Policy1
DistinguishedName    : CN=CPolicy1,CN=Rules,CN=Transport
                    : SettingsCN=Contoso,CN=Microsoft
                    : Exchange,CN=Services,CN=Configuration,
                    : DC=contoso,DC=com

Guid                 : a0a95206-02a3-4f24-a913-a74dbbc8db01
OrganizationID       :
IsValid              : True

WhenChanged          : 9/15/2015 12:13:25 AM
ExchangeVersion      : 0.20 (15.0.0.0)
MaximumSupportedExchangeObjectVersion : 0.20 (15.0.0.0)
IsReadOnly           : False
ObjectState          : Unchanged
```



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the output.

Hot Area:

If a message matches the conditions of the policy, the message will be [answer choice].

blocked and the sender is notified
blocked without notifying the sender
send to the recipient

If a message matches the conditions of the policy, a [answer choice] will appear in Microsoft Outlook.

mail tip
non-delivery report (NDR)
policy tip

Correct Answer:

Section: (none)

Explanation

Explanation/Reference:

QUESTION 13

If a message matches the conditions of the policy, the message will be [answer choice].

blocked and the sender is notified
blocked without notifying the sender
send to the recipient

If a message matches the conditions of the policy, a [answer choice] will appear in Microsoft Outlook.



mail tip
non-delivery report (NDR)
policy tip

Topic 4

You have an Exchange Server 2016 organization. The organization contains a database availability group (DAG). You need to identify the number of transaction logs that are in replay queue. Which cmdlet should you use?

- A. Test-ServiceHealth
- B. Test-ReplicationHealth
- C. Get-DatabaseAvailabilityGroup
- D. Get-MailboxDatabaseCopyStatus

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 14

Topic 4

You have an Exchange Server 2016 organization.

You need to ensure that users in each department download an Offline Address Book (OAB) that only contains the users in their department. The solution must ensure that all of the users can continue to see all the other users in the organization. Which three actions should you perform? Each correct answer presents part of the solution.



<https://vceplus.com/>

- A. Create an OAB for each department
- B. Modify the properties for each user mailbox.
- C. Create an address book policy (ABP) for each department.
- D. Create an address list for each department.
- E. Modify the properties of the default OAB.
- F. Create an email address policy for each department.



Correct Answer: ABC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 15

Topic 4

How is the IBM Content Template Catalog delivered for installation?

- A. as an EXE file
- B. as a ZIP file of XML files
- C. as a Web Appli cati on Archive file

D. as a Portal Application Archive file

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 16

Topic 4

You have an Exchange Server organization. The organization contains four servers. The servers configured as shown in the following table.

Server name	Exchange Server version	Role	Configuration
EX1	2013	Client Access Server	Provides MAPI access for a third-party application
EX2	2013	Mailbox Server	Hosts public folders that are accessed by using Microsoft Outlook 2013
EX3	2010	Mailbox Server, Hub Transport server	Filters the content of all email messages from the Internet by using the content filtering agent
EX4	2010	Mailbox server	Provides retention by using managed folders

You plan to upgrade the organization to Exchange Server 2016.

You need to identify which functionalities from the current environment can be implemented in Exchange Server 2016.

What should you identify? To answer, select the appropriate options in the answer area.

Hot Area:

Provide MAPI access for a third-party application:

	▼
Yes	
No	

Host public folders that are accessed by using Microsoft Outlook 2013:

	▼
Yes	
No	

Filter content of all email messages from the Internet by using the content filtering agent:

	▼
Yes	
No	

Provide retention by using managed folders:

	▼
Yes	
No	

Correct Answer:

Provide MAPI access for a third-party application:

	▼
Yes	
No	

Host public folders that are accessed by using Microsoft Outlook 2013:

	▼
Yes	
No	

Filter content of all email messages from the Internet by using the content filtering agent:

	▼
Yes	
No	

Provide retention by using managed folders:

	▼
Yes	
No	

Section: (none)
Explanation

Explanation/Reference:

QUESTION 17

Topic 4

You have an Exchange Server 2016 organization.

You run the Microsoft Office 365 Hybrid Configuration Wizard and you move all the mailboxes to Exchange Online.

You need to ensure that all of the email services remain available after you remove the Exchange Server 2016 servers from the organization.

Which DNS records should you modify? To answer, drag the appropriate record types to the correct DNS zones. Each record type may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

Select and Place:

Record Types	Answer Area
<input type="text" value="Autodiscover"/>	Record to modify in the internal DNS zone: <input type="text" value="Record Type"/>
<input type="text" value="MX"/>	Record to modify in the public DNS zone: <input type="text" value="Record Type"/>
<input type="text" value="NX"/>	<input type="text" value="Record Type"/>
<input type="text" value="SRV"/>	<input type="text" value="Record Type"/>

Correct Answer:

Record Types	Answer Area
<input type="text" value="Autodiscover"/>	Record to modify in the internal DNS zone: <input type="text" value="Autodiscover"/>
<input type="text" value="MX"/>	<input type="text" value="Record Type"/>
<input type="text" value="NX"/>	<input type="text" value="Record Type"/>
<input type="text" value="SRV"/>	<input type="text" value="MX"/>

Section: (none)

Explanation

Explanation/Reference:

QUESTION 18

Topic 4

You are designing an Exchange Server 2016 organization. The organization will use a single namespace of mail.contoso.com for all client access protocols.

You plan to use load balancers.

You identify the following requirements for the load balancing solution: The Edge Transport server log files must contain the original IP address of the SMTP hosts. Clients must be able to connect only when they use the approved hostnames and the approved virtual directories.

You need to identify which type of load balancer meets each requirement. What should you identify? To answer, select the appropriate options in the answer area.

Hot Area:

The Edge Transport server log files must contain the original IP address of the SMTP client:



A dropdown menu with a downward arrow on the right. The menu is open, showing three options: "Layer 4 only", "Layer 7 only", and "Both Layer 4 and Layer 7".


Users must be able to connect only when they use the approved hostnames and the approved virtual directories:



A dropdown menu with a downward arrow on the right. The menu is open, showing three options: "Layer 4 only", "Layer 7 only", and "Both Layer 4 and Layer 7".

Correct Answer:

The Edge Transport server log files must contain the original IP address of the SMTP client:



Layer 4 only
Layer 7 only
Both Layer 4 and Layer 7

Users must be able to connect only when they use the approved hostnames and the approved virtual directories:



Layer 4 only
Layer 7 only
Both Layer 4 and Layer 7

Section: (none)

Explanation

Explanation/Reference:

QUESTION 19

Topic 4

You need to add a DNS record to provide Autodiscover for each domain. Which type of record should you create in each zone?

- A. PTR
- B. MX
- C. TXT
- D. A

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Exam C

QUESTION 1

Topic 4

You have an Exchange Server 2016 organization. The organization contains five Mailbox servers. The servers are members of a database availability group (DAG).

All of the databases in the DAG are replicated to all of the members.

You plan to perform scheduled maintenance on a Mailbox server named MBX3 that will place the server offline for up to an hour.

You need to ensure that any active databases on MBX3 are activated on other DAG members before performing the maintenance.

Which cmdlet should you use?



<https://vceplus.com/>



- A. Set-MailboxDatabaseCopy
- B. Stop-DatabaseAvailabilityGroup
- C. Resume-MailboxDatabaseCopy
- D. Set-MailboxServer

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 2

Topic 4

You have an Exchange Server 2016 organization named Contoso.

You create an organization relationship with a partner's Exchange Server organization named Fabrikam. The users in Fabrikam can view the free/busy information of all the users in Contoso.

You need to ensure that the users in Fabrikam can view the custom Mail Tips configured in Contoso.

What command should you run in Contoso? To answer select the appropriate options in the answer area

Hot Area:

Answer Area

	"Fabrikam"	
<div style="border: 1px solid black; padding: 5px;"> <div style="text-align: right;">▼</div> <ul style="list-style-type: none"> Set-IntraOrganizationConnector Set-OrganizationConfig Set-OrganizationRelationship </div>	<div style="border: 1px solid black; padding: 5px;"> <div style="text-align: right;">▼</div> <ul style="list-style-type: none"> -MailTipsAccessEnabled -MailTipsAccessLevel -MailTipsAccessScope </div>	<div style="border: 1px solid black; padding: 5px;"> <div style="text-align: right;">▼</div> <ul style="list-style-type: none"> \$True All </div>

Correct Answer:

Answer Area

	"Fabrikam"	
<div style="border: 1px solid black; padding: 5px;"> <div style="text-align: right;">▼</div> <ul style="list-style-type: none"> Set-IntraOrganizationConnector Set-OrganizationConfig <li style="background-color: #e0ffe0;">Set-OrganizationRelationship </div>	<div style="border: 1px solid black; padding: 5px;"> <div style="text-align: right;">▼</div> <ul style="list-style-type: none"> <li style="background-color: #e0ffe0;">-MailTipsAccessEnabled -MailTipsAccessLevel -MailTipsAccessScope </div>	<div style="border: 1px solid black; padding: 5px;"> <div style="text-align: right;">▼</div> <ul style="list-style-type: none"> <li style="background-color: #e0ffe0;">\$True All </div>

Section: (none)

Explanation

Explanation/Reference:

QUESTION 3

Topic 4

You have an Exchange Server 2016 organization. The organization contains two Mailbox servers. You have a database that is replicated to both servers. The database contains 500 mailboxes.

You add new volumes to the Mailbox servers.

You need to move all of the mailbox data to the new volumes. The solution must meet the following requirements: Ensure that multiple copies of the mailbox data are available at all times.

Minimize downtime for the mailbox users.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:



Actions

Remove all of the replicated database copies.

Create a new database.

Dismount the replicas of the database.

Move the database.


Mount the new database.

Move the mailboxes.

Mount the replicas of the database

Create replicated database copies.

Answer Area



Correct Answer:

Actions

-
- Create a new database.
- Dismount the replicas of the database.
-
- Mount the new database.
- Move the mailboxes.
- Mount the replicas of the database
-

Answer Area

- Remove all of the replicated database copies.
- Move the database.
- Create replicated database copies.



Section: (none)

Explanation

Explanation/Reference:



QUESTION 4

Topic 4

You have an Exchange Server 2016 organization and a Microsoft Office 365 subscription configured in a hybrid deployment. The deployment contains 500 user mailboxes.



Users who have mailboxes in Office 365 report that they cannot view the availability information of users who have mailboxes in Exchange Server 2016. You need to ensure that the users hosted in Office 365 can view the availability information of the mailboxes hosted in on-premises Exchange Server. Which command should you run on an Exchange Server? To answer, select the appropriate options in the answer area.

Hot Area:



<https://mail.contoso.com/ews/Exchange.asmx>

Correct Answer:



`https://mail.contoso.com/ews/Exchange.asmx`

Section: (none)

Explanation

Explanation/Reference:

QUESTION 5

Topic 4

You have an Exchange Server 2016 organization. The organization contains five servers. The servers are configured as shown in the following table:

Server name	Role	Active Directory site
EX01	Mailbox server	New York
EX02	Mailbox server	New York
EX03	Mailbox server	London
EX04	Mailbox server	London
SRV01	File share witness	New York
SRV02	Alternate file share witness	London

EX01, EX02, EX03, and EX04 are members of a database availability group (DAG) named DAG01

The data center in New York fails.

You need to activate DAG01 in the London site.

Which three commands should you run in sequence? To answer, move the appropriate commands from the list of commands to the answer area and arrange them

in the correct order **Select and Place:**

Commands

```
Start-DatabaseAvailabilityGroup -Identity  
DAG01 -ActiveDirectorySite "New York"
```

```
Restore-DatabaseAvailabilityGroup -Identity  
DAG01 -ActiveDirectorySite "New York"
```

```
Set-Service -Name clussvc -ComputerName  
EX03 -Status Stopped  
Set-Service -Name clussvc -ComputerName  
EX04 -Status Stopped
```

```
Stop-DatabaseAvailabilityGroup -identity  
DAG01 -ActiveDirectorySite "New York"  
-ConfigurationOnly $TRUE
```

```
Stop-DatabaseAvailabilityGroup -identity  
DAG01 -ActiveDirectorySite "New York"  
-ConfigurationOnly $FALSE
```

```
Restore-DatabaseAvailabilityGroup -Identity  
DAG01 -ActiveDirectorySite "London"  
-AlternateWitnessServer SRV02  
-AlternateWitnessDirectory D:\DAG1
```

```
Start-DatabaseAvailabilityGroup -Identity  
DAG01 -ActiveDirectorySite "London"
```

```
Set-Service -Name clussvc -ComputerName  
EX01 -Status Stopped  
Set-Service -Name clussvc -ComputerName  
EX02 -Status Stopped
```

Answer Area



Correct Answer:

Commands

```
Start-DatabaseAvailabilityGroup -Identity  
DAG01 -ActiveDirectorySite "New York"
```

```
Restore-DatabaseAvailabilityGroup -Identity  
DAG01 -ActiveDirectorySite "New York"
```

```
Set-Service -Name clussvc -ComputerName  
EX03 -Status Stopped  
Set-Service -Name clussvc -ComputerName  
EX04 -Status Stopped
```

```
Stop-DatabaseAvailabilityGroup -Identity  
DAG01 -ActiveDirectorySite "New York"  
-ConfigurationOnly $FALSE
```

```
Start-DatabaseAvailabilityGroup -Identity  
DAG01 -ActiveDirectorySite "London"
```

Answer Area

```
Stop-DatabaseAvailabilityGroup -identity  
DAG01 -ActiveDirectorySite "New York"  
-ConfigurationOnly $TRUE
```

```
Set-Service -Name clussvc -ComputerName  
EX01 -Status Stopped  
Set-Service -Name clussvc -ComputerName  
EX02 -Status Stopped
```

```
Restore-DatabaseAvailabilityGroup -Identity  
DAG01 -ActiveDirectorySite "London"  
-AlternateWitnessServer SRV02  
-AlternateWitnessDirectory D:\DAG1
```



Section: (none)

Explanation

Explanation/Reference:

QUESTION 6

Topic 4

You have an Exchange Server 2016 organization.

You have a mailbox database named PF_DB1 that contains a public folder mailbox named PF1. PF1 contains a public folder named Marketing.

Three weeks ago, a user deleted the Marketing folder.

You restore the database files from the last full backup to a recovery database named R_DB1.

You need to recover Marketing folder.

What command should you run? To answer, select appropriate options in the answer area.


Hot Area:



`-SourceStoreMailbox PF1 -SourceDatabase PF_DB1`

`-TargetMailbox PF1 -AllowLegacyDNMismatch -IncludeFolders "Marketing"`

Correct Answer:



`-TargetMailbox PF1 -AllowLegacyDNMismatch -IncludeFolders "Marketing"`

Section: (none)

Explanation

Explanation/Reference:

QUESTION 7

Topic 4

Your company has an Exchange Server 2016 organization named contoso.com. You need to recommend a solution that meets following requirements:

A user named User1 must be able to send email messages by using an alias of sales@contoso.com in the From field.

Recipients of the messages must be prevented from identifying the actual sender of the

message. User1 and a user named User2 must each receive a copy of replies to sales@contoso.com

What should you recommend?

- A. Create a distribution group named Sales that has an alias of Sales. Add User1 and User2 to the group. Assign the Send As permissions to User1.
- B. Create a shared mailbox named Sales that has an Alias of Sales. Assign the Receive As permission User1 and User2. Assign the Send As permission to User 1
- C. Create a shared mailbox named Sales that has an Alias of Sales. Assign the Receive As permission User1 and User2. Assign the Send on permission to User 1
- D. Create a distribution group named Sales that has an alias of Sales. Add User1 and User2 to the group. Assign the send on Behalf permission to User1.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:**QUESTION 8**

Topic 4

You have an Exchange Server 2016 organization. The organization contains several servers.

Users in the marketing department often send Information Rights Management (IRM)protected email messages. The IRM-protected messages are excluded from eDiscovery searches.

You need to configure the Exchange Server Organization to ensure that the contents of the mailboxes of the marketing department users are searched for all messages that contain the word ProjectX. The solution must prevent the email messages from being deleted permanently.

Your user account is a member of the required role group.


Which three actions should you perform? Each correct answer present part of the solution.

- A. Run theNew-Mailboxcmdlet
- B. Run theNew-MailboxSearchcmdlet
- C. Run theSet-IRMConfigurationcmdletD. RuntheSearch-Mailboxcmdlet
- E. Export the results from the discovery mailbox to a personal folders (PST) file, and then use MicrosoftOutlook to open the PST file.
- F. Use Outlook on the web to open the discovery mailbox.

Correct Answer: BCE**Section:** (none)**Explanation****Explanation/Reference:****QUESTION 9**

Topic 4

You have an Exchange Server 2016 organization. The Active directory sites are configured as shown in the following graphic.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

Hot Area:

When a user from Site 4 sends an email message to user in Site 2, the message will be [answer choice].

<input type="text"/>
<input type="text"/>
<input type="text"/>
<input type="text"/>

If the server in Site 2 fails, all of the email messages sent from Site 4 to Site 2 will be queued on a server in [answer choice].

<input type="text"/>
<input type="text"/>
<input type="text"/>
<input type="text"/>

Correct Answer:

When a user from Site 4 sends an email message to user in Site 2, the message will be [answer choice].

sent directly to Site 2
relayed throguh Site 1
relayed throguh Site 3

If the server in Site 2 fails, all of the email messages sent from Site 4 to Site 2 will be queued on a server in [answer choice].

Site 1
Site 3
Site 4

Section: (none)

Explanation

Explanation/Reference:

QUESTION 10

Topic 4

Your network contains an Active Directory forest that has the site topology shown in the diagram.



You have an Exchange Server 2016 organization. The organization contains three servers. The servers are configured as shown in the following table.

Server Name	Active Directory site
EX01	Site1
EX02	Site2
EX03	Site3

You have the users described as shown in the following table.

User Name	Mailbox server
User1	EX01
User2	EX02
User3	EX03

You need to ensure that any email messages sent from User1 to User3 are sent to EX02 first, and then delivered to EX03. What should you configure?

- A. Site 2 as a hub site
- B. EX02 as an expansion server
- C. the Exchange cost for the site link from Site 2 to Site 3
- D. the Exchange cost for the site link from Site 1 to Site 2

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 11

Topic 4

You have an Exchange Server 2010 organization.

You plan to upgrade to Exchange Server 2016.

You have two active directory sites configured as shown in the following table

Site Name	Internet-facing
Brussels	No
New York	Yes

You have five servers configured as shown in the following table.

Server name	Exchange Server version	Role	Active Directory site
EX01	2010	Mailbox server	Brussels
CAS01	2010	Client Access server, Hub Transport server	Brussels
EX02	2010	Mailbox server	Brussels
CAS02	2010	Client Access server, Hub Transport server	New York
EX03	2016	Mailbox server	New York

You have three users who have mailboxes configured as shown in the following table.

User Name	Mailbox server location
User1	EX01
User2	EX02
User3	EX03

You have the following configurations:

The OWA virtual directory ExternalURL on CAS01 is `https://mail.brussels.contoso.com/owa`.

The OWA virtual directory ExternalURL on CAS02 is `$null`.

The OWA virtual directory ExternalURL on EX03 is `https://mail.contoso.com/owa`.

All users connect to `https://mail.contoso.com/owa` to access Outlook on the web.

For each of the following statements, select Yes, if the statement is true. Otherwise, select No.



<https://vceplus.com/>

Hot Area:

Statements	Yes	No
User1 will be redirected to CAS01 when accessing Outlook on the web from the Internet.	<input type="radio"/>	<input type="radio"/>
User2 will be redirected to CAS02 when accessing Outlook on the web from the Internet.	<input type="radio"/>	<input type="radio"/>
User3 will be proxied to CAS02 when accessing Outlook on the web from the Internet.	<input type="radio"/>	<input type="radio"/>

Correct Answer:

Statements	Yes	No
User1 will be redirected to CAS01 when accessing Outlook on the web from the Internet.	<input checked="" type="radio"/>	<input type="radio"/>
User2 will be redirected to CAS02 when accessing Outlook on the web from the Internet.	<input type="radio"/>	<input checked="" type="radio"/>
User3 will be proxied to CAS02 when accessing Outlook on the web from the Internet.	<input checked="" type="radio"/>	<input type="radio"/>

Section: (none)

Explanation

Explanation/Reference:

QUESTION 12

Topic 4

You have a hybrid Exchange Server 2016 organization.

Users use Outlook on the web. All mailboxes currently reside on-premises.

You have an internal public key infrastructure (PKI) that uses a certification authority (CA) named CA1. Certificates are issued to users to sign and encrypted email messages.

You move a mailbox to Exchange Online and you discover that the mailbox fails to exchange signed or encrypted email messages from the on-premises mailbox users.

You need to ensure that all of the mailboxes that were moved to Exchange Online can send encrypted email messages to the on-premises mailboxes.

The mailboxes must also be able to receive encrypted email messages from the on-premises mailboxes.

You export the required certificates to a file named Export.sst

What command should you run next? To answer, select appropriate options in the answer area.


Hot Area:

```
$data=Get-Content Export.SST -Encoding Byte
```

The screenshot shows a hot area interface with two dropdown menus. The left menu is open and displays three options: 'Set-OrganizationConfig', 'Set-SmimeConfig', and 'Set-TransportConfig'. The right menu is also open and displays four options: 'OWAAllowUserChoiceOfSigningCertificate', 'OWAEncryptionAlgorithms', 'OWAForceSMIMEClientUpgrade', and 'SMIMECertificateIssuingCA'. The text '\$data' is visible to the right of the right menu. A watermark for VCEplus is visible in the background.

Correct Answer:

```
$data=Get-Content Export.SST -Encoding Byte
```



Section: (none)

Explanation

Explanation/Reference:

QUESTION 13

Topic 4

You have an exchange server 2016 organization. The organization contains two servers named EX01 and EX02. Both servers are members of a database availability group (DAG) named DAG01.

DAG01 contains two mailbox databases named DB01 and DB02. DB01 and DB02 are replicated to all of the members of DAG01.

Name	Status	CopyQueue Length	ReplayQueue Length	LastInspectedLogTime	State
DB01\EX02	FailedAndSuspended	906	0	11/16/2015 9:29:39 AM	Unknown

You run the Get-MailboxDatabaseCopyStatus cmdlet and you receive the following output.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the output.

Hot Area:

If you run the [answer choice] cmdlet, only uncopied transaction logs will be copied from EX01 to EX02.

If you run the [answer choice] cmdlet, DB02 will be deleted from EX02 and reseeded from EX01.

Correct Answer:
Section: (none)
Explanation

Add-MailboxDatabaseCopy
Remove-MailboxDatabaseCop
Resume-MailboxDatabaseCop
Set-MailboxDatabaseCopy
Update-MailboxDatabaseCopy

Add-MailboxDatabaseCopy
Remove-MailboxDatabaseCop
Resume-MailboxDatabaseCop
Set-MailboxDatabaseCopy
Update-MailboxDatabaseCopy

If you run the [answer choice] cmdlet, only uncopied transaction logs will be copied from EX01 to EX02.

If you run the [answer choice] cmdlet, DB02 will be deleted from EX02 and reseeded from EX01.

Add-MailboxDatabaseCopy
Remove-MailboxDatabaseCop
Resume-MailboxDatabaseCop
Set-MailboxDatabaseCopy
Update-MailboxDatabaseCopy

Add-MailboxDatabaseCopy
Remove-MailboxDatabaseCop
Resume-MailboxDatabaseCop
Set-MailboxDatabaseCopy
Update-MailboxDatabaseCopy

Explanation/Reference:

QUESTION 14

Topic 4

You are planning an Exchange Server 2016 organization. The organization will contain two servers. The servers will be configured as shown in the following table.

Server name	Active Directory site
EX01	New York
EX02	London

You plan to purchase an SSL certificate that contains the following names:

Mail.contoso.com

Mail.london.contoso.com

Mail.newyork.contoso.com

You plan to configure a solution for the sites in New York and London. DNS will resolve the names as shown in the following table.

Host name	Resolves to
Mail.contoso.com	IP addresses of the servers in the New York and London sites
Mail.newyork.contoso.com	IP address of the server in the New York site
Mail.london.contoso.com	IP address of the server in the London site

You need to configure the client protocols to meet the following requirements:

Users who connect to their mailbox by using Outlook on the web must connect directly to a server in the site that hosts their mailbox. All Exchange ActiveSync users must connect to the same namespace.

How should you configure the virtual directories? To answer, select the appropriate options in the answer area.

Hot Area:

EX01 OWA virtual directory ExternalUrl:	<input type="text"/> https://ex01.contoso.com/owa https://mail.contoso.com/owa https://mail.london.contoso.com/owa https://mail.newyork.contoso.com/owa
EX02 OWA virtual directory ExternalUrl:	<input type="text"/> https://ex02.contoso.com/owa https://mail.contoso.com/owa https://mail.london.contoso.com/owa https://mail.newyork.contoso.com/owa
EX01 ActiveSync virtual directory ExternalUrl:	<input type="text"/> https://ex01.contoso.com/Microsoft-Server-ActiveSync https://mail.contoso.com/Microsoft-Server-ActiveSync https://mail.london.contoso.com/Microsoft-Server-ActiveSync
EX02 ActiveSync virtual directory ExternalUrl:	<input type="text"/> https://ex02.contoso.com/Microsoft-Server-ActiveSync https://mail.contoso.com/Microsoft-Server-ActiveSync https://mail.london.contoso.com/Microsoft-Server-ActiveSync

Correct Answer:

EX01 OWA virtual directory ExternalUrl:	<input type="text"/> https://ex01.contoso.com/owa https://mail.contoso.com/owa https://mail.london.contoso.com/owa https://mail.newyork.contoso.com/owa
EX02 OWA virtual directory ExternalUrl:	<input type="text"/> https://ex02.contoso.com/owa https://mail.contoso.com/owa https://mail.london.contoso.com/owa https://mail.newyork.contoso.com/owa
EX01 ActiveSync virtual directory ExternalUrl:	<input type="text"/> https://ex01.contoso.com/Microsoft-Server-ActiveSync https://mail.contoso.com/Microsoft-Server-ActiveSync https://mail.london.contoso.com/Microsoft-Server-ActiveSync
EX02 ActiveSync virtual directory ExternalUrl:	<input type="text"/> https://ex02.contoso.com/Microsoft-Server-ActiveSync https://mail.contoso.com/Microsoft-Server-ActiveSync https://mail.london.contoso.com/Microsoft-Server-ActiveSync

Section: (none)
Explanation

Explanation/Reference:
QUESTION 15
Topic 4

You have an Exchange Server 2016 organization.

All users use Microsoft Outlook 2016.

You need to configure the Exchange Server organization to meet following requirements:

Users must be prevented from receiving a notification when they attempt to send an email message to distribution groups that contain less than 100 members.

Users must be notified before they send email messages to an unmonitored mailbox named Service1.

Which cmdlet should you run to meet each requirement? To answer, drag appropriate cmdlets to the correct requirements.



Each cmdlet must be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Hot Area:

Users must be prevented from receiving a notification when they attempt to send an email message to distribution groups that contain less than 100 members:



Users must be notified before they send email messages to an unmonitored mailbox named Service1:



Correct Answer:

Section: (none)


Explanation

Explanation/Reference:


QUESTION 16

Topic 4

Users must be prevented from receiving a notification when they attempt to send an email message to distribution groups that contain less than 100 members:



Users must be notified before they send email messages to an unmonitored mailbox named Service1:



You deploy an Exchange Server 2016 organization. The organization contains two servers. The servers are configured as shown in the following table.

Server name	Role
Ex01.contoso.local	Mailbox server
Ex02.contoso.local	Mailbox server

The default self-signed certificates are installed on both servers.

All of the users in the organization work from home and from customer locations.

You purchase a Layer 7 hardware-based load balancer. You configure SSL bridging without session affinity for Outlook on the web connections.

The load balancer has an internal fully qualified domain name (FQDN) of lb1.contoso.local.

DNS servers are configured to resolve mail.contoso.com names to the external IP address of the load balancer.

You need to recommend which names must be included in the certificates installed on the load balancers and the Exchange servers.

What should you recommend for each certificate? To answer, select the appropriate options in the answer area.

Hot Area:

Load balancer:

	▼
Lb1.contoso.com	
Lb1.contoso.local	
Mail.contoso.com	

Ex01.contoso.local:

	▼
Ex01.contoso.com	
Ex01.contoso.local	
Mail.contoso.com	

Ex02.contoso.local:

	▼
Ex02.contoso.com	
Ex02.contoso.local	
Mail.contoso.com	

Correct Answer:

Load balancer:

	▼
Lb1.contoso.com	
Lb1.contoso.local	
Mail.contoso.com	

Ex01.contoso.local:

	▼
Ex01.contoso.com	
Ex01.contoso.local	
Mail.contoso.com	

Ex02.contoso.local:

	▼
Ex02.contoso.com	
Ex02.contoso.local	
Mail.contoso.com	

Section: (none)

Explanation

Explanation/Reference:

QUESTION 17

Topic 4

You have an Exchange Server 2016 organization. The organization contains 2,000 mailboxes.

You need to provide administrators with the ability to perform the following tasks:

An administrator named Admin1 must be able to create custom message classifications.

An administrator named Admin2 must be able to create retention tags.

Which management role group should you assign to each administrator? To answer, drag the appropriate role groups to the correct administrators. Each role group may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Select and Place:

Role Groups	Answer Area
Compliance Management	Admin1 Role group
Discovery Management	Admin2 Role group
Recipient Management	
Records Management	

 **VCEplus**
VCE To PDF - Free Practice Exam

Correct Answer:

Role Groups	Answer Area
Compliance Management	Admin1 Records Management
Discovery Management	Admin2 Role group
Recipient Management	

Section: (none)
Explanation



Explanation/Reference:

QUESTION 18

Topic 4

You have an Exchange Server 2016 organization. The organization contains 5,000 mailboxes. All of the users in the organization share their Calendar with the users in two domains named contoso.com and fabrikam.com. You need to prevent the organization users from sharing their Calendar with the users in the contoso.com domain. What command should you run? To answer, select the appropriate options in the answer area.

Hot Area:
Correct Answer:

Answer Area

	▼
Set-CasMailbox	
Set-Mailbox	
Set-SharingPolicy	

identity "Default Sharing Policy (DEFAULT)"

-domains contoso.com: CalendarSharingFreeBusy
-domains fabrikam.com: CalendarSharingFreeBus

Answer Area

	▼
Set-CasMailbox	
Set-Mailbox	
Set-SharingPolicy	

identity "Default Sharing Policy (DEFAULT)"

-domains contoso.com: CalendarSharingFreeBusy
-domains fabrikam.com: CalendarSharingFreeBus

Section: (none)

Explanation

Explanation/Reference:

QUESTION 19

Topic 4

You have an Exchange Server 2016 organization.

You plan to migrate some of the users to Exchange Online.

You run the Microsoft Office 365 Hybrid Configuration Wizard and you discover that the Get-FederationInformation cmdlet fails to retrieve the required information. You need to identify which DNS record must be configured to resolve the failure. What should you identify?

- A. an MX record for SMTP domain
- B. an A record for a Mailbox server

- C. a PTR record for the Mailbox server
- D. an A record for Autodiscover

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 20

Topic 4

You have an Exchange Server 2016 organization. The organization contains two Mailbox servers.

You have a database that is replicated to both servers. The database contains 500 mailboxes. You add new volumes to the Mailbox servers. You need to move all of the mailbox data to the new volumes. The solution must meet the following requirements: Ensure that multiple copies of the mailbox data are available at all times.

Minimize downtime for the mailbox users.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.



Select and Place:

Actions

Remove all of the replicated database copies.

Create a new database.

Dismount the replicas of the database.

Move the database.

Mount the new database.

Mount the replicas of the database.

Create replicated database copies.



Answer Area

Correct Answer:

Actions	Answer Area
	Remove all of the replicated database copies.
Create a new database.	Move the database.
Dismount the replicas of the database.	Create replicated database copies.
	
	
Mount the new database.	
Mount the replicas of the database.	

Section: (none)
Explanation

Explanation/Reference:

QUESTION 21
Topic 4

You have an Exchange Server 2016 organization. The organization contains 2,000 mailboxes and 100 distribution groups. You create a distribution group named Managers and you add 20 users to the group. You need to ensure that the members of Managers can create new groups and modify the membership of those groups. Which three actions should you perform? Each correct answer presents part of the solution.



<https://vceplus.com/>

- A. Create a role assignment policy named Managers.
- B. Create a new role group named Managers.
- C. Assign an address book policy (ABP).
- D. Add the MyBaseOptions and MyDistributionGroupMembership management roles the Managers role assignment policy.
- E. Assign the role assignment policy.
- F. Assign a sharing policy.
- G. Add the MyBaseOptions and MyDistributionGroups management roles to the Managers role assignment policy.

Correct Answer: AEG

Section: (none)

Explanation

Explanation/Reference:



QUESTION 22

Topic 4

our company has an Exchange Server 2016 organization.

All users have a primary mailbox and archive mailboxes.

You create a new retention policy for the users. The policy includes the following types of tags:

A default retention policy tag (RPT) applied to the mailbox: The tag is configured to move email messages older than three years to the archive. An RPT applied to the users' Sent Items folder: The tag is configured to move email messages older than one year to the archive. The corporate retention policy is applied to all of the mailboxes.

A user creates a personal tag named Tag1. The personal tag is configured to delete items permanently after 180 days.

The user sends an email message that uses Tag1.

You need to identify what will occur to the message. What should you identify?

- A. The message will be deleted in six months.

- B. The message will be moved to the archive in one year
- C. The message will be moved to the archive in one year and deleted six months later.
- D. The message will be moved to the archive in three years.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 23

Topic 4

You have an exchange server 2016 organization. The organization contains a Mailbox server named EX01. EX01 contains a mailbox database named DB01. The volume that contains DB01 fails.

You need to perform a dial-tone recovery of the database.

What should you create first?

- A. a new Recovery Storage Group
- B. a new mailbox database
- C. a mailbox move request
- D. a mailbox restore request
- E. a lagged database copy



Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 24

Topic 4

Your company has an Exchange Server 2016 organization. The organization contains two Mailbox servers and one Edge Transport server

You need to modify the anti-spam strategy of the organization to resolve the following issues:

Users in the marketing department report that most email messages identified as spam are legitimate.

Users in the human resources department report that they receive hundreds of email messages daily, which contain the phrase "Tree Vacation". Which cmdlet should you use to resolve each issue? To answer, select the appropriate options in the answer area.

Hot Area:

The marketing department users report that most email messages identified as spam are legitimate:

	▼
Set-DistributionGroup	
Set-Mailbox	
Set-OrganizationConfig	
Set-TransportConfig	

The human resources department users report that they receive hundreds of email messages daily, which contain the phrase "Free Vacation":

	▼
Set-ContentFilterConfig	
Set-DistributionGroup	
Set-OrganizationConfig	
Set-TransportServer	



Correct Answer:

The marketing department users report that most email messages identified as spam are legitimate:

	▼
Set-DistributionGroup	
Set-Mailbox	
Set-OrganizationConfig	
Set-TransportConfig	

The human resources department users report that they receive hundreds of email messages daily, which contain the phrase "Free Vacation":

	▼
Set-ContentFilterConfig	
Set-DistributionGroup	
Set-OrganizationConfig	
Set-TransportServer	

Section: (none)

Explanation

Explanation/Reference:



<https://vceplus.com/>

