

70-698

Number: 70-698
Passing Score: 800
Time Limit: 120 min
File Version: 4.0



Website: <https://vceplus.com>
VCE to PDF Converter: <https://vceplus.com/vce-to-pdf/>
Facebook: <https://www.facebook.com/VCE.For.All.VN/>
Twitter : https://twitter.com/VCE_Plus

<https://vceplus.com/>

70-698

Installing and Configuring Windows 10

Exam A

QUESTION 1

In this section, you will see one or more sets of questions with the same scenario and problem. Each question presents a unique solution to the problem, and you must determine whether the solution meets the stated goals. Any of the solutions might solve the problem. It is also possible that none of the solutions solve the problem.

Once you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals.

You have a computer named Computer1 that runs Windows 10.

File History is turned on.

The user of Computer1 reports that previous versions of D:\Folder\File1.doc are unavailable from the Previous Versions tab.

You need to ensure that the previous versions of the file are created.

Solution: Modify the Backup settings in the Settings app.

Does this meet the goal?



<https://vceplus.com/>

- A. Yes
- B. No

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

<http://www.pcworld.com/article/2974385/windows/how-to-use-windows-10s-file-history-backup-feature.html>

QUESTION 2

In this section, you will see one or more sets of questions with the same scenario and problem. Each question presents a unique solution to the problem, and you must determine whether the solution meets the stated goals. Any of the solutions might solve the problem. It is also possible that none of the solutions solve the problem.

Once you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals.

You have a computer named Computer1 that runs Windows 10.

File History is turned on.

The user of Computer1 reports that previous versions of D:\Folder\File1.doc are unavailable from the Previous Versions tab.

You need to ensure that the previous versions of the file are created.

Solution: Turn on System Protection for drive D.

Does this meet the goal?

A. Yes

B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference: Explanation: <http://www.pcworld.com/article/2974385/windows/how-to-use-windows-10s-file-history-backup-feature.html>

QUESTION 3

In this section, you will see one or more sets of questions with the same scenario and problem. Each question presents a unique solution to the problem, and you must determine whether the solution meets the stated goals. Any of the solutions might solve the problem. It is also possible that none of the solutions solve the problem.

Once you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals.

You have a computer named Computer1 that runs Windows 10.

File History is turned on.

The user of Computer1 reports that previous versions of D:\Folder\File1.doc are unavailable from the Previous Versions tab.

You need to ensure that the previous versions of the file are created.

Solution: Create a backup of drive D by using Backup and Restore (Windows 7).

Does this meet the goal?

- A. Yes
- B. No



Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Creating a backup of drive D will only create a single one-off backup of the files; it will not previous versions of files are created.

<http://www.pcworld.com/article/2974385/windows/how-to-use-windows-10s-file-history-backup-feature.html>

QUESTION 4

In this section, you will see one or more sets of questions with the same scenario and problem. Each question presents a unique solution to the problem, and you must determine whether the solution meets the stated goals. Any of the solutions might solve the problem. It is also possible that none of the solutions solve the problem.

Once you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals.

You have a computer named Computer1 that runs Windows 10.

File History is turned on.

The user of Computer1 reports that previous versions of D:\Folder\File1.doc are unavailable from the Previous Versions tab.

You need to ensure that the previous versions of the file are created.

Solution: Add D:\Folder\to the Documents library.

Does this meet the goal?

A. Yes

B. No

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference: Explanation:

<https://support.microsoft.com/en-us/help/17128/windows-8-file-history>

QUESTION 5

In this section, you will see one or more sets of questions with the same scenario and problem. Each question presents a unique solution to the problem, and you must determine whether the solution meets the stated goals. Any of the solutions might solve the problem. It is also possible that none of the solutions solve the problem.

Once you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals.

Your network contains a single Active Directory domain named contoso.com. The domain contains two computers named Computer1 and Computer2.

A user named User1 is a member of the local Administrators group on Computer1 and Computer2.

User1 fails to access the Event Viewer logs on Computer2 from Computer1. User1 can connect to Computer2 remotely by using Computer Management.

You need to ensure that User1 can use Event Viewer on Computer1 to remotely view the Event Viewer logs on Computer2.

Solution: You start the Remote Registry services on Computer2.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference: Explanation:

[https://technet.microsoft.com/en-us/library/cc754820\(v=ws.11\).aspx](https://technet.microsoft.com/en-us/library/cc754820(v=ws.11).aspx)



QUESTION 6

A user has a computer that runs Windows 10.

The user reports that it takes a very long time to start the computer.

You need to identify which user applications cause the greatest delays when starting the computer.

Which tool should you use?

- A. Performance Monitor
- B. System Configuration
- C. Resource Monitor
- D. Task Manager

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference: Explanation: <http://www.pcadvisor.co.uk/how-to/windows/how-change-windows-10-startup-programs-stop-apps-opening-3615075/>

QUESTION 7

You have a computer named Computer1 that has the following four hard disk drives installed:

- Drive 1: A 500-GB OS volume
- Drive 2: A 400-GB data volume

- Drive3: A 400-GB empty volume
- Drive 4: A 500-GB empty volume

You need to create a two-way mirror by using Storage Spaces. The solution must minimize data loss.

Which drives should you use?

- A. Drive 1 and Drive 2
- B. Drive 1 and Drive 4
- C. Drive 2 and Drive 3
- D. Drive 3 and Drive 4

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference: Explanation:

<http://www.windowscentral.com/how-use-storage-spaces-windows-10>

QUESTION 8

Your company is developing a Universal Windows Platform (UWP) app named App1. App1 is not published in the Windows Store.

You are provided with an AppX package for App1.

You need to install App1 locally.

What should you do first?

- A. From a Group Policy object (GPO), add a software installation package.



- B. From the Settings app, modify the For developers setting.
- C. Set the AppX Deployment Service (AppXSVC) to Automatic and restart the computer.
- D. Disable User Account Control (UAC).

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation: <https://msdn.microsoft.com/windows/uwp/get-started/enable-your-device-for-development>

QUESTION 9

You purchase licenses for several apps from the Windows Store and you list the apps in your Windows Store for Business.

You need to tell users how to install the apps.

What should you instruct the users to use?



<https://vceplus.com/>

- A. the Windows Store app and a Microsoft account
- B. a web browser and a Microsoft Azure Active Directory (Azure AD) account
- C. the Windows Store app and a Microsoft Azure Active Directory (Azure AD) account
- D. a web browser and a Microsoft account

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference: Explanation: <https://technet.microsoft.com/en-us/itpro/windows/manage/distribute-apps-from-your-private-store>

QUESTION 10

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario

Your network contains a single Active Directory domain named adatum.com.

The network contains five servers configured as shown in the following table:

Server name	Domain/workgroup	Role
DC1	Adatum.com	Domain controller
DC2	Adatum.com	Domain controller
Server1	Adatum.com	Member server
Server2	Adatum.com	Member server
Test_Server	Workgroup	File server

All of the servers run Windows Server 2012 R2.

Test_Server has a shared folder named ShareA. Only local users have permissions to ShareA.

The network contains a mainframe computer that is administered by using the Telnet protocol.

The domain contains four client computers configured as shown in the following table:

Computer name	Primary user
Computer1	User1
Computer2	User2
Computer3	User3
Computer4	User4

All of the client computers run the 64-bit version of Windows 10. User3 frequently accesses ShareA. Remote Desktop is enabled on Computer4.

Your company identifies the following requirements:

- Ensure that you can test unsigned device drivers on Computer1.
- Enable Credential Guard on Computer2.
- Run commands and cmdlets remotely on Computer2.
- Configure User Account Control (UAC) on Computer3 to prompt administrators for credentials when elevated privileges are required. ▪

Ensure that User1 can view and interact with a desktop session of User3.

- Ensure that User2 can use Telnet to manage the mainframe.
- Ensure that User4 can use Remote Desktop to access Computer4 remotely.

End of repeated scenario

You need to configure Computer3 to meet the UAC requirement.

What should you use?

- A. User Account Control Settings
- B. Credential Manager
- C. Security Options in the Computer Configuration of the Local Computer Policy.
- D. Security Settings in the User Computer of the Local Computer Policy.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference: Explanation: <http://www.ghacks.net/2013/06/20/how-to-configure-windows-uac-prompt-behavior-for-admins-and-users/>

QUESTION 11

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario

Your network contains a single Active Directory domain named adatum.com.

The network contains five servers configured as shown in the following table:

Server name	Domain/workgroup	Role
DC1	Adatum.com	Domain controller
DC2	Adatum.com	Domain controller
Server1	Adatum.com	Member server
Server2	Adatum.com	Member server
Test_Server	Workgroup	File server

All of the servers run Windows Server 2012 R2.

Test_Server has a shared folder named ShareA. Only local users have permissions to ShareA.

The network contains a mainframe computer that is administered by using the Telnet protocol.

The domain contains four client computers configured as shown in the following table:

Computer name	Primary user
Computer1	User1
Computer2	User2
Computer3	User3
Computer4	User4

All of the client computers run the 64-bit version of Windows 10. User3 frequently accesses ShareA. Remote Desktop is enabled on Computer4.

Your company identifies the following requirements:

- Ensure that you can test unsigned device drivers on Computer1.
 - Enable Credential Guard on Computer2.
 - Run commands and cmdlets remotely on Computer2.
 - Configure User Account Control (UAC) on Computer3 to prompt administrators for credentials when elevated privileges are required. ▪
- Ensure that User1 can view and interact with a desktop session of User3.
- Ensure that User2 can use Telnet to manage the mainframe.
 - Ensure that User4 can use Remote Desktop to access Computer4 remotely.

End of repeated scenario

On Test_Server, you reset the password for User3.
You need to ensure that User3 can access ShareA.
Which tool should you instruct User3 to use on Computer3?

- A. the Get-Credential cmdlet
- B. Credential Manager
- C. Authorization Manager
- D. Active Directory Users and Computers

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference: Explanation: <http://www.digitalcitizen.life/credential-manager-where-windows-stores-passwords-other-login-details>

QUESTION 12

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario

Your network contains a single Active Directory domain named adatum.com.

The network contains five servers configured as shown in the following table:

Server name	Domain/workgroup	Role
DC1	Adatum.com	Domain controller
DC2	Adatum.com	Domain controller
Server1	Adatum.com	Member server
Server2	Adatum.com	Member server
Test_Server	Workgroup	File server

All of the servers run Windows Server 2012 R2.

Test_Server has a shared folder named ShareA. Only local users have permissions to ShareA.

The network contains a mainframe computer that is administered by using the Telnet protocol.

The domain contains four client computers configured as shown in the following table:

Computer name	Primary user
Computer1	User1
Computer2	User2
Computer3	User3
Computer4	User4

All of the client computers run the 64-bit version of Windows 10. User3 frequently accesses ShareA. Remote Desktop is enabled on Computer4.

Your company identifies the following requirements:

- Ensure that you can test unsigned device drivers on Computer1.
 - Enable Credential Guard on Computer2.
 - Run commands and cmdlets remotely on Computer2.
 - Configure User Account Control (UAC) on Computer3 to prompt administrators for credentials when elevated privileges are required.
- Ensure that User1 can view and interact with a desktop session of User3.
- Ensure that User2 can use Telnet to manage the mainframe.
 - Ensure that User4 can use Remote Desktop to access Computer4 remotely.

End of repeated scenario

You need to meet the Credential Guard requirement of Computer2.

Which two Windows features should you install? Each correct answer presents part of the solution.

- A. Windows Process Activation Service (WAS)
- B. Embedded BootExperience
- C. Isolated User Mode
- D. Windows Identity Foundation 3.5
- E. Hyper-V Hypervisor

Correct Answer: CE

Section: (none)

Explanation

Explanation/Reference:

Explanation:

<https://technet.microsoft.com/en-us/itpro/windows/keep-secure/credential-guard> <https://blogs.technet.microsoft.com/ash/2016/03/02/windows-10-device-guard-and-credential-guard-demystified/>

QUESTION 13

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario

Your network contains a single Active Directory domain named adatum.com.

The network contains five servers configured as shown in the following table:

Server name	Domain/workgroup	Role
DC1	Adatum.com	Domain controller
DC2	Adatum.com	Domain controller
Server1	Adatum.com	Member server
Server2	Adatum.com	Member server
Test_Server	Workgroup	File server

All of the servers run Windows Server 2012 R2.

Test_Server has a shared folder named ShareA. Only local users have permissions to ShareA.

The network contains a mainframe computer that is administered by using the Telnet protocol.

The domain contains four client computers configured as shown in the following table:

Computer name	Primary user
Computer1	User1
Computer2	User2
Computer3	User3
Computer4	User4

All of the client computers run the 64-bit version of Windows 10. User3 frequently accesses ShareA. Remote Desktop is enabled on Computer4.

Your company identifies the following requirements:

- Ensure that you can test unsigned device drivers on Computer1.
- Enable Credential Guard on Computer2.
- Run commands and cmdlets remotely on Computer2.
- Configure User Account Control (UAC) on Computer3 to prompt administrators for credentials when elevated privileges are required. ▪

Ensure that User1 can view and interact with a desktop session of User3.

- Ensure that User2 can use Telnet to manage the mainframe.
- Ensure that User4 can use Remote Desktop to access Computer4 remotely.

End of repeated scenario

You need to meet the requirement of User2.

What should you do?

- A. Run tlntadmn.exe
- B. Install a Windows feature.
- C. Modify the membership of the TelnetClients group.
- D. Configure Windows Firewall.

Correct Answer: B


Section: (none)

Explanation

Explanation/Reference:

Explanation:

You need the Telnet Client to manage a Telnet Server. The Telnet Client is not installed by default.



QUESTION 14

Note: This question is part of a series of questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all.

Your network contains a single Active Directory domain. The domain contains a VPN server that supports all of the VPN protocols.

A user named User1 works from home and has a desktop computer that runs Windows 10 Pro. User1 has an application named App1 that requires access to a server on the corporate network. User1 creates a VPN connection on the computer.

You need to ensure that when User1 opens App1, App1 can access the required data.

What should you do?

- A. Click Turn on password protected sharing.
- B. Disable Network Discovery.

- C. Modify the Profile settings of an incoming firewall rule.
- D. Run the Add-VpnConnectionTriggerApplication cmdlet.
- E. Run the New-NetFirewallRule cmdlet and specify the- Direction Outbound parameter.
- F. Run the New-VpnConnection cmdlet.
- G. Run the Set-NetConnectionProfile cmdlet.
- H. Run the Set-VPNConnection cmdlet.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference: Explanation:

<https://technet.microsoft.com/itpro/powershell/windows/vpnclient/add-vpnconnectiontriggerapplication>

QUESTION 15

Note: This question is part of a series of questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all.

Your network contains a single Active Directory domain. The domain contains devices that run Windows 10 Enterprise.

You need to prevent computers from connecting to hosts on subnet 131.107.0.0/24.

What should you do?

- A. Click Turn on password protected sharing.
- B. Disable Network Discovery.
- C. Modify the Profile settings of an incoming firewall rule.
- D. Run the Add-VpnConnectionTriggerApplication cmdlet.
- E. Run the New-NetFirewallRule cmdlet and specify the- Direction Outbound parameter.
- F. Run the New-VpnConnection cmdlet.
- G. Run the Set-NetConnectionProfile cmdlet.
- H. Run the Set-VPNConnection cmdlet.

Correct Answer: E

Section: (none)

Explanation

Explanation/Reference: Explanation:

[https://technet.microsoft.com/en-us/library/jj554908\(v=wps.630\).aspx](https://technet.microsoft.com/en-us/library/jj554908(v=wps.630).aspx)

QUESTION 16

Note: This question is part of a series of questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all.

You have 10 computers that run Windows 10 Pro. The computers are in a workgroup.

A computer named PC_User1 has shared folder named Share1. Users are not prompted for credentials when they access Share1.

You modify the permissions on Share1 so that the share is shared only to a user named User1.

You need to ensure that when users from other computers in the workgroup access Share1, they must authenticate by using the credentials of User1.

What should you do?

- A. Click Turn on password protected sharing.
- B. Disable Network Discovery.
- C. Modify the Profile settings of an incoming firewall rule.
- D. Run the Add-VpnConnectionTriggerApplication cmdlet.
- E. Run the New-NetFirewallRule cmdlet and specify the- Direction Outbound parameter.
- F. Run the New-VpnConnection cmdlet.
- G. Run the Set-NetConnectionProfile cmdlet.
- H. Run the Set-VPNConnection cmdlet.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference: Explanation: <http://www.isunshare.com/windows-10/turn-off-or-on-password-protected-sharing-in-windows-10.html>

QUESTION 17

Note: This question is part of a series of questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all.

Your network contains a single Active Directory domain. The domain contains a VPN server that supports all of the VPN protocols.

From a computer that runs Windows 10 Pro, a user named User1 creates an SSTP VPN connection to a network named VPN1.

User1 successfully connects to the VPN server. When User1 roams between different Wi-Fi access points, the user loses the connection to the corporate network and must manually re-establish the VPN connection.

You need to ensure that VPN1 automatically maintains the connection while the user roams between Wi-Fi access points.

What should you do?

- A. Click Turn on password protected sharing.
- B. Disable Network Discovery.
- C. Modify the Profile settings of an incoming firewall rule.
- D. Run the Add-VpnConnectionTriggerApplication cmdlet.
- E. Run the New-NetFirewallRule cmdlet and specify the- Direction Outbound parameter.
- F. Run the New-VpnConnection cmdlet.
- G. Run the Set-NetConnectionProfile cmdlet.
- H. Run the Set-VPNConnection cmdlet.

Correct Answer: D

Section: (none)

Explanation



Explanation/Reference: Explanation:

[https://technet.microsoft.com/en-us/library/dn296460\(v=wps.630\).aspx](https://technet.microsoft.com/en-us/library/dn296460(v=wps.630).aspx)

QUESTION 18

Note: This question is part of a series of questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all.

You have a computer named Computer1 that has storage configured as shown in the following table:

Disk name	Size	Storage pool name
Disk1	200 GB	Pool1
Disk2	100 GB	Pool1
Disk3	500 GB	Pool1
Disk4	500 GB	Pool2
Disk5	500 GB	Pool2
Disk6	800 GB	None
Disk7	100 GB	Pool3
Disk8	100 GB	Pool3

Pool1 contains a storage space named Space1 that is 300 GB.

Pool3 contains a storage space named Space2 that is 100 GB.

Pool2 is empty.

You need to add Disk6 to Pool1.

What should you use?

- A. Add-PhysicalDisk
- B. Diskpart
- C. New-VirtualDisk
- D. Remove-PhysicalDisk
- E. Resize-VirtualDisk
- F. Set-StoragePool
- G. Subst
- H. Update-Disk

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference: Explanation:

<https://technet.microsoft.com/itpro/powershell/windows/storage/add-physicaldisk>

QUESTION 19

Note: This question is part of a series of questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all.

You have a computer named Computer1 that has storage configured as shown in the following table:

Disk name	Size	Storage pool name
Disk1	200 GB	Pool1
Disk2	100 GB	Pool1
Disk3	500 GB	Pool1
Disk4	500 GB	Pool2
Disk5	500 GB	Pool2
Disk6	800 GB	None
Disk7	100 GB	Pool3
Disk8	100 GB	Pool3

Pool1 contains a storage space named Space1 that is 300 GB.

Pool3 contains a storage space named Space2 that is 100 GB.

Pool2 is empty.

Space1 contains 10 folders.

You need to access each folder as a separate drive from Windows Explorer.

What should you use?



<https://vceplus.com/>

- A. Add-PhysicalDisk
- B. Diskpart
- C. New-VirtualDisk
- D. Remove-PhysicalDisk
- E. Resize-VirtualDisk
- F. Set-StoragePool
- G. Subst
- H. Update-Disk

Correct Answer: G

Section: (none)

Explanation

Explanation/Reference: Explanation: <http://www.howtogeek.com/howto/windows-vista/map-a-drive-letter-to-a-folder-the-easy-way-in-windows/>

QUESTION 20

Note: This question is part of a series of questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all.

You have a computer named Computer1 that has storage configured as shown in the following table:



Disk name	Size	Storage pool name
Disk1	200 GB	Pool1
Disk2	100 GB	Pool1
Disk3	500 GB	Pool1
Disk4	500 GB	Pool2
Disk5	500 GB	Pool2
Disk6	800 GB	None
Disk7	100 GB	Pool3
Disk8	100 GB	Pool3

Pool1 contains a storage space named Space1 that is 300 GB.

Pool3 contains a storage space named Space2 that is 100 GB.

Pool2 is empty.

You need to add a storage space to Pool2.

What should you use?

- A. Add-PhysicalDisk
- B. Diskpart
- C. New-VirtualDisk
- D. Remove-PhysicalDisk
- E. Resize-VirtualDisk
- F. Set-StoragePool
- G. Subst
- H. Update-Disk

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference: Explanation: <https://technet.microsoft.com/en-us/itpro/powershell/windows/storage/new-virtualdisk>

QUESTION 21

Note: This question is part of a series of questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all.

You have a computer named Computer1 that has storage configured as shown in the following table:

Disk name	Size	Storage pool name
Disk1	200 GB	Pool1
Disk2	100 GB	Pool1
Disk3	500 GB	Pool1
Disk4	500 GB	Pool2
Disk5	500 GB	Pool2
Disk6	800 GB	None
Disk7	100 GB	Pool3
Disk8	100 GB	Pool3

Pool1 contains a storage space named Space1 that is 300 GB.

Pool3 contains a storage space named Space2 that is 100 GB.

Pool2 is empty.

You need to add Disk7 to Pool1.

What should you use first?

- A. Add-PhysicalDisk
- B. Diskpart
- C. New-VirtualDisk
- D. Remove-PhysicalDisk
- E. Resize-VirtualDisk

- F. Set-StoragePool
- G. Subst
- H. Update-Disk

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference: Explanation:

<https://technet.microsoft.com/itpro/powershell/windows/storage/remove-physicaldisk>

QUESTION 22

Note: This question is part of a series of questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all.

You have a computer that has a dual-boot configuration. Windows 10 Enterprise is installed on the local disk. Windows 10 Pro is installed in a VHDX file named Disk1.vhdx. Both of the installations are 64-bit versions.

You start the computer to Windows 10 Enterprise.

You need to ensure that you can install an unsigned driver to Windows 10 Pro when the computer starts in Windows 10 Pro.

What should you run?

- A. Add-WindowsImage
- B. bcdboot.exe
- C. bcdedit.exe
- D. bootcfg.exe
- E. bootim.exe
- F. bootsect.exe
- G. diskpart.exe
- H. Expand-WindowsImage

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference: Explanation: <http://www.drivethelife.com/windows-drivers/how-to-disable-driver-signature-enforcement-on-windows-10-8-7-xp-vista.html#part3>

QUESTION 23

Note: This question is part of a series of questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all.

You have a computer named Computer1.

Computer1 has a virtual hard disk (VHD) named Disk1.vhdx. Disk1.vhdx has an NTFS partition, which is visible in File Explorer as drive E.

You need to provision Windows 10 on Disk1.vhdx.

What should you run?

- A. Add-WindowsImage
- B. bcdboot.exe
- C. bcdedit.exe
- D. bootcfg.exe
- E. bootim.exe
- F. bootsect.exe
- G. diskpart.exe
- H. Expand-WindowsImage



Correct Answer: G

Section: (none)

Explanation

Explanation/Reference: Explanation: <https://bcrawfordjr.wordpress.com/2014/10/05/install-windows-10-tech-preview-in-a-bootable-vhd/>

QUESTION 24

Note: This question is part of a series of questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all.

You have a computer that has a dual-boot configuration. Windows 10 Pro is installed on the local disk. Windows 10 Enterprise is installed in a VHDX file named Disk1.vhdx.

You start the computer to Windows 10 Pro, and then you download a driver package.

You need to ensure that the next time the Windows 10 Enterprise installation starts, the driver is installed already.

What should you run first?

- A. Add-WindowsImage
- B. bcdboot.exe
- C. bcdedit.exe
- D. bootcfg.exe
- E. bootim.exe
- F. bootsect.exe
- G. diskpart.exe
- H. Expand-WindowsImage

Correct Answer: G

Section: (none)

Explanation

Explanation/Reference: Explanation:

[https://technet.microsoft.com/en-us/library/dd799267\(v=ws.10\).aspx](https://technet.microsoft.com/en-us/library/dd799267(v=ws.10).aspx)



QUESTION 25

Note: This question is part of a series of questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all.

You have a computer named Computer1 that has a dual-boot configuration. Computer1 has Windows 8.1 and Windows 10 installed.

You need to configure Computer1 to use only 4 GB of RAM when the computer starts in Windows 10.

What should you run?

- A. Add-WindowsImage
- B. bcdboot.exe
- C. bcdedit.exe
- D. bootcfg.exe
- E. bootim.exe
- F. bootsect.exe

- G. diskpart.exe
- H. Expand-WindowsImage

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference: Explanation:

[https://technet.microsoft.com/en-us/library/cc709667\(v=ws.10\).aspx](https://technet.microsoft.com/en-us/library/cc709667(v=ws.10).aspx)

QUESTION 26

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario

Your network contains a single Active Directory domain named contoso.com. All computers are members of the domain and run the 64-bit version of Windows 10 Enterprise.

On a test computer named Computer_Test1, you pin several company-specific applications in a group named Contoso Apps, and then you export the Start menu layout to a file named Contoso.xml.

You install Client Hyper-V on a computer named Computer6.

You identify the following requirements:

- Install the Hyper-V feature on a computer named Computer1.
- Use virtual smart card authentication on a computer named Computer2.
- Enable Secure Boot on a computer named Computer3.
- Connect a computer named Computer4 to a projector by using Miracast.
- Ensure that a user named User1 can use keyboard shortcuts by pressing one key at a time.
- Ensure that you can share the clipboard between Computer6 and the virtual machines running on Computer6.

Add the Contoso Apps group to the Start menu of a computer named Computer7.

End of repeated scenario

You install all of the Contoso apps on Computer7.

You need to meet the requirements of Computer7.

What should you do?

- A. Run the Import-StartLayout cmdlet.
- B. Copy Contoso.xml to the C:\Users\Default\Start menu folder.
- C. Configure the Start Menu and Taskbar settings in a Group Policy.
- D. Copy Contoso.xml to the C:\ProgramData\Microsoft\Windows\Start Menu folder.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference: Explanation: <https://blogs.technet.microsoft.com/deploymentguys/2016/03/07/windows-10-start-layout-customization/#Exporting>

QUESTION 27

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario

Your network contains a single Active Directory domain named contoso.com. All computers are members of the domain and run the 64-bit version of Windows 10 Enterprise.

On a test computer named Computer_Test1, you pin several company-specific applications in a group named Contoso Apps, and then you export the Start menu layout to a file named Contoso.xml.

You install Client Hyper-V on a computer named Computer6.

You identify the following requirements:

- Install the Hyper-V feature on a computer named Computer1.
- Use virtual smart card authentication on a computer named Computer2.
- Enable Secure Boot on a computer named Computer3.
- Connect a computer named Computer4 to a projector by using Miracast.
- Ensure that a user named User1 can use keyboard shortcuts by pressing one key at a time.
- Ensure that you can share the clipboard between Computer6 and the virtual machines running on Computer6.

- Add the Contoso Apps group to the Start menu of a computer named Computer7.

End of repeated scenario

Which hardware feature must Computer4 must support?

- A. a Wi-Fi adapter
- B. a Bluetooth adapter
- C. an HDMI port
- D. a MiniDisplayPort connector

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference: Explanation: <https://www.microsoft.com/en-us/windows/windows-10-specifications#sysreqs>

QUESTION 28

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario

Your network contains a single Active Directory domain named contoso.com. All computers are members of the domain and run the 64-bit version of Windows 10 Enterprise.

On a test computer named Computer_Test1, you pin several company-specific applications in a group named Contoso Apps, and then you export the Start menu layout to a file named Contoso.xml.

You install Client Hyper-V on a computer named Computer6.

You identify the following requirements:

- Install the Hyper-V feature on a computer named Computer1.
- Use virtual smart card authentication on a computer named Computer2.
- Enable Secure Boot on a computer named Computer3.
- Connect a computer named Computer4 to a projector by using Miracast.

- Ensure that a user named User1 can use keyboard shortcuts by pressing one key at a time.
 - Ensure that you can share the clipboard between Computer6 and the virtual machines running on Computer6.
- Add the Contoso Apps group to the Start menu of a computer named Computer7.

End of repeated scenario

You need to meet the requirement of Computer6.

What should you configure?

- A. NUMA spanning
- B. enhanced session mode
- C. Hyper-V Guest Service Interface
- D. RemoteFX

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference: Explanation: <https://technet.microsoft.com/en-us/windows-server-docs/compute/hyper-v/learn-more/use-local-resources-on-hyper-v-virtual-machine-with-vmconnect>

QUESTION 29

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario

Your network contains a single Active Directory domain named contoso.com. All computers are members of the domain and run the 64-bit version of Windows 10 Enterprise.

On a test computer named Computer_Test1, you pin several company-specific applications in a group named Contoso Apps, and then you export the Start menu layout to a file named Contoso.xml.

You install Client Hyper-V on a computer named Computer6.

You identify the following requirements:

- Install the Hyper-V feature on a computer named Computer1.

- Use virtual smart card authentication on a computer named Computer2.
 - Enable Secure Boot on a computer named Computer3.
 - Connect a computer named Computer4 to a projector by using Miracast.
 - Ensure that a user named User1 can use keyboard shortcuts by pressing one key at a time.
 - Ensure that you can share the clipboard between Computer6 and the virtual machines running on Computer6.
- Add the Contoso Apps group to the Start menu of a computer named Computer7.

End of repeated scenario

You need to meet the requirement of User1. Which

Ease of Access setting should you configure?



<https://vceplus.com/>

- A. Toggle Keys
- B. Sticky Keys
- C. Filter Keys
- D. Mouse Keys

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference: Explanation: <http://www.pcmech.com/article/how-to-manage-ease-of-access-features-in-windows-10/>

QUESTION 30

HOTSPOT

You have a computer named Computer1 that runs Windows 10.

You run the Get-VMHost | fl* cmdlet on Computer1, and you receive the following output:

```
ComputerName           : COMPUTER1
LogicalProcessorCount   : 4
ResourceMeteringInterval : 01:00:00
HostNumaStatus          : {COMPUTER1}
NumaStatus              : {}
IovSupport              : False
IovSupportReasons       : {SR-IOV is not supported on this version of Windows.}
InternalNetworkAdapters : {External network}
ExternalNetworkAdapters : {External network_External}
SupportedVmVersions     : {5.0, 6.2, 7.0}
SecureBootTemplates     : {MicrosoftWindows, MicrosoftUEFICertificateAuthority}
EnableEnhancedSessionMode : False
FibreChannelWwnn        : C003FF0000FFFF00
FibreChannelWwnnMaximum : C003FFA43B08FFFF
FibreChannelWwnnMinimum : C003FFA43B080000
MacAddressMaximum       : 00155DCD23FF
MacAddressMinimum       : 00155DCD2300
NumaSpanningEnabled     : True
VirtualHardDiskPath      : C:\VMs
VirtualMachinePath       : C:\VMs
FullyQualifiedDomainName : WORKGROUP
MemoryCapacity          : 8499589120
Name                    : COMPUTER1
MaximumStorageMigrations : 2
MaximumVirtualMachineMigrations : 2
UseAnyNetworkForMigration : False
VirtualMachineMigrationAuthenticationType : CredSSP
VirtualMachineMigrationEnabled : False
VirtualMachineMigrationPerformanceOption : TCPIP
CimSession              : CimSession: .
IsDeleted               : False
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the output.

Hot Area:

Answer Area

You [answer choice] storage migrations on Computer1.

<input type="checkbox"/>
cannot perform
can perform a maximum of two concurrent
can perform a maximum of four concurrent
can perform a maximum of eight concurrent

You [answer choice] virtual machine migrations from
Computer1 to another Hyper-V host.

<input type="checkbox"/>
cannot perform
can perform a maximum of two concurrent
can perform a maximum of four concurrent
can perform a maximum of eight concurrent

Correct Answer:



Answer Area

You [answer choice] storage migrations on Computer1.

<input type="checkbox"/>	cannot perform
<input checked="" type="checkbox"/>	can perform a maximum of two concurrent
<input type="checkbox"/>	can perform a maximum of four concurrent
<input type="checkbox"/>	can perform a maximum of eight concurrent

You [answer choice] virtual machine migrations from Computer1 to another Hyper-V host.

<input type="checkbox"/>	cannot perform
<input checked="" type="checkbox"/>	can perform a maximum of two concurrent
<input type="checkbox"/>	can perform a maximum of four concurrent
<input type="checkbox"/>	can perform a maximum of eight concurrent

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Box 1

can perform a maximum of two concurrent

Box 2

can perform a maximum of two concurrent [https://technet.microsoft.com/en-us/itpro/powershell/windows/hyper-v/set-](https://technet.microsoft.com/en-us/itpro/powershell/windows/hyper-v/set-vmhost)

vmhost

QUESTION 31

HOTSPOT

Your network contains a single Active Directory domain named contoso.com.

In contoso.com, you create an organizational unit (OU) named OU1.

You need to use a provisioning package to perform the following:

- Configure the computer names as "Station", followed by a random three-digit number.
- Join the computers to contoso.com, and then create an account for the computers in OU1.

How should you configure the provisioning package? To answer, select the appropriate options in the answer area.

Hot Area:

Answer Area

Value of the AccountOU property:

	▼
Contoso.com/OU1	
Ldap://contoso.com/OU1	
OU=OU1, AD=contoso.com	
OU=OU1, DC=contoso, DC=com	

Value of the ComputerName property:

	▼
Station#Num 3	
Station\$NNN\$	
Station%RAND:3%	
Station [!D:3]	

Correct Answer:

Answer Area

Value of the AccountOU property:

Contoso.com/OU1
Ldap://contoso.com/OU1
OU=OU1, AD=contoso.com
OU=OU1, DC=contoso, DC=com

Value of the ComputerName property:

Station#Num 3
Station\$NNNS
Station%RAND:3%
Station [D:3]

Section: (none)
Explanation

Explanation/Reference:

Explanation:

Box 1

OU=OU1, DC=contoso, DC=com

Box 2

Station%RAND:3%

<https://technet.microsoft.com/en-us/itpro/windows/deploy/provision-pcs-for-initial-deployment>

QUESTION 32

You have a computer named Computer1.

You obtain a new driver for a device installed on Computer1. The driver package is stored in C:\Drivers and includes the following files: ▪

Driver.inf

▪ Driver.dll

- Driver.sys
- Driver.cat

You need to install the driver on Computer1 by using File Explorer.

Which file should you use to initiate the installation?

- A. Driver.sys
- B. Driver.dll
- C. Driver.cat
- D. Driver.inf

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Right-click on the .inf file and select Install.



QUESTION 33

You have four computers configured as shown in the following table:

Computer name	Trusted Platform Module (TPM) version	Wi-Fi Direct support	Second Level Address Translation (SLAT)-capable processor support	Camera type
Computer1	None	No	Yes	Webcam and illuminated infrared camera
Computer2	1.2	Yes	Yes	illuminated infrared camera
Computer3	2.0	No	Yes	Webcam
Computer4	2.0	Yes	No	Webcam

You need to deploy Windows 10 Enterprise. The deployment must support Miracast, BitLocker Drive Encryption (BitLocker), and Windows Hello with facial recognition.

On which computer should you install Windows 10?

- A. Computer1
- B. Computer2
- C. Computer3
- D. Computer4

Correct Answer: B

Section: (none)

Explanation


Explanation/Reference: Explanation: <https://www.microsoft.com/en-us/windows/windows-10-specifications#sysreqs>

QUESTION 34

HOTSPOT

You configure a Group Policy on a computer that runs Windows 10 Enterprise as shown in the following graphic:





Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

Hot Area:

Answer Area

To sign in to the computer, the user [answer choice].

☐ must always enter a PIN
☐ can use a PIN or a hardware security device
☐ must always use a hardware security device

For this configuration, a [answer choice] is required.

☐ USB key protector
☐ Trusted Platform Module (TPM) chip
☐ Second Level Address Translation (SLAT) –capable processor

Correct Answer:

Answer Area

To sign in to the computer, the user [answer choice].

must always enter a PIN
can use a PIN or a hardware security device
must always use a hardware security device

For this configuration, a [answer choice] is required.

USB key protector
Trusted Platform Module (TPM) chip
Second Level Address Translation (SLAT) –capable processor

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Box 1 must always
use a PIN *Box 2*

Trusted Platform Module (TPM) chip <https://redmondmag.com/articles/2016/05/01/active-directory.aspx>

QUESTION 35

You have a computer that runs the 32-bit version of Windows 7 Professional.

You need to perform an in-place upgrade to Windows 10.

Which two editions of Windows 10 can you upgrade the computer to? Each correct answer presents a complete solution.

- A. the 32-bit version of Windows 10 Pro
- B. the 64-bit version of Windows 10 Pro
- C. the 32-bit version of Windows 10 Enterprise
- D. the 64-bit version of Windows 10 Enterprise
- E. the 32-bit version of Windows 10 Home

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference: Explanation:

<https://www.microsoft.com/en-us/software-download/windows10/>



QUESTION 36

You have five computers that run Windows 8.1 Pro.

You need to perform an upgrade installation of Windows 10 on the computers.

What are two possible ways to achieve the goal? Each correct answer presents a complete solution.

- A. Apply an image of Windows 10 by running imagex.exe.
- B. Start the computers from Windows PE, and then run setup.exe from a network share that contains the Windows 10 installation source files.
- C. While signed in to Windows 8.1 Pro, run setup.exe from a network share that contains the Windows 10 installation source files.
- D. Start the computers from a bootable USB drive that contains the Windows 10 source files.
- E. Apply updates by using Windows Update.

Correct Answer: CE

Section: (none)

Explanation

Explanation/Reference: Explanation:

<http://www.laptopmag.com/articles/how-to-upgrade-windows-10>

QUESTION 37

You have a computer named Computer1 that runs the 64-bit version of Windows 10 Pro.

You obtain a new driver for a device installed on Computer1. The driver is not digitally signed.

You need to test the installation of the driver on Computer1.

What should you do first?

- A. Run dism.exe and specify the /Add-Driver and /Force-Unsigned parameters.
- B. From User Configuration in Group Policy, configure the Driver Installation settings.
- C. Restart Computer1 by using the advanced startup options.
- D. From Computer Configuration in Group Policy, configure the Driver Installation settings.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference: Explanation: <http://en.code-bude.net/2015/08/19/how-to-install-unsigned-drivers-in-windows-10/>

QUESTION 38

You have 10 computers that run Windows 10 Pro.

The computers currently receive updates as part of the Current Branch.

You need to configure the computers to receive updates as part of Current Branch for Business.

What should you do?

- A. Select the Defer upgrades check box.

- B. Upgrade to Windows 10 Enterprise.
- C. Change the product key.
- D. Clear the Give me updates for other Microsoft products when I update check box.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference: Explanation: <http://windowsitpro.com/windows-10/configure-machine-use-current-branch-business-windows-10>

QUESTION 39

HOTSPOT

You have the following output from Windows PowerShell:

```
Name                : Spooler
RequiredServices    : {RPCSS, http}
CanPauseAndContinue : False
CanShutDown         : False
CanStop             : False
DisplayName         : Print Spooler
DependentServices   : {Fax}
MachineName         : .
ServiceName         : Spooler
ServicesDependedOn  : {RPCSS, http}
ServiceHandle       : SafeServiceHandle
Status              : Stopped
ServiceType         : Win32OwnProcess, InteractiveProcess
StartType           : Disabled
Site                :
Container           :
```



You need to start the service.

What command should you run first? To answer, select the appropriate options in the answer area.

Hot Area:

Answer Area

	✓
Restart-Service	
Resume-Service	
Set-Service	
Start-Service	

-Name Spooler

	✓
\$True	
-CanShutdown \$False	
-Force	
-StartupType Automatic	
-Status Start	

Correct Answer:



Answer Area

	✓
Restart-Service	
Resume-Service	
Set-Service	
Start-Service	

-Name Spooler

	✓
\$True	
-CanShutdown \$False	
-Force	
-StartupType Automatic	
-Status Start	

Section: (none)

Explanation

Explanation/Reference:

Explanation:

The StartType of the service is disabled. This needs to be set to Manual or Automatic before you can start the service.

QUESTION 40

You have computers that run Windows 10.

You need to identify both active malware instances and past malware instances from the last three months.

Which command should you run?

- A. Get-EventSubscriber
- B. Get-MpThreatCatalog
- C. Get-WindowsErrorReporting
- D. Get-MpThreatDetection

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference: Explanation:

<https://technet.microsoft.com/en-us/library/dn433290.aspx>

QUESTION 41

Your networks contain a single Active Directory domain.

On a domain controller, an administrator creates a custom Microsoft Management Console (MMC) that uses the Active Directory Users and Computer snap-in.

The domain contains a computer named Computer1 that runs Windows 10. You use the computer to perform management tasks. You copy the custom MMC to the computer.

You need to ensure that you can use MMC and all of the features of the MMC.

What should you do on Computer1?





<https://vceplus.com/>

- A. Enable the Sideload apps developer feature.
- B. Install the Remote Server Administration Tools (RSAT).
- C. Install the Microsoft Application Compatibility Toolkit (ACT).
- D. Disable User Account Control (UAC).

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:



<http://blogs.msmvps.com/acefekay/2012/08/24/delegate-active-directory-users-and-computers-aduc-then-create-a-custom-aduc-mmc/>

QUESTION 42

You have a computer named Computer1 that runs Windows 10.

Computer1 has two volumes named C and D. Volume C is formatted NTFS and volume D is formatted exFAT.

You need to ensure that you can recover files stored in D:\Data.

What should you use?

- A. System Restore points
- B. File History
- C. wbadmin.exe
- D. Backup and Restore (Windows 7)

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 43

You have a computer named Computer1 that has a 1-TB volume named E.

You need to receive a notification when volume E has less than 100 GB of free space.

Which tool should you use?

- A. Event Viewer
- B. Disk Cleanup
- C. Performance Monitor
- D. System Configuration
- E. Resource Monitor

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference: Explanation:

[https://technet.microsoft.com/en-us/library/cc722414\(v=ws.11\).aspx](https://technet.microsoft.com/en-us/library/cc722414(v=ws.11).aspx)

QUESTION 44

HOTSPOT




















You have a Windows Server Update Services (WSUS) server.

You need to configure a computer to receive updates from WSUS. The solution must ensure that the updates are installed only on Sunday at 20:00.

Which two settings should you configure? To answer, select the appropriate settings in the answer area.

Hot Area:



Local Group Policy Editor		
File Action View Help		
Setting State Comment		
 Do not display 'Install Updates and Shut Down' option in Sh...	Not configured	No
 Do not adjust default option to 'Install Updates and Shut Do...	Not configured	No
 Enabling Windows Update Power Management to automati...	Not configured	No
 Always automatically restart at the scheduled time	Not configured	No
 Configure Automatic Updates	Not configured	No
 Specify intranet Microsoft update service location	Not configured	No
 Defer Upgrades and Updates	Not configured	No
 Automatic Updates detection frequency	Not configured	No
 Do not connect to any Windows Update Internet locations	Not configured	No
 Allow non-administrators to receive update notifications	Not configured	No
 Turn on Software Notifications	Not configured	No
 Allow Automatic Updates immediate installation	Not configured	No
 Turn on recommended updates via Automatic Updates	Not configured	No
 No auto-restart with logged on users for scheduled automat...	Not configured	No
 Re-prompt for restart with scheduled installations	Not configured	No
 Delay Restart for scheduled installations	Not configured	No
 Reschedule Automatic Updates scheduled installations	Not configured	No
 Enable client-side targeting	Not configured	No
 Allow signed updates from an intranet Microsoft update ser...	Not configured	No
<		
Extended Standard		
19 setting(s)		

Correct Answer:



Local Group Policy Editor		
File Action View Help		
Setting State Comment		
Do not display 'Install Updates and Shut Down' option in Sh...	Not configured	No
Do not adjust default option to 'Install Updates and Shut Do...	Not configured	No
Enabling Windows Update Power Management to automati...	Not configured	No
Always automatically restart at the scheduled time	Not configured	No
Configure Automatic Updates	Not configured	No
Specify intranet Microsoft update service location	Not configured	No
Defer Upgrades and Updates	Not configured	No
Automatic Updates detection frequency	Not configured	No
Do not connect to any Windows Update Internet locations	Not configured	No
Allow non-administrators to receive update notifications	Not configured	No
Turn on Software Notifications	Not configured	No
Allow Automatic Updates immediate installation	Not configured	No
Turn on recommended updates via Automatic Updates	Not configured	No
No auto-restart with logged on users for scheduled automat...	Not configured	No
Re-prompt for restart with scheduled installations	Not configured	No
Delay Restart for scheduled installations	Not configured	No
Reschedule Automatic Updates scheduled installations	Not configured	No
Enable client-side targeting	Not configured	No
Allow signed updates from an intranet Microsoft update ser...	Not configured	No
<		
Extended Standard		
19 setting(s)		

Section: (none)

Explanation

Explanation/Reference:

QUESTION 45

You deploy a new computer named Computer1.

You have a file named Data.docx that is stored in Microsoft OneDrive.

From File Explorer, you attempt to open Data.docx, but you discover that the file is corrupt.

You need to access a previous version of Data.docx.

What should you use?

- A. File History
- B. the Recycle Bin
- C. One Drive online
- D. Backup and Restore (Windows 7)



Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 46

You have a computer named Computer1 that runs Windows 10.

File History is turned on.

You have files located in D:\Photos.

You need to ensure that you can recover previous versions of the files in D:\Photos.

What should you do?

- A. Add D:\Photos to the Pictures library.
- B. Turn on System Protection for drive D.
- C. Enable sharing for D:\Photos.
- D. Modify the Recovery settings in the Settings app.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference: Explanation:

<https://support.microsoft.com/en-us/help/17128/windows-8-file-history>

QUESTION 47

You have a computer that runs Windows 10 Pro.

You receive a SMART alert that the hard disk drive will fail soon.

You connect a second external hard disk drive to the computer.

You need to create a backup that you can use to restore the operating system and the user documents to a replacement drive.

What should you use?

- A. vssadmin.exe
- B. wbadmin.exe
- C. Start-WBBackup
- D. Start-OBBackup

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference: Explanation: <http://www.backup-utility.com/windows-10/windows-10-wbadmin-4348.html>

QUESTION 48

A user reports that a computer was slower than expect during the last week.

You need to identify any application failures that occurred during the last week.

Which tool should you use?

- A. Performance Monitor
- B. Task Manager
- C. Resource Monitor
- D. Reliability Monitor

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference: Explanation: <http://www.pcworld.com/article/2999237/windows/how-to-use-windows-10s-reliability-monitor-to-fix-and-fine-tune-your-pc.html>

QUESTION 49

You have a computer named Computer1 that runs Windows 10. Computer1 has a printer named Printer1 installed.

You need to configure the settings of Printer1 remotely from another computer.

Which tool should you use on the remote computer?

- A. Device Manager from Control Panel
- B. Print Management from Administrative Tools
- C. Printers & scanners from the Setting app
- D. Devices and Printers from Control Panel

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

[https://technet.microsoft.com/en-us/library/cc753109\(v=ws.10\).aspx](https://technet.microsoft.com/en-us/library/cc753109(v=ws.10).aspx) <http://www.howto-connect.com/print-management-tool-in-windows-10/>

QUESTION 50

HOTSPOT

You run the Get-Service cmdlet and you receive the following output:




```
Name : Service1
RequiredServices : {}
CanPauseAndContinue : False
CanShutDown : False
CanStop : False
DisplayName : Service1
DependentServices : {Service2}
MachineName : .
ServiceName : Service1
ServicesDependedOn : {}
ServiceHandle :
Status : Stopped
ServiceType : Win32ShareProcess
StartType : Manual
Site :
Container :
```

```
Name : Service2
RequiredServices : {Service1}
CanPauseAndContinue : False
CanShutDown : False
CanStop : False
DisplayName : Service2
DependentServices : {Service3}
MachineName : .
ServiceName : Service2
ServicesDependedOn : {Service1}
ServiceHandle :
Status : Stopped
ServiceType : Win32ShareProcess
StartType : Automatic
Site :
Container :
```

```
Name : Service3
RequiredServices : {Service2}
CanPauseAndContinue : False
CanShutDown : False
CanStop : False
DisplayName : Service3
DependentServices : {}
MachineName : .
ServiceName : Service3
ServicesDependedOn : {Service2}
ServiceHandle :
Status : Stopped
ServiceType : Win32ShareProcess
```

You need to identify what occurs when the status of the services changes.

What should you identify? To answer, select the appropriate options in the answer area.

Hot Area:

Answer Area

If Service3 starts, the Service1 service:

	▼
remains stopped	
starts	

If Service1 starts, the Service3 service:

	▼
remains stopped	
starts	

If Service2 starts, the Service3 service:

	▼
remains stopped	
starts	

Correct Answer:

Answer Area

If Service3 starts, the Service1 service:

☐

remains stopped

starts

If Service1 starts, the Service3 service:

☐

remains stopped

starts

If Service2 starts, the Service3 service:

☐

remains stopped

starts

Section: (none)


Explanation

Explanation/Reference: Explanation: [https://msdn.microsoft.com/en-us/library/system.serviceprocess.servicecontroller.servicesdependedon\(v=vs.110\).aspx](https://msdn.microsoft.com/en-us/library/system.serviceprocess.servicecontroller.servicesdependedon(v=vs.110).aspx)

QUESTION 51

HOTSPOT

You configure the Group Policy settings on a computer that runs Windows 10 as shown in the following graphic:



Use the drop-down menus to select the answer choice that completes each statement based on the information graphic.

Hot Area:

Answer Area

On the computer, the Windows Store app will [answer choice].

	▼
be unavailable	
have updates installed	
be available to administrators only	

All preinstalled applications [answer choice].

	▼
will be updated	
cannot be launched	
never receive updates	

Correct Answer:

Answer Area

On the computer, the Windows Store app will [answer choice].

	▼
be unavailable	
have updates installed	
be available to administrators only	

All preinstalled applications [answer choice].

	▼
will be updated	
cannot be launched	
never receive updates	

Section: (none)

Explanation

Explanation/Reference:

Explanation:

<https://technet.microsoft.com/en-us/itpro/windows/manage/stop-employees-from-using-the-windows-store> <https://www.windows-security.org/33e3086c986daafa5c4a04eac23a1bf2/turn-off-automatic-download-and-install-of-updates>

QUESTION 52

Your network contains a single Active Directory domain. The domain contains a computer that runs Windows 10.

You plan to use the computer to test applications.

You need to install Windows Insider Preview builds on the computer.

What should you do?

- A. From Group Policy, configure the Add features to Windows 10 settings.
- B. From the Settings app, configure the Advanced options for Windows Update.
- C. From Group Policy, configure the Windows Update settings.
- D. From the Settings app, select Developer mode.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference: Explanation: <http://www.howtogeek.com/224826/how-to-become-a-windows-insider-and-test-new-windows-10-features/>

QUESTION 53

You have a computer named Computer1 that has the following stored credentials:

- A Windows credential for accessing a shared folder on a workgroup computer
- A Windows credential for accessing Remote Desktop
- A Windows credential for accessing an HTTP URL
- A web credential for accessing an HTTPS URL

A web credential for accessing an HTTP URL

Which two passwords can be viewed in clear text from Credential Manager on Computer1?

- A. the web credential for accessing the HTTPS URL



<https://vceplus.com/>

- B. the Windows credential for accessing the shared folder
- C. the Windows credential for accessing the HTTP URL
- D. the Windows credential for accessing Remote Desktop
- E. the web credential for accessing the HTTP URL

Correct Answer: AE

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Only web credentials can be displayed. Windows credentials can never be displayed.

QUESTION 54

You have a computer named Computer1 that is configured to install updates from Windows Server Update Services (WSUS).

Microsoft releases a new Windows update that is not approved in WSUS.

You need to install the update on Computer1.

What should you do?

- A. From a command prompt, run gpupdate /force /sync.
- B. Click Check online for updates from Microsoft Updates, and then check for updates.
- C. Clear the defer upgrades check box, and then check for updates.
- D. From Windows PowerShell, run the Get-WindowsUpdateLog cmdlet, and then run the Update-Module cmdlet.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:


QUESTION 55

You have a computer named Computer1.

A user named User1 is a member of two groups named Group1 and Group2.

You have a file named Doc1.docx that is located in E:\Data.

The file permissions for E:\Data\Doc1.docx are configured as shown in the exhibit. (Click the Exhibit button.)



You need to provide User1 with Write access to Doc1.docx.
What should you do?

- A. Grant User1 Full control access to folder E:\Data.
- B. Remove User1 from Group2 and instruct the user to sign out, and then sign back in.

- C. Grant User1 Full control access to the E:\Data\Doc1.docx file, disable inheritance for the file, and then convert the inherited permissions to explicit permissions for the file.
- D. Grant User1 Write access to folder E.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Group2 is denied access. This will override all other permissions.

QUESTION 56

You have a laptop named Computer1 that runs Windows 10.

Computer1 connects to a wireless network named WiFi1 and a wireless network named WiFi2. WiFi1 has poor signal and the connection drops frequently. WiFi2 is available only during certain times of the day. WiFi2 has a stronger signal that is more reliable than WiFi1.

You need to configure Computer1 to use WiFi2 whenever possible. WiFi1 should be used when WiFi2 is unavailable.

Which three settings should you configure? Each correct answer presents part of the solution.

- A. From the properties of WiFi2, select Connect even if the network is not broadcasting its name (SSID)
- B. From the properties of WiFi1, select Connect automatically when this network is in range.
- C. From the properties of WiFi1, select Enable WLAN connection settings.
- D. From the properties of WiFi2, select Connect automatically when this network is in range.
- E. From the properties of WiFi1, select Look for other wireless networks while connected to this network.
- F. From the properties of WiFi2, select Look for other wireless networks while connected to this network.

Correct Answer: BDE

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 57

You have a computer named Computer1 that runs Windows 10.

On Computer1, C:\Folder1 has the permissions configured as shown in the following table.

Type	Principal	Access	Applies To
Deny	Contoso\User1	Read	This folder, subfolders and files
Allow	Computer1\Administrators	Full control	This folder, subfolders and files
Allow	Contoso\Domain Users	Read & execute	This folder, subfolders and files

You share C:\Folder1 as Folder1 and you grant access to the Everyone group.

Folder1 has the following share settings:

```

ShareState           : Online
AvailabilityType     : NonClustered
ShareType            : FileSystemDirectory
FolderEnumerationMode : AccessBased
CachingMode          : Manual
SmbInstance          : Default
CATimeout            : 0
ConcurrentUserLimit  : 0
EncryptData          : False
Name                 : Folder1
Path                 : C:\Folder1
Scoped               : False
ScopeName            : *
SecurityDescriptor    : O:BAG:DUD:(A;;0x1200a9;;;WD)
  
```

What level of access does User1 have to Folder1?

- A. User1 cannot see the Folder1 share on the network and cannot connect to Folder1.
- B. User1 can see the Folder1 share on the network and can connect to Folder1.
- C. User1 cannot see the Folder1 share on the network but can connect to Folder1.

D. User1 can see the Folder1 share on the network but cannot connect to Folder1.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference: Explanation:

[https://technet.microsoft.com/en-us/library/jj635727\(v=wps.630\).aspx](https://technet.microsoft.com/en-us/library/jj635727(v=wps.630).aspx)

QUESTION 58

Your company uses a Window Store for Business that contains an app named App1.

You have three computers that are prevented from accessing the Internet.

You need to distribute App1 to the three computers.

What are two possible ways to achieve the goal? Each correct answer presents a complete solution.

- A. a provisioning package created by using Windows Imaging and Configuration Designer
- B. A deployment from Microsoft Intune.
- C. A deployment from Windows Deployment Services (WDS)
- D. an AppX package deployed by using Deployment Imaging Servicing and Management (DISM)
- E. an answer file created by using Windows System Image Manager (Windows SIM)

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

<https://technet.microsoft.com/en-us/itpro/windows/deploy/windows-deployment-scenarios-and-tools> <http://www.sconfigmgr.com/2016/04/05/deploy-offline-licensed-universal-apps-offline-from-windows-store-for-business-with-configmgr/>

QUESTION 59

HOTSPOT

Your network contains a single Active Directory domain named contoso.com.

The domain contains two computers named Computer1 and Computer2 and a domain controller named DC1.

On Computer1, you run the net user User1 command and you receive the following output:

```
User name                User1
Full Name                User1
Comment
User's comment
Country/region code      000 (System Default)
Account active           Yes
Account expires          Never

Password last set        11.4.2016 17:15:20
Password expires         23.5.2016 17:15:20
Password changeable      12.4.2016 17:15:20
Password required         Yes
User may change password  Yes

Workstations allowed     All
Logon script
User profile
Home directory
Last logon               Never

Logon hours allowed      All

Local Group Memberships  *Marketing      *Users
Global Group memberships *None
```



User the drop-down menu to select the answer choice that completes each statement based on the information presented in the output.

Hot Area:

Answer Area

You can configure Logon hours allowed for User1 by using the **[answer choice]**

Local Users and Groups console ▼

Net accounts command

Net user command

Set-ADObject cmdlet

Set-ADUser cmdlet

User1 can sign in to **[answer choice]**

Computer1 only ▼

Computer1 and Computer2 only

Computer1, Computer2, and DC1

Correct Answer:

Answer Area

You can configure Logon hours allowed for User1 by using the **[answer choice]**

Local Users and Groups console ▼
Net accounts command
Net user command
Set-ADObject cmdlet
Set-ADUser cmdlet

User1 can sign in to **[answer choice]**

Computer1 only ▼
Computer1 and Computer2 only
Computer1, Computer2, and DC1

Section: (none)

Explanation

Explanation/Reference: Explanation:

[https://technet.microsoft.com/en-us/library/hh852287\(v=wp.630\).aspx](https://technet.microsoft.com/en-us/library/hh852287(v=wp.630).aspx)

QUESTION 60

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals.

Your network contains a single Active Directory domain named contoso.com.

The domain contains two computers named Computer1 and Computer2.

A user named User1 is a member of the local Administrators group on Computer1 and Computer2.
User1 fails to remotely manage the devices on Computer2 by using Device Manager on Computer1.
User1 can connect to Computer2 remotely by using Computer Management.

You need to ensure that User1 can disable a device on Computer2 remotely.

Solution: You enable Remote Desktop on Computer2, and you instruct User1 to use Remote Desktop.

Does this meet the goal?

A. Yes

B. No

Correct Answer: A

Section: (none)

Explanation



Explanation/Reference:

Explanation:

QUESTION 61

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals.

Your network contains a single Active Directory domain named contoso.com.

The domain contains two computers named Computer1 and Computer2.

A user named User1 is a member of the local Administrators group on Computer1 and Computer2.
User1 fails to remotely manage the devices on Computer2 by using Device Manager on Computer1.
User1 can connect to Computer2 remotely by using Computer Management.

You need to ensure that User1 can disable a device on Computer2 remotely.

Solution: You start the Plug and play and Remote Registry services on Computer2.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference: Explanation:

http://winintro.com/?Category=Windows_10_2016&Policy=Microsoft.Policies.DeviceInstallation%3A%3ADeviceManagement_RPCInterface_Allow

QUESTION 62

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals.

Your network contains a single Active Directory domain named contoso.com. The domain contains two computers named Computer1 and Computer2.

A user named User1 is a member of the local Administrators group on Computer1 and Computer2.

User1 fails to remotely manage the devices on Computer2 by using Device Manager on Computer1.

User1 can connect to Computer2 remotely by using Computer Management.

You need to ensure that User1 can disable a device on Computer2 remotely.

Solution: You enable the Allow remote access to the Plug and Play interface Group Policy setting on Computer2.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 63

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals.

While performing maintenance on a computer, you open Indexing Options, and then you click Pause.

You complete the computer maintenance.

You need to resume indexing.

Solution: From the Start menu, you click Power and then you click Restart.

Does this meet the goal?

A. Yes

B. No

Correct Answer: A

Section: (none)

Explanation



Explanation/Reference: Explanation: <http://www.techbuzz.in/restart-or-resume-windows-indexing-services-after-pausing.php>

QUESTION 64

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals.

While performing maintenance on a computer, you open Indexing Options, and then you click Pause.

You complete the computer maintenance.

You need to resume indexing.

Solution: From the Services console, you restart the Storage Service service.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference: Explanation: <http://www.techbuzz.in/restart-or-resume-windows-indexing-services-after-pausing.php>

QUESTION 65

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals.

While performing maintenance on a computer, you open Indexing Options, and then you click Pause.

You complete the computer maintenance.

You need to resume indexing.

Solution: From the Services console, you restart the Windows Search service.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference: Explanation: <http://kb.ischool.uw.edu/how-to-startrestart-the-windows-search-service/>

QUESTION 66

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals.

While performing maintenance on a computer, you open Indexing Options, and then you click Pause.

You complete the computer maintenance.

You need to resume indexing.

Solution: You sign out of Windows, and then you sign back in.

Does this meet the goal?

A. Yes

B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference: Explanation: <http://www.techbuzz.in/restart-or-resume-windows-indexing-services-after-pausing.php>

QUESTION 67

Note: This question is part of a series of questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all.

You have a computer named Computer1 that has storage configured as shown in the following table.

Disk name	Size	Storage pool name
Disk1	200 GB	Pool1
Disk2	100 GB	Pool1
Disk3	500 GB	Pool1
Disk4	500 GB	Pool2
Disk5	500 GB	Pool2
Disk6	800 GB	None
Disk7	100 GB	Pool3
Disk8	100 GB	Pool3

Pool1 contains a storage space named Space1 that is 300 GB. Pool3 contains a storage space named Space2 that is 100 GB. Pool2 is empty.

You need to configure Space2 to be 200 GB.

What should you use?



<https://vceplus.com/>

- A. Add-PhysicalDisk
- B. Diskpart
- C. New-VirtualDisk
- D. Remove-PhysicalDisk
- E. Resize-VirtualDisk
- F. Set-StoragePool
- G. Subst Update-Disk
- H. Update-Disk



Correct Answer: E

Section: (none)

Explanation

Explanation/Reference:

Explanation: References: <https://docs.microsoft.com/en-us/windows-server/storage/storage-spaces/resize-volumes>

QUESTION 68

Note: This question is part of a series of questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all.

You have a computer named Computer1 that has storage configured as shown in the following table.

Disk name	Size	Storage pool name
Disk1	200 GB	Pool1
Disk2	100 GB	Pool1
Disk3	500 GB	Pool1
Disk4	500 GB	Pool2
Disk5	500 GB	Pool2
Disk6	800 GB	None
Disk7	100 GB	Pool3
Disk8	100 GB	Pool3

Pool1 contains a storage space named Space1 that is 300 GB. You discover that Disk2 experiences physical errors.

You need to ensure that all of the data in Space1 is stored on other disks in the storage pool only.

What should you use?

- A. Add-PhysicalDisk
- B. Diskpart
- C. New-VirtualDisk
- D. Remove-PhysicalDisk
- E. Resize-VirtualDisk
- F. Set-StoragePool
- G. Subst
- H. Update-Disk

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

<https://technet.microsoft.com/itpro/powershell/windows/storage/remove-physicaldisk>

QUESTION 69

Note: This question is part of a series of questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all.

You have a computer named Computer1 that has storage configured as shown in the following table.

Disk name	Size	Storage pool name
Disk1	200 GB	Pool1
Disk2	100 GB	Pool1
Disk3	500 GB	Pool1
Disk4	500 GB	Pool2
Disk5	500 GB	Pool2
Disk6	800 GB	None
Disk7	100 GB	Pool3
Disk8	100 GB	Pool3

Pool1 contains a storage space named Space1 that is 300 GB. Pool3 contains a storage space named Space2 that is 100 GB. Pool2 is empty. Disk8 fails.

You add a new disk named Disk9 to Pool3. You need to remove Disk8 from Pool3.

What should you use?

- A. Add-PhysicalDisk
- B. Diskpart
- C. New-VirtualDisk
- D. Remove-PhysicalDisk
- E. Resize-VirtualDisk
- F. Set-StoragePool
- G. Subst
- H. Update-Disk

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference: Explanation: [https://technet.microsoft.com/en-us/library/dn782852\(v=ws.11\).aspx#BKMK_Step6RemoveOldDisk](https://technet.microsoft.com/en-us/library/dn782852(v=ws.11).aspx#BKMK_Step6RemoveOldDisk)

QUESTION 70

Note: This question is part of a series of questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all.

You have a computer named Computer1.

Computer1 has a virtual hard disk (VHD) named Disk1.vhdx. Disk1.vhdx has an NTFS partition, which is visible in File Explorer as drive E.

You need to apply a Windows 10 image to drive E.

What should you run?

- A. Add-WindowsImage
- B. bcdboot.exe
- C. bcdedit.exe
- D. bootcfg.exe
- E. bootim.exe
- F. bootsect.exe
- G. diskpart.exe
- H. Expand-WindowsImage



Correct Answer: H

Section: (none)

Explanation

Explanation/Reference: Explanation: <https://technet.microsoft.com/en-us/itpro/powershell/windows/dism/expand-windowsimage>

QUESTION 71

Note: This question is part of a series of questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all.

Your network contains a single Active Directory domain. The domain contains a VPN server that supports all of the VPN protocols.

You have mobile devices that run Windows 10 and have VPN connections to the VPN server.

You need to ensure that when users work remotely and connect to the VPN, only traffic for the corporate network is sent through the VPN server.

What should you do?

- A. Click Turn on password protected sharing.
- B. Disable Network Discovery.
- C. Modify the Profile settings of an incoming firewall rule.
- D. Run the Add-VpnConnectionTriggerApplication cmdlet.
- E. Run the New-NetFirewallRule cmdlet and specify the-Direction Outbound parameter.
- F. Run the New-VpnConnection cmdlet.
- G. Run the Set-NetConnectionProfile cmdlet.
- H. Run the Set-VPNConnection cmdlet.

Correct Answer: H

Section: (none)

Explanation

Explanation/Reference: Explanation:

<https://technet.microsoft.com/itpro/powershell/windows/vpnclient/set-vpnconnection>

QUESTION 72

Note: This question is part of a series of questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all.

A user connects to a wireless network and receives the following message:

"Do you want to allow your PC to be discoverable by other PCs and devices on this network?"

The user clicks No. The user is unable to browse to the shared folders of other computers on the network by using File Explorer.

You need to ensure that the user can browse to the other computers.

What should you do?

- A. Click Turn on password protected sharing.
- B. Disable Network Discovery.

- C. Modify the Profile settings of an incoming firewall rule.
- D. Run the Add-VpnConnectionTriggerApplication cmdlet.
- E. Run the New-NetFirewallRule cmdlet and specify the -Direction Outbound parameter.
- F. Run the New-VpnConnection cmdlet.
- G. Run the Set-NetConnectionProfile cmdlet.
- H. Run the Set-VPNConnection cmdlet.

Correct Answer: G

Section: (none)

Explanation

Explanation/Reference:

Explanation:

<https://technet.microsoft.com/itpro/powershell/windows/netconnection/set-netconnectionprofile> <https://www.itechtics.com/change-network-type-windows-10/>

QUESTION 73

Note: This question is part of a series of questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all.

Your network contains a single Active Directory domain. The domain contains computers that run Windows 10 Enterprise.

The computers are configured as shown in the following table:

Computer name	Primary user	Computer type
PC_User1	User1	Laptop
PC_User2	User2	Laptop
PC_User3	User3	Tablet

When User1 works remotely, the user fails to access shared folders on the corporate network.

When User 2 and User3 work remotely, they successfully connect to the shared folders on the corporate network.

You need to ensure that User1 can connect to the shared folders without user interaction.

What should you do?

- A. Click Turn on password protected sharing.
- B. Disable Network Discovery.
- C. Modify the Profile settings of an incoming firewall rule.
- D. Run the Add-VpnConnectionTriggerApplication cmdlet.
- E. Run the New-NetFirewallRule cmdlet and specify the -Direction Outbound parameter.
- F. Run the New-VpnConnection cmdlet.
- G. Run the Set-NetConnectionProfile cmdlet.
- H. Run the Set-VPNConnection cmdlet

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference: Explanation:

<https://technet.microsoft.com/itpro/powershell/windows/vpnclient/add-vpnconnectiontriggerapplication>

QUESTION 74

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario

Your network contains a single Active Directory domain named adatum.com. The network contains five servers configured as shown in the following table.

Ensure that User4 can use Remote Desktop to access Computer4 remotely.

End of repeated scenario

Server name	Domain/workgroup	Role
DC1	Adatum.com	Domain controller
DC2	Adatum.com	Domain controller
Server1	Adatum.com	Member server
Server2	Adatum.com	Member server
Test_Server	Workgroup	File server

All of the servers run Windows Server 2012 R2.

Test_Server has a shared folder named ShareA. Only local users have permissions to ShareA.

The network contains a mainframe computer that is administered by using the Telnet protocol.

The domain contains four client computers configured as shown in the following table:

Computer name	Primary user
Computer1	User1
Computer2	User2
Computer3	User3
Computer4	User4

All of the client computers run the 64-bit version of Windows 10. User3 frequently accesses ShareA. Remote Desktop is enabled on Computer4.

Your company identifies the following requirements:

- Ensure that you can test unsigned device drivers on Computer1 ▪
- Enable Credential Guard on Computer2.

You need to meet the requirement of Computer1. Which tool should you use on Computer1?

- A. BCD Edit
- B. Device Manager
- C. Bootcfg
- D. System Properties

Correct

Answer

: A

Section:

(none)

Explanation



Explanation/Reference: Explanation: <http://www.drivethelife.com/windows-drivers/how-to-disable-driver-signature-enforcement-on-windows-10-8-7-xp-vista.html>

QUESTION 75

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario

Your network contains a single Active Directory domain named adatum.com. The network contains five servers configured as shown in the following table.

- Run commands and cmdlets remotely on computer2.
- Configure User Account control (UAC) on Computer3 to prompt administrators for credentials when elevated privileges are required. Ensure that User1 can view and interact with a desktop session of User3. Ensure that User2 can use Telnet to manage the mainframe.

Ensure that User4 can use Remote Desktop to access Computer4 remotely.

End of repeated scenario

Server name	Domain/workgroup	Role
DC1	Adatum.com	Domain controller
DC2	Adatum.com	Domain controller
Server1	Adatum.com	Member server
Server2	Adatum.com	Member server
Test_Server	Workgroup	File server

All of the servers run Windows Server 2012 R2.

Test_Server has a shared folder named ShareA. Only local users have permissions to ShareA.

The network contains a mainframe computer that is administered by using the Telnet protocol.

The domain contains four client computers configured as shown in the following table:

Computer name	Primary user
Computer1	User1
Computer2	User2
Computer3	User3
Computer4	User4

All of the client computers run the 64-bit version of Windows 10. User3 frequently accesses ShareA. Remote Desktop is enabled on Computer4.

Your company identifies the following requirements:

- Ensure that you can test unsigned device drivers on Computer1 ▪
- Enable Credential Guard on Computer2.

You need to recommend a solution to meet the requirements of User1. What should you include in the recommendation?

- A. Remote Access Connection Manager
- B. Remote Desktop
- C. Remote Assistance
- D. Windows PowerShell Remoting

Correct

Answer

: C

Section:

(none)

Explanation

Explanation/Reference:

Explanation:



<http://www.technig.com/set-up-windows-remote-assistance/>

QUESTION 76

ON 76

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario

- Run commands and cmdlets remotely on computer2.
- Configure User Account control (UAC) on Computer3 to prompt administrators for credentials when elevated privileges are required. Ensure that User1 can view and interact with a desktop session of User3. Ensure that User2 can use Telnet to manage the mainframe.

Ensure that User4 can use Remote Desktop to access Computer4 remotely.

- Your network contains a single Active Directory domain named adatum.com. The network contains five servers configured as shown in the following table.

End of repeated scenario

Server name	Domain/workgroup	Role
DC1	Adatum.com	Domain controller
DC2	Adatum.com	Domain controller
Server1	Adatum.com	Member server
Server2	Adatum.com	Member server
Test_Server	Workgroup	File server

All of the servers run Windows Server 2012 R2.

Test_Server has a shared folder named ShareA. Only local users have permissions to ShareA.

The network contains a mainframe computer that is administered by using the Telnet protocol.

The domain contains four client computers configured as shown in the following table:

Computer name	Primary user
Computer1	User1
Computer2	User2
Computer3	User3
Computer4	User4

All of the client computers run the 64-bit version of Windows 10. User3 frequently accesses ShareA. Remote Desktop is enabled on Computer4.

Your company identifies the following requirements:

- Ensure that you can test unsigned device drivers on Computer1 ▪
- Enable Credential Guard on Computer2.

You need to meet the requirement for administering Computer2 remotely. Which remote management technology should you use?

- A. Windows PowerShell remoting
- B. Telnet
- C. PsExec
- D. Remote Desktop

Correct

Answer

: A

Section:

(none)

Explanation



Explanation/Reference:

Explanation: <https://msdn.microsoft.com/en-us/powershell/scripting/core-powershell/running-remote-commands>

QUESTION 77

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario

- Run commands and cmdlets remotely on computer2.
- Configure User Account control (UAC) on Computer3 to prompt administrators for credentials when elevated privileges are required. Ensure that User1 can view and interact with a desktop session of User3. Ensure that User2 can use Telnet to manage the mainframe.

Ensure that User4 can use Remote Desktop to access Computer4 remotely.

- Your network contains a single Active Directory domain named adatum.com. The network contains five servers configured as shown in the following table.

End of repeated scenario

Server name	Domain/workgroup	Role
DC1	Adatum.com	Domain controller
DC2	Adatum.com	Domain controller
Server1	Adatum.com	Member server
Server2	Adatum.com	Member server
Test_Server	Workgroup	File server

All of the servers run Windows Server 2012 R2.

Test_Server has a shared folder named ShareA. Only local users have permissions to ShareA.

The network contains a mainframe computer that is administered by using the Telnet protocol.

The domain contains four client computers configured as shown in the following table:

Computer name	Primary user
Computer1	User1
Computer2	User2
Computer3	User3
Computer4	User4

All of the client computers run the 64-bit version of Windows 10. User3 frequently accesses ShareA. Remote Desktop is enabled on Computer4.

Your company identifies the following requirements:

- Ensure that you can test unsigned device drivers on Computer1 ▪
- Enable Credential Guard on Computer2.

You need to meet the requirement of User4. What should you do?

- A. Install a Universal Windows Platform (UWP) application.
- B. Modify the settings of a firewall rule.
- C. Install a Windows feature.
- D. Modify the membership of a local group.

Correct Answer: D

Section: (none) **Explanation**

Explanation/Reference: Explanation:

QUESTION 78

You have a Key Management Service (KMS) host and an administrative workstation named Computer1.

From Computer1, you need to validate the activation status on a computer named Computer2.

What should you run?

- A. Get-RDLicenseConfiguration computer2
- B. slmgr.vbs computer2 /dlv
- C. winrs.exe -r:Computer2 netdom.exe
- D. ospp.vbs /tokact:computer2

Correct Answer: B

Section: (none) **Explanation**

Explanation/Reference:

Explanation:

- Run commands and cmdlets remotely on computer2.
- Configure User Account control (UAC) on Computer3 to prompt administrators for credentials when elevated privileges are required. Ensure that User1 can view and interact with a desktop session of User3. Ensure that User2 can use Telnet to manage the mainframe.

<http://www.howtogeek.com/245445/how-to-use-slmgr-to-change-remove-or-extend-your-windows-license/>

QUESTION 79

You have two computers named Computer1 and Computer2 that run Windows 10. On Computer1, you create a provisioning package named Package1.

You plan to apply the provisioning package to Computer2.

Which file must be applied to Computer2?

- A. Package1.icdproj.xml
- B. Customizations.xml
- C. Package1.ppkg
- D. Package1.cat

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference: Explanation: <https://msdn.microsoft.com/en-us/windows/hardware/commercialize/manufacture/desktop/dism-provisioning-package-command-line-options>

QUESTION 80

You have a computer named Computer1 that has the Hyper-V feature enabled.

You have two virtual machines named VM1 and VM2 hosted on Computer1. VM1 can communicate with VM2 and Computer1. VM1 fails to connect to the Internet. Computer1 can connect to the Internet.

You need to ensure that VM1 can connect to the Internet.

What should you do?

Your network contains a single Active Directory domain named contoso.com. All computers are members of the domain and run the 64-bit version of Windows 10 Enterprise. On a test computer named Computer_Test1, you pin several company-specific applications in a group named Contoso Apps, and then you export the start menu layout to a file named contoso.xml. You install Client Hyper-V on a computer named Computer6.

Start of repeated scenario



<https://vceplus.com/> A. On

Computer 1, modify the network settings.

- B. Enable port mirroring on VM1.
- C. Create an external virtual switch and configure VM1 to use the switch.
- D. On VM1, select Enable virtual LAN identification.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference: Explanation:

<http://www.technig.com/connect-hyper-v-machines-to-internet/>

QUESTION 81

A user named User1 has a computer that runs Windows 10.

User1 reports that Cortana displays news topics that the user wants to suppress.

You need to suppress the news topics from being displayed.

What should you modify?

- A. Reminders

<https://www.gratisexam.com/>

- B. the Location settings
- C. the News app settings
- D. Notebook

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference: Explanation:

<http://www.makeuseof.com/tag/set-cortana-remove-windows-10/>

QUESTION 82

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario exactly the same in each question in this series.

You identify the following requirements:

- Install the Hyper V feature on a computer named Computer1.
- Use virtual smart card authentication on a computer named Computer2.
- Enable Secure Boot on a computer named Computer3.
- Connect a computer named Computer4 to a projector by using Miracast.
- Ensure that a user named User1 can use keyboard shortcuts by pressing one key at a time.
- Ensure that you can share the clipboard between Computer6 and the virtual machines running on Computer6.
- Add the Contoso Apps group to the Start menu of a computer named Computer7.

End of repeated scenario

Which hardware feature must Computer2 support?

- A. a smart card reader
- B. Second Level Address Translation (SLAT)
- C. Trusted Platform Module (TPM)
- D. Unified Extensible Firmware Interface (UEFI)

Correct Answer: C

Section: (none)

Explanation

Your network contains a single Active Directory domain named contoso.com. All computers are members of the domain and run the 64-bit version of Windows 10 Enterprise. On a test computer named Computer_Test1, you pin several company-specific applications in a group named Contoso Apps, and then you export the start menu layout to a file named contoso.xml. You install Client Hyper-V on a computer named Computer6.

Start of repeated scenario

Explanation/Reference: Explanation: <https://blogs.technet.microsoft.com/askds/2016/05/11/setting-up-virtual-smart-card-logon-using-virtual-tpm-for-windows-10-hyper-v-vm-guests/>

QUESTION 83

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario exactly the same in each question in this series.



Your network contains a single Active Directory domain named contoso.com. All computers are members of the domain and run the 64-bit version of Windows 10 Enterprise. On a test computer named Computer_Test1, you pin several company-specific applications in a group named Contoso Apps, and then you export the start menu layout to a file named contoso.xml. You install Client Hyper-V on a computer named Computer6.

Start of repeated scenario

You identify the following requirements:

- Install the Hyper V feature on a computer named Computer1.
- Use virtual smart card authentication on a computer named Computer2.
- Enable Secure Boot on a computer named Computer3.
- Connect a computer named Computer4 to a projector by using Miracast.
- Ensure that a user named User1 can use keyboard shortcuts by pressing one key at a time.
- Ensure that you can share the clipboard between Computer6 and the virtual machines running on Computer6.
- Add the Contoso Apps group to the Start menu of a computer named Computer7.

End of repeated scenario

Which hardware component is required for Computer1?

- A. Trusted Platform Module (TPM)
- B. Trusted Boot
- C. Second Level Address Translation (SLAT)
- D. Secure Boot



Correct Answer: C

Section: (none)

Explanation

Explanation/Reference: Explanation: <https://www.microsoft.com/en-us/windows/windows-10-specifications>

QUESTION 84

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario exactly the same in each question in this series.

You identify the following requirements:

- Install the Hyper V feature on a computer named Computer1.
- Use virtual smart card authentication on a computer named Computer2.
- Enable Secure Boot on a computer named Computer3.
- Connect a computer named Computer4 to a projector by using Miracast.

Your network contains a single Active Directory domain named contoso.com. All computers are members of the domain and run the 64-bit version of Windows 10 Enterprise. On a test computer named Computer_Test1, you pin several company-specific applications in a group named Contoso Apps, and then you export the start menu layout to a file named contoso.xml. You install Client Hyper-V on a computer named Computer6.

Start of repeated scenario

- Ensure that a user named User1 can use keyboard shortcuts by pressing one key at a time.
 - Ensure that you can share the clipboard between Computer6 and the virtual machines running on Computer6. ▪
- Add the Contoso Apps group to the Start menu of a computer named Computer7.

End of repeated scenario

Which hardware feature must Computer3 support?

- A. Data Execution Prevention (DEP)
- B. Unified Extensible Firmware Interface (UEFI)
- C. Trusted Platform Module (TPM)
- D. Second LevelAddress Translation (SLAT)

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference: Explanation: <https://www.microsoft.com/en-us/windows/windows-10-specifications>



QUESTION 85

Note: This question is part of a series of questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all.

You purchase a new USB drive. You apply a custom image of Windows to the USB drive.

You plan to modify the BIOS setting on a computer so that the computer can start from the USB drive.

You need to ensure that you can start the computer by using the USB drive.

What should you run?

- A. Add-Windows Image
- B. bcdboot.exe
- C. bcdedit.exe
- D. bootcfg.exe

- E. bootim.exe
- F. bootsect.exe
- G. diskpart.exe
- H. Expand-Windows Image

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 86

Note: This question is part of a series of questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all.

You have a computer named Computer1. Computer1 has a virtual hard disk (VHD) named Disk1.vhdx. Windows is installed on Disk1.vhdx. Disk1.vhdx is visible in File Explorer as drive E.

You need to configure Computer1 to start from Disk1.vhdx. Hardware virtualization must not be available when Computer1 starts from Disk1.vhdx.

What should you run?

- A. Add-Windows Image
- B. bcdboot.exe
- C. bcdedit.exe
- D. bootcfg.exe
- E. bootim.exe
- F. bootsect.exe

- G. diskpart.exe
- H. Expand-Windows Image

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference: Explanation: <https://msdn.microsoft.com/en-us/windows/hardware/commercialize/manufacture/desktop/boot-to-vhd--native-boot--add-a-virtual-hard-disk-to-the-boot-menu>

QUESTION 87

Note: This question is part of a series of questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all.

You have a computer named Computer1 that has a virtual hard disk (VHD) named Disk1.vhdx.

You plan to configure Computer1 for dual boot from Disk1.vhdx.

You need to install Windows on Disk1.vhdx by using dism.exe.

What should you run before you install Windows?

- A. Add-Windows Image
- B. bcdboot.exe
- C. bcdedit.exe
- D. bootcfg.exe
- E. bootim.exe
- F. bootsect.exe
- G. diskpart.exe
- H. Expand-Windows Image

Correct Answer: G

Section: (none)

Explanation

Explanation/Reference:

Explanation: <https://msdn.microsoft.com/en-us/windows/hardware/commercialize/manufacture/desktop/boot-to-vhd--native-boot--add-a-virtual-hard-disk-to-the-boot-menu>



QUESTION 88

You have a custom Microsoft Management Console (MMC) named Console 1 that contains several snapins.

Users use Console1 to manage specific computer settings. Users report that every time they close Console1, they are prompted to save the MMC.

You need to prevent the prompts to save Console1.

What should you do?

- A. From the Details settings of the MMC file, modify the Authors property.
- B. From the File menu, click Add/Remove Snap-in. and then click Edit Extensions.
- C. From the File menu, click Options and then modify the console mode.
- D. From the Security settings of the MMC file, modify the permissions.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference: Explanation: <http://www.tech-recipes.com/rx/9467/how-to-create-custom-microsoft-management-panels-mmcs-for-managing-servers/>

QUESTION 89

Your network contains a single Active Directory domain named contoso.com. The domain contains a computer named Computer1.

You have five users configured as shown in the following table:

User name	Membership of
Computer1\User1	Guests
Computer1\User2	Users
Computer1\User3	Users Administrators
Contoso\User4	Domain Users
Contoso\User5	Domain Users Domain Admins

Which two users can add a Microsoft account to their Windows account, and then sign in to Computer1 by using the Microsoft account?

- A. User1
- B. User2
- C. User3
- D. User4
- E. User5

Correct Answer: DE

Section: (none)

Explanation

Explanation/Reference: Explanation: <http://blog.thefullcircle.com/2015/07/win10-ad-and-microsoft-account-synchronisation/>

QUESTION 90


HOTSPOT


You have a computer that has a shared printer named Printer1. The Advanced settings for Printer1 are configured as shown in the Advanced exhibit. (Click the Advanced button.)

The Security settings for Printer1 are configured as shown in the Security exhibit. (Click the Security button.) You run the Get-PrintJob cmdlet and you receive the following output.

```
JobStatus           : Normal
Caption             :
Description          :
ElementName          :
InstanceID           :
CommunicationStatus  :
DetailedStatus       :
HealthState          :
InstallDate          :
Name                 :
OperatingStatus      :
OperationalStatus    :
PrimaryStatus        :
Status               :
StatusDescriptions   :
ComputerName         :
DataType             : RAW
DocumentName         : Untitled - Notepad
Id                   : 5
JobTime              : 0
PagesPrinted         : 0
Position             : 1
PrinterName          : Printer1
Priority              : 70
Size                  : 47152
SubmittedTime        : 12.4.2016 20:00:00
TotalPages           : 1
UserName              : administrator
PSComputerName       :
CimClass              : ROOT/StandardCimv2:MSFT_PrintJob
CimInstanceProperties : {Caption, Description, ElementName, InstanceID...}
CimSystemProperties   : Microsoft.Management.Infrastructure.CimSystemProperties
```







For each of the following statements, select Yes if the statement is true. Otherwise, select No.

Hot Area:

Answer Area

Statements	Yes	No
The job in the print queue will be printed immediately.	<input type="radio"/>	<input type="radio"/>
If a new print job is sent to Printer1 the new print job will be printed before the print job that is in the queue already.	<input type="radio"/>	<input type="radio"/>
A domain user named User1 can cancel a print job in the print queue.	<input type="radio"/>	<input type="radio"/>

Correct Answer:

Answer Area

Statements	Yes	No
The job in the print queue will be printed immediately.	<input type="radio"/>	<input checked="" type="radio"/>
If a new print job is sent to Printer1 the new print job will be printed before the print job that is in the queue already.	<input type="radio"/>	<input checked="" type="radio"/>
A domain user named User1 can cancel a print job in the print queue.	<input checked="" type="radio"/>	<input type="radio"/>

Section: (none)

Explanation Explanation/Reference:

QUESTION 91

You have a computer named Computer1 that runs Windows 10.

You need to register Computer1 with Microsoft Intune.

What should you do?

- A. From Accounts in the Settings app, click enroll in to device management.
- B. From a command prompt, run the djoin command and specify the /psite parameter.
- C. From System in Control Panel, modify the domain membership.
- D. From Accounts in the Settings app, add a Microsoft account.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference: Explanation: <http://henkhoogendoorn.blogspot.co.za/2016/04/enroll-in-to-device-management-in.html>

QUESTION 92

You are evaluating a third-party antivirus application on a computer.

You attempt to uninstall the application, but the application fails to uninstall.

You need to remove the antivirus application from the computer. The solution must preserve user data and installed applications.

What should you do?

- A. Perform a driver rollback.
- B. Perform a restore by using File History.
- C. Restore a System Restore point.
- D. Use the Reset this PC option

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference: Explanation: <https://support.microsoft.com/en-us/help/12415/windows-10-recovery-options>

QUESTION 93

IPv6 has a vastly larger address space than IPv4. This expansion provides flexibility in allocating addresses and routing traffic and eliminates the primary need for network address translation (NAT).

Do you know how many more bits there are in an IPv4 address compared to an IPv6 address?

- A. 4 times more
- B. 6 times more
- C. Twice as many
- D. 8 times more

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference: Explanation:
<https://techlog360.com/ipv4-vs-ipv6/>



QUESTION 94

You have a computer named Computer1 that runs Windows 10. Computer1 uses the Current Branch servicing option.

Microsoft releases an upgrade to the Current Branch. The upgrade is installed on Computer1.

You need to revert Computer1 to the previous version of Windows 10.

Which tool should you use?



<https://vceplus.com/>

- A. Programs and Features from Control Panel
- B. Windows Update from the Settings app
- C. Recovery from the Settings app
- D. System from Control Panel

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference: Explanation: <http://www.howtogeek.com/235474/how-to-roll-back-builds-and-uninstall-updates-on-windows-10/>

QUESTION 95

You have a computer named Computer1 that runs Windows 10.

Computer1 is infected by a virus.

You fail to access the Settings app on Computer1 due to the virus.

You need to restart the computer and ensure that Computer1 displays the advanced startup options when the computer restarts.

What are two possible ways to achieve the goal? Each correct answer presents a complete solution.

- A. From Windows PowerShell, run Restart-Computer Computer1 - Wait - For PowerShell.
- B. From System Configuration select safe boot select minimal, and then click Restart from the Start menu.
- C. From system Configuration, select selective startup, and then click Restart from the start menu.
- D. From a command prompt, run shutdown.exe /r/o.

E. From Power on the start menu, hold the SHIFT key while you click Restart.

Correct Answer: DE

Section: (none)

Explanation

Explanation/Reference: Explanation:

<https://support.microsoft.com/en-us/instantanswers/f40a95aa-1e34-4907-98ba-a308fd10a786/get-to-safe-mode-and-other-startup-settings-in-windows-10>
<http://www.howtogeek.com/126016/three-ways-to-access-the-windows-8-boot-options-menu/>

QUESTION 96

Your network contains a single Active Directory domain. The domain contains a laptop named Computer1 that runs Windows 10.

A user named User1 uses Computer1. Computer1 connects to two shared printers named Printer1 and Printer2.

Printer1 is located at the office and Printer2 is located at the home of User1.

User1 frequently reports that when attempting to print, the default printer is set to Printer2.

You need to ensure that Printer1 is the default printer always.

What should you do?

- A. Add Printer 2 to a home group.
- B. Disable Let Windows manage my default printer.
- C. Change the priority of Printer1 to 1.
- D. Change the priority of Printer2 to 1.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference: Explanation: <http://www.tenforums.com/tutorials/26138-printer-turn-off-let-windows-10-manage-default-printer.html>

QUESTION 97

A user named User1 has a laptop that runs Windows 10 Pro.

At home, User1 connects to the home network by using an Ethernet connection. User1 reports that he sometimes exceeds his Internet data limit.

You need to prevent the laptop from downloading Windows updates automatically.

What should you do?

- A. From a local Group Policy, modify the Windows Update settings.
- B. From a local Group Policy, modify the Network Connections settings.
- C. From the Settings app, configure a metered connection.
- D. From the Settings app, select Defer upgrades.

Correct Answer: C

Section: (none) Explanation

Explanation/Reference: Explanation: <http://www.pcworld.com/article/3085136/windows/two-ways-to-control-or-stop-windows-10-updates.html>

QUESTION 98 HOTSPOT

A user fails to connect a mouse to a computer.

The user sends you the following output:



```
PS C:\>Get-PnpDevice -Class Bluetooth
Status          Class          FriendlyName
-----
Unknown         Bluetooth      Device Identification Service
Unknown         Bluetooth      Dell BT Travel Mouse
Unknown         Bluetooth      Microsoft Bluetooth LE Enumerator
Error           Bluetooth      Intel(R) Wireless Bluetooth(R)
Unknown         Bluetooth      Microsoft Bluetooth Enumerator
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in output:

Hot Area:

A Bluetooth mouse is [answer choice]

ready to pair ▼
paired and working
paired and unresponsive

The error occurs because [answer area]

the computer is in Airplane mode ▼
Bluetooth is turned off in the Settings app
the Bluetooth adapter is disabled in Device Manager

Correct Answer:



A Bluetooth mouse is [answer choice]

ready to pair ▼
paired and working
paired and unresponsive

The error occurs because [answer area]

the computer is in Airplane mode ▼
Bluetooth is turned off in the Settings app
the Bluetooth adapter is disabled in Device Manager

Section: (none) Explanation

Explanation/Reference:



QUESTION 99

HOTSPOT

You have three computers configured as shown in the following table.

Computer name	Operating system	Upgrade requirement
Computer1	Windows 7	Retain all installed applications.
Computer 2	Windows 7	Remove all locally installed applications, but retain access to their user files.
Computer 3	Windows 8	Remove all locally installed applications.

You plan to migrate the computers to Windows 10.

Which installation option should you use for each computer? To answer, select the appropriate options in the answer area.

Hot Area:

Computer1:

	▼
Custom	
Upgrade	

Computer2:

	▼
Custom	
Upgrade	

Computer3:

	▼
Custom	
Upgrade	

Correct Answer:

Computer1:

	▼
Custom	
Upgrade	

Computer2:

	▼
Custom	
Upgrade	

Computer3:

	▼
Custom	
Upgrade	

Section: (none) **Explanation**

Explanation/Reference: Explanation:

<https://technet.microsoft.com/en-us/itpro/windows/deploy/windows-upgrade-and-migration-considerations> <https://www.howtogeek.com/225048/how-to-upgrade-from-windows-7-or-8-to-windows-10-right-now/>



<https://vceplus.com/>

