

**DP-201.69q**

Number: DP-201  
Passing Score: 800  
Time Limit: 120 min

**DP-201**



**Website:** <https://vceplus.com>  
**VCE to PDF Converter:** <https://vceplus.com/vce-to-pdf/>  
**Facebook:** <https://www.facebook.com/VCE.For.All.VN/>  
**Twitter :** [https://twitter.com/VCE\\_Plus](https://twitter.com/VCE_Plus)

<https://vceplus.com/>

**Designing an Azure Data Solution**

**Testlet 1**

**Case study**

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

### **To start the case study**

To display the first question in this case study, click the **Next** button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an **All Information** tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the **Question** button to return to the question.

### **Overview**

You develop data engineering solutions for Graphics Design Institute, a global media company with offices in New York City, Manchester, Singapore, and Melbourne.

The New York office hosts SQL Server databases that stores massive amounts of customer data. The company also stores millions of images on a physical server located in the New York office. More than 2 TB of image data is added each day. The images are transferred from customer devices to the server in New York.

Many images have been placed on this server in an unorganized manner, making it difficult for editors to search images. Images should automatically have object and color tags generated. The tags must be stored in a document database, and be queried by SQL. You are hired to design a solution that can store, transform, and visualize customer data. **Requirements**

### **Business**

The company identifies the following business requirements:

- You must transfer all images and customer data to cloud storage and remove on-premises servers.
- You must develop an analytical processing solution for transforming customer data.
  
- You must develop an image object and color tagging solution.
- Capital expenditures must be minimized.
- Cloud resource costs must be minimized.

## Technical

The solution has the following technical requirements:

- Tagging data must be uploaded to the cloud from the New York office location.
  - Tagging data must be replicated to regions that are geographically close to company office locations.
  - Image data must be stored in a single data store at minimum cost.
  - Customer data must be analyzed using managed Spark clusters.
- Power BI must be used to visualize transformed customer data.
- All data must be backed up in case disaster recovery is required.

## Security and optimization

All cloud data must be encrypted at rest and in transit. The solution must support:

- parallel processing of customer data
- hyper-scale storage of images
- global region data replication of processed image data

### QUESTION 1

You need to recommend a solution for storing the image tagging data.



<https://vceplus.com/>

What should you recommend?

- A. Azure File Storage
- B. Azure Cosmos DB
- C. Azure Blob Storage
- D. Azure SQL Database
- E. Azure SQL Data Warehouse

**Correct Answer:** C

**Section:** [none]

**Explanation**

**Explanation/Reference:**

Explanation:

Image data must be stored in a single data store at minimum cost.

Note: Azure Blob storage is Microsoft's object storage solution for the cloud. Blob storage is optimized for storing massive amounts of unstructured data.

Unstructured data is data that does not adhere to a particular data model or definition, such as text or binary data.

Blob storage is designed for:

- Serving images or documents directly to a browser.
- Storing files for distributed access.
- Streaming video and audio.
- Writing to log files.
- Storing data for backup and restore, disaster recovery, and archiving. ▪

Storing data for analysis by an on-premises or Azure-hosted service.

Reference: <https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blobs-introduction>

## QUESTION 2

You need to design the solution for analyzing customer data.

What should you recommend?

- A. Azure Databricks
- B. Azure Data Lake Storage
- C. Azure SQL Data Warehouse
- D. Azure Cognitive Services
- E. Azure Batch

**Correct Answer:** A

**Section:** [none]

**Explanation**

**Explanation/Reference:**

Explanation:

Customer data must be analyzed using managed Spark clusters.

You create spark clusters through Azure Databricks.

Reference: <https://docs.microsoft.com/en-us/azure/azure-databricks/quickstart-create-databricks-workspace-portal>

### QUESTION 3

You need to recommend a solution for storing customer data.

What should you recommend?

- A. Azure SQL Data Warehouse
- B. Azure Stream Analytics
- C. Azure Databricks
- D. Azure SQL Database

**Correct Answer: C**

**Section: [none]**

**Explanation**

**Explanation/Reference:**

Explanation:

From the scenario:

Customer data must be analyzed using managed Spark clusters.

All cloud data must be encrypted at rest and in transit. The solution must support: parallel processing of customer data.

Reference: <https://www.microsoft.com/developerblog/2019/01/18/running-parallel-apache-spark-notebook-workloads-on-azure-databricks/> **Testlet 2**

### Case study

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

### To start the case study

To display the first question in this case study, click the **Next** button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an **All Information** tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the **Question** button to return to the question.

### Background

#### Current environment

The company has the following virtual machines (VMs):

VM	Roles	Database size	VM type	Destination
CONT_SQL1	Microsoft SQL Server	2 TB	Hyper-V	Azure SQL Database
CONT_SQL2	Microsoft SQL Server	2 TB	Hyper-V	Azure SQL Database
CONT_SQL3	Microsoft SQL Server	100 GB	Hyper-V	Azure VM
CONT_SAP1	SAP	1 TB	Vmware	On-premises
CONT_SAP2	SAP	1 TB	Vmware	On-premises
CPNT_SSRS	Microsoft SQL Server Reporting Services	1 TB	Hyper-V	Azure VM

### Requirements

#### Storage and processing

You must be able to use a file system view of data stored in a blob.

You must build an architecture that will allow Contoso to use the DB FS filesystem layer over a blob store. The architecture will need to support data files, libraries, and images. Additionally, it must provide a web-based interface to documents that contain runnable command, visualizations, and narrative text such as a notebook.

CONT\_SQL3 requires an initial scale of 35000 IOPS.

CONT\_SQL1 and CONT\_SQL2 must use the vCore model and should include replicas. The solution must support 8000 IOPS.

The storage should be configured to optimized storage for database OLTP workloads.

#### Migration

- You must be able to independently scale compute and storage resources.
- You must migrate all SQL Server workloads to Azure. You must identify related machines in the on-premises environment, get disk size data usage information.
- Data from SQL Server must include zone redundant storage.

- You need to ensure that app components can reside on-premises while interacting with components that run in the Azure public cloud. ▪
- SAP data must remain on-premises.
- The Azure Site Recovery (ASR) results should contain per-machine data.

### **Business requirements**

- You must design a regional disaster recovery topology.
- The database backups have regulatory purposes and must be retained for seven years.
- CONT\_SQL1 stores customers sales data that requires ETL operations for data analysis. A solution is required that reads data from SQL, performs ETL, and outputs to Power BI. The solution should use managed clusters to minimize costs. To optimize logistics, Contoso needs to analyze customer sales data to see if certain products are tied to specific times in the year.
- The analytics solution for customer sales data must be available during a regional outage.

### **Security and auditing**

- Contoso requires all corporate computers to enable Windows Firewall. ▪
- Azure servers should be able to ping other Contoso Azure servers.
- Employee PII must be encrypted in memory, in motion, and at rest. Any data encrypted by SQL Server must support equality searches, grouping, indexing, and joining on the encrypted data.
- Keys must be secured by using hardware security modules (HSMs).
- CONT\_SQL3 must not communicate over the default ports

### **Cost**

- All solutions must minimize cost and resources.
- The organization does not want any unexpected charges.
- The data engineers must set the SQL Data Warehouse compute resources to consume 300 DWUs.
- CONT\_SQL2 is not fully utilized during non-peak hours. You must minimize resource costs for during non-peak hours.

### **QUESTION 1**

You need to design a solution to meet the SQL Server storage requirements for CONT\_SQL3.

Which type of disk should you recommend?

- A. Standard SSD Managed Disk
- B. Premium SSD Managed Disk
- C. Ultra SSD Managed Disk

**Correct Answer:** C

**Section:** [none]

**Explanation**

**Explanation/Reference:**

Explanation:

CONT\_SQL3 requires an initial scale of 35000 IOPS.

Ultra SSD Managed Disk Offerings

Disk size (GiB)	4	8	16	32	64	128	256	512	1,024-65,536 (in increments of 1 TiB)
IOPS range	100-1,200	100-2,400	100-4,800	100-9,600	100-19,200	100-38,400	100-76,800	100-153,600	100-160,000
Throughput Cap (MBps)	300	600	1,200	2,000	2,000	2,000	2,000	2,000	2,000

The following table provides a comparison of ultra solid-state-drives (SSD) (preview), premium SSD, standard SSD, and standard hard disk drives (HDD) for managed disks to help you decide what to use.



	Ultra SSD (preview)	Premium SSD	Standard SSD	Standard HDD
Disk type	SSD	SSD	SSD	HDD
Scenario	IO-intensive workloads such as SAP HANA, top tier databases (for example, SQL, Oracle), and other transaction-heavy workloads.	Production and performance sensitive workloads	Web servers, lightly used enterprise applications and dev/test	Backup, non-critical, infrequent access
Disk size	65,536 gibibyte (GiB) (Preview)	32,767 GiB	32,767 GiB	32,767 GiB
Max throughput	2,000 MiB/s (Preview)	900 MiB/s	750 MiB/s	500 MiB/s
Max IOPS	160,000 (Preview)	20,000	6,000	2,000

Reference: <https://docs.microsoft.com/en-us/azure/virtual-machines/windows/disks-types>

## QUESTION 2

You need to recommend an Azure SQL Database service tier.

What should you recommend?

- A. Business Critical
- B. General Purpose
- C. Premium
- D. Standard
- E. Basic

**Correct Answer: C**

**Section: [none]**

**Explanation**

**Explanation/Reference:**

Explanation:

The data engineers must set the SQL Data Warehouse compute resources to consume 300 DWUs.

Note: There are three architectural models that are used in Azure SQL Database:

- General Purpose/Standard
- Business Critical/Premium ▪
- Hyperscale

Incorrect Answers:

A: Business Critical service tier is designed for the applications that require low-latency responses from the underlying SSD storage (1-2 ms in average), fast recovery if the underlying infrastructure fails, or need to off-load reports, analytics, and read-only queries to the free of charge readable secondary replica of the primary database.

Reference: <https://docs.microsoft.com/en-us/azure/sql-database/sql-database-service-tier-business-critical>

### **QUESTION 3**

You need to recommend the appropriate storage and processing solution?

What should you recommend?

- A. Enable auto-shrink on the database.
- B. Flush the blob cache using Windows PowerShell.
- C. Enable Apache Spark RDD (RDD) caching.
- D. Enable Databricks IO (DBIO) caching.
- E. Configure the reading speed using Azure Data Studio.

**Correct Answer: C**

**Section: [none]**

**Explanation**

**Explanation/Reference:**

Explanation:

Scenario: You must be able to use a file system view of data stored in a blob. You must build an architecture that will allow Contoso to use the DB FS filesystem layer over a blob store.

Databricks File System (DBFS) is a distributed file system installed on Azure Databricks clusters. Files in DBFS persist to Azure Blob storage, so you won't lose data even after you terminate a cluster.

The Databricks Delta cache, previously named Databricks IO (DBIO) caching, accelerates data reads by creating copies of remote files in nodes' local storage using a fast intermediate data format. The data is cached automatically whenever a file has to be fetched from a remote location. Successive reads of the same data are then performed locally, which results in significantly improved reading speed.

Reference:

<https://docs.databricks.com/delta/delta-cache.html#delta-cache>



### Testlet 3

#### Overview

You are a data engineer for Trey Research. The company is close to completing a joint project with the government to build smart highways infrastructure across North America. This involves the placement of sensors and cameras to measure traffic flow, car speed, and vehicle details.

You have been asked to design a cloud solution that will meet the business and technical requirements of the smart highway.

#### Solution components

##### Telemetry Capture

The telemetry capture system records each time a vehicle passes in front of a sensor. The sensors run on a custom embedded operating system and record the following telemetry data:

- Time
- Location in latitude and longitude
- Speed in kilometers per hour (kmph)
- Length of vehicle in meters

##### Visual Monitoring

The visual monitoring system is a network of approximately 1,000 cameras placed near highways that capture images of vehicle traffic every 2 seconds.

The cameras record high resolution images. Each image is approximately 3 MB in size. **Requirements: Business**

The company identifies the following business requirements:

- External vendors must be able to perform custom analysis of data using machine learning technologies.
- You must display a dashboard on the operations status page that displays the following metrics: telemetry, volume, and processing latency.
- Traffic data must be made available to the Government Planning Department for the purpose of modeling changes to the highway system. The traffic data will be used in conjunction with other data such as information about events such as sporting events, weather conditions, and population statistics. External data used during the modeling is stored in on-premises SQL Server 2016 databases and CSV files stored in an Azure Data Lake Storage Gen2 storage account.
- Information about vehicles that have been detected as going over the speed limit during the last 30 minutes must be available to law enforcement officers. Several law enforcement organizations may respond to speeding vehicles.
- The solution must allow for searches of vehicle images by license plate to support law enforcement investigations. Searches must be able to be performed using a query language and must support fuzzy searches to compensate for license plate detection errors.

##### Requirements: Security

The solution must meet the following security requirements:

- External vendors must not have direct access to sensor data or images.
- Images produced by the vehicle monitoring solution must be deleted after one month. You must minimize costs associated with deleting images from the data store.
- Unauthorized usage of data must be detected in real time. Unauthorized usage is determined by looking for unusual usage patterns.
- All changes to Azure resources used by the solution must be recorded and stored. Data must be provided to the security team for incident response purposes.

**Requirements: Sensor data**

You must write all telemetry data to the closest Azure region. The sensors used for the telemetry capture system have a small amount of memory available and so must write data as quickly as possible to avoid losing telemetry data.

**QUESTION 1**

You need to design the storage for the visual monitoring system.

Which storage solution should you recommend?

- A. Azure Blob storage
- B. Azure Table storage
- C. Azure SQL database
- D. Azure Media Services



**Correct Answer:** A

**Section:** [none]

**Explanation**

**Explanation/Reference:**

Explanation:

Azure Blobs: A massively scalable object store for text and binary data.

Scenario:

- The visual monitoring system is a network of approximately 1,000 cameras placed near highways that capture images of vehicle traffic every 2 seconds. The cameras record high resolution images. Each image is approximately 3 MB in size.
- The solution must allow for searches of vehicle images by license plate to support law enforcement investigations. Searches must be able to be performed using a query language and must support fuzzy searches to compensate for license plate detection errors.

Incorrect Answers:

B: Azure Tables: A NoSQL store for schemaless storage of structured data.

D: Microsoft Azure Media Services (AMS) is a leading full-service media platform for securely delivering live and on-demand video to virtually any device.

Reference: <https://docs.microsoft.com/en-us/azure/storage/common/storage-introduction>

## QUESTION 2

You need to design the storage for the telemetry capture system.

What storage solution should you use in the design?

- A. Azure SQL Data Warehouse
- B. Azure Databricks
- C. Azure Cosmos DB

**Correct Answer: C**

**Section: [none]**

**Explanation**

**Explanation/Reference:**

Explanation:

Azure Cosmos DB is a globally distributed database service. You can associate any number of Azure regions with your Azure Cosmos account and your data is automatically and transparently replicated.

Scenario:

Telemetry Capture

The telemetry capture system records each time a vehicle passes in front of a sensor. The sensors run on a custom embedded operating system and record the following telemetry data:

- Time
- Location in latitude and longitude
- Speed in kilometers per hour (kmph)
- Length of vehicle in meters

You must write all telemetry data to the closest Azure region. The sensors used for the telemetry capture system have a small amount of memory available and so must write data as quickly as possible to avoid losing telemetry data.

Reference:

<https://docs.microsoft.com/en-us/azure/cosmos-db/regional-presence>

## Question Set 4

### QUESTION 1

**Note:** This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

**After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.**

You are designing an Azure SQL Database that will use elastic pools. You plan to store data about customers in a table. Each record uses a value for CustomerID.

You need to recommend a strategy to partition data based on values in CustomerID.

Proposed Solution: Separate data into customer regions by using vertical partitioning.

Does the solution meet the goal?

- A. Yes
- B. No

**Correct Answer:** B

**Section:** [none]

**Explanation**

**Explanation/Reference:**

Explanation:

Vertical partitioning is used for cross-database queries. Instead we should use Horizontal Partitioning, which also is called charding.

Reference: <https://docs.microsoft.com/en-us/azure/sql-database/sql-database-elastic-query-overview>

## QUESTION 2

**Note:** This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

**After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.**

You are designing an Azure SQL Database that will use elastic pools. You plan to store data about customers in a table. Each record uses a value for CustomerID.

You need to recommend a strategy to partition data based on values in CustomerID.

Proposed Solution: Separate data into customer regions by using horizontal partitioning.

Does the solution meet the goal?

- A. Yes
- B. No

**Correct Answer:** B

**Section:** [none]

**Explanation**

**Explanation/Reference:**

Explanation:

We should use Horizontal Partitioning through Sharding, not divide through regions.

Note: Horizontal Partitioning - Sharding: Data is partitioned horizontally to distribute rows across a scaled out data tier. With this approach, the schema is identical on all participating databases. This approach is also called “sharding”. Sharding can be performed and managed using (1) the elastic database tools libraries or (2) self-sharding. An elastic query is used to query or compile reports across many shards.

Reference: <https://docs.microsoft.com/en-us/azure/sql-database/sql-database-elastic-query-overview>

### QUESTION 3

**Note:** This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

**After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.**

You are designing an Azure SQL Database that will use elastic pools. You plan to store data about customers in a table. Each record uses a value for CustomerID.

You need to recommend a strategy to partition data based on values in CustomerID.

Proposed Solution: Separate data into shards by using horizontal partitioning.

Does the solution meet the goal?

- A. Yes
- B. No

**Correct Answer:** A



**Section: [none]**

**Explanation**

**Explanation/Reference:**

Explanation:

Horizontal Partitioning - Sharding: Data is partitioned horizontally to distribute rows across a scaled out data tier. With this approach, the schema is identical on all participating databases. This approach is also called “sharding”. Sharding can be performed and managed using (1) the elastic database tools libraries or (2) selfsharding. An elastic query is used to query or compile reports across many shards.

Reference: <https://docs.microsoft.com/en-us/azure/sql-database/sql-database-elastic-query-overview>

#### **QUESTION 4**

You are designing a data processing solution that will implement the lambda architecture pattern. The solution will use Spark running on HDInsight for data processing.

You need to recommend a data storage technology for the solution.

Which two technologies should you recommend? Each correct answer presents a complete solution.

**NOTE:** Each correct selection is worth one point.

- A. Azure Cosmos DB
- B. Azure Service Bus
- C. Azure Storage Queue
- D. Apache Cassandra
- E. Kafka HDInsight

**Correct Answer:** AE

**Section: [none]**

**Explanation**

**Explanation/Reference:**

Explanation:

To implement a lambda architecture on Azure, you can combine the following technologies to accelerate real-time big data analytics:

- Azure Cosmos DB, the industry's first globally distributed, multi-model database service.
- Apache Spark for Azure HDInsight, a processing framework that runs large-scale data analytics applications
- Azure Cosmos DB change feed, which streams new data to the batch layer for HDInsight to process ▪

The Spark to Azure Cosmos DB Connector

E: You can use Apache Spark to stream data into or out of Apache Kafka on HDInsight using DStreams.

Reference: <https://docs.microsoft.com/en-us/azure/cosmos-db/lambda-architecture>

### QUESTION 5

A company manufactures automobile parts. The company installs IoT sensors on manufacturing machinery.

You must design a solution that analyzes data from the sensors.

You need to recommend a solution that meets the following requirements:

- Data must be analyzed in real-time.
  - Data queries must be deployed using continuous integration.
  - Data must be visualized by using charts and graphs.
  - Data must be available for ETL operations in the future. ▪
- The solution must support high-volume data ingestion.

Which three actions should you recommend? Each correct answer presents part of the solution.

**NOTE:** Each correct selection is worth one point.

- A. Use Azure Analysis Services to query the data. Output query results to Power BI.
- B. Configure an Azure Event Hub to capture data to Azure Data Lake Storage.
- C. Develop an Azure Stream Analytics application that queries the data and outputs to Power BI. Use Azure Data Factory to deploy the Azure Stream Analytics application.
- D. Develop an application that sends the IoT data to an Azure Event Hub.
- E. Develop an Azure Stream Analytics application that queries the data and outputs to Power BI. Use Azure Pipelines to deploy the Azure Stream Analytics application.
- F. Develop an application that sends the IoT data to an Azure Data Lake Storage container.

**Correct Answer:** BCD

**Section:** [none]

**Explanation**

**Explanation/Reference:**

### QUESTION 6

You are designing an Azure Databricks interactive cluster.

You need to ensure that the cluster meets the following requirements:

- Enable auto-termination
- Retain cluster configuration indefinitely after cluster termination.

What should you recommend?

- A. Start the cluster after it is terminated.
- B. Pin the cluster
- C. Clone the cluster after it is terminated.
- D. Terminate the cluster manually at process completion.

**Correct Answer: B**

**Section: [none]**

**Explanation**

**Explanation/Reference:**

Explanation:

To keep an interactive cluster configuration even after it has been terminated for more than 30 days, an administrator can pin a cluster to the cluster list.

Reference: <https://docs.azuredatabricks.net/user-guide/clusters/terminate.html>

## QUESTION 7

A company stores data in multiple types of cloud-based databases.

You need to design a solution to consolidate data into a single relational database. Ingestion of data will occur at set times each day.

What should you recommend?

- A. SQL Server Migration Assistant
- B. SQL Data Sync
- C. Azure Data Factory
- D. Azure Database Migration Service
- E. Data Migration Assistant

**Correct Answer: C**

**Section: [none]**

**Explanation**

**Explanation/Reference:**

Explanation:

Incorrect Answers:

D: Azure Database Migration Service is used to migrate on-premises SQL Server databases to the cloud.

Reference: <https://docs.microsoft.com/en-us/azure/data-factory/introduction> <https://azure.microsoft.com/en-us/blog/operationalize-azure-databricks-notebooks-using-data-factory/> <https://azure.microsoft.com/en-us/blog/data-ingestion-into-azure-at-scale-made-easier-with-latest-enhancements-to-adf-copy-data-tool/>

### **QUESTION 8**

You are designing an application. You plan to use Azure SQL Database to support the application.

The application will extract data from the Azure SQL Database and create text documents. The text documents will be placed into a cloud-based storage solution. The text storage solution must be accessible from an SMB network share.

You need to recommend a data storage solution for the text documents.

Which Azure data storage type should you recommend?

- A. Queue
- B. Files
- C. Blob
- D. Table

**Correct Answer: B**

**Section: [none]**

**Explanation**

**Explanation/Reference:**

Explanation:

Azure Files enables you to set up highly available network file shares that can be accessed by using the standard Server Message Block (SMB) protocol.

Incorrect Answers:

A: The Azure Queue service is used to store and retrieve messages. It is generally used to store lists of messages to be processed asynchronously.

C: Blob storage is optimized for storing massive amounts of unstructured data, such as text or binary data. Blob storage can be accessed via HTTP or HTTPS but not via SMB.

D: Azure Table storage is used to store large amounts of structured data. Azure tables are ideal for storing structured, non-relational data.

Reference: <https://docs.microsoft.com/en-us/azure/storage/common/storage-introduction> <https://docs.microsoft.com/en-us/azure/storage/tables/table-storage-overview>

### QUESTION 9

You are designing an application that will have an Azure virtual machine. The virtual machine will access an Azure SQL database. The database will not be accessible from the Internet

You need to recommend a solution to provide the required level of access to the database.

What should you include in the recommendation?

- A. Deploy an On-premises data gateway.
- B. Add a virtual network to the Azure SQL server that hosts the database.
- C. Add an application gateway to the virtual network that contains the Azure virtual machine.
- D. Add a virtual network gateway to the virtual network that contains the Azure virtual machine.

**Correct Answer:** B

**Section:** [none]

**Explanation**

**Explanation/Reference:**

Explanation:

When you create an Azure virtual machine (VM), you must create a virtual network (VNet) or use an existing VNet. You also need to decide how your VMs are intended to be accessed on the VNet.

Incorrect Answers:

C: Azure Application Gateway is a web traffic load balancer that enables you to manage traffic to your web applications.

D: A VPN gateway is a specific type of virtual network gateway that is used to send encrypted traffic between an Azure virtual network and an on-premises location over the public Internet.

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/network-overview>

**QUESTION 10**

You are designing a data store that will store organizational information for a company. The data will be used to identify the relationships between users. The data will be stored in an Azure Cosmos DB database and will contain several million objects.

You need to recommend which API to use for the database. The API must minimize the complexity to query the user relationships. The solution must support fast traversals.

Which API should you recommend?

- A. MongoDB
- B. Table
- C. Gremlin
- D. Cassandra

**Correct Answer:** C

**Section:** [none]

**Explanation**

**Explanation/Reference:**

Explanation:

Gremlin features fast queries and traversals with the most widely adopted graph query standard.

Reference:

<https://docs.microsoft.com/th-th/azure/cosmos-db/graph-introduction?view=azuremps-5.7.0>

**QUESTION 11**

HOTSPOT

You are designing a new application that uses Azure Cosmos DB. The application will support a variety of data patterns including log records and social media mentions.

You need to recommend which Cosmos DB API to use for each data pattern. The solution must minimize resource utilization.

Which API should you recommend for each data pattern? To answer, select the appropriate options in the answer area.

**NOTE:** Each correct selection is worth one point.

**Hot Area:**

### Answer Area

Log records:

	▼
Cassandra	
Gremlin	
SQL	

Social media mentions:

	▼
Cassandra	
Gremlin	
SQL	

Correct Answer:

## Answer Area

Log records:

Social media mentions:

**Section:** [none]

**Explanation**

**Explanation/Reference:**

Explanation:

Log records: SQL

Social media mentions: Gremlin

You can store the actual graph of followers using Azure Cosmos DB Gremlin API to create vertexes for each user and edges that maintain the "A-follows-B" relationships. With the Gremlin API, you can get the followers of a certain user and create more complex queries to suggest people in common. If you add to the graph the Content Categories that people like or enjoy, you can start weaving experiences that include smart content discovery, suggesting content that those people you follow like, or finding people that you might have much in common with.

Reference:

<https://docs.microsoft.com/en-us/azure/cosmos-db/social-media-apps>



### QUESTION 12

You need to recommend a storage solution to store flat files and columnar optimized files. The solution must meet the following requirements:

- Store standardized data that data scientists will explore in a curated folder.
- Ensure that applications cannot access the curated folder.
- Store staged data for import to applications in a raw folder.
- Provide data scientists with access to specific folders in the raw folder and all the content the curated folder.

Which storage solution should you recommend?

- A. Azure SQL Data Warehouse
- B. Azure Blob storage
- C. Azure Data Lake Storage Gen2
- D. Azure SQL Database

**Correct Answer:** B

**Section:** [none]

**Explanation**

**Explanation/Reference:**

Explanation:

Azure Blob Storage containers is a general purpose object store for a wide variety of storage scenarios. Blobs are stored in containers, which are similar to folders.

Incorrect Answers:

C: Azure Data Lake Storage is an optimized storage for big data analytics workloads.

Reference:

<https://docs.microsoft.com/en-us/azure/architecture/data-guide/technology-choices/data-storage>

### QUESTION 13

Your company is an online retailer that can have more than 100 million orders during a 24-hour period, 95 percent of which are placed between 16:30 and 17:00. All the orders are in US dollars. The current product line contains the following three item categories:

- Games with 15,123 items
- Books with 35,312 items
- Pens with 6,234 items

You are designing an Azure Cosmos DB data solution for a collection named Orders Collection. The following documents is a typical order in Orders Collection.

```
"OrderTime": "16:35",  
"id": " d0379ca2-f912-5h7f-k159-340ffa1z18e4"  
"Item": {  
  "id": "08g17u57-1j58-6511-4x65-  
  2qb5bf723u5s",  
  "Title": "Living the Data Dream",  
  "Category": "Books",  
  "PurchasePrice": 12.56,  
  "Currency": "USD"  
}
```

Order Collection is expected to have a balanced read/write-intensive workload.

Which partition key provides the most efficient throughput?

- A. Item/Category
- B. OrderTime
- C. Item/Currency
- D. Item/id



**Correct Answer:** A

**Section:** [none]

**Explanation**

**Explanation/Reference:**

Explanation:

Choose a partition key that has a wide range of values and access patterns that are evenly spread across logical partitions. This helps spread the data and the activity in your container across the set of logical partitions, so that resources for data storage and throughput can be distributed across the logical partitions.

Choose a partition key that spreads the workload evenly across all partitions and evenly over time. Your choice of partition key should balance the need for efficient partition queries and transactions against the goal of distributing items across multiple partitions to achieve scalability.

Candidates for partition keys might include properties that appear frequently as a filter in your queries. Queries can be efficiently routed by including the partition key in the filter predicate.

Reference:

<https://docs.microsoft.com/en-us/azure/cosmos-db/partitioning-overview#choose-partitionkey>

#### QUESTION 14

You have a MongoDB database that you plan to migrate to an Azure Cosmos DB account that uses the MongoDB API.

During testing, you discover that the migration takes longer than expected.

You need to recommend a solution that will reduce the amount of time it takes to migrate the data.

What are two possible recommendations to achieve this goal? Each correct answer presents a complete solution.

**NOTE:** Each correct selection is worth one point.

- A. Increase the Request Units (RUs).
- B. Turn off indexing.
- C. Add a write region.
- D. Create unique indexes.
- E. Create compound indexes.

**Correct Answer:** AB

**Section:** [none]

**Explanation**

**Explanation/Reference:**

Explanation:

A: Increase the throughput during the migration by increasing the Request Units (RUs).

For customers that are migrating many collections within a database, it is strongly recommend to configure database-level throughput. You must make this choice when you create the database. The minimum database-level throughput capacity is 400 RU/sec. Each collection sharing database-level throughput requires at least 100 RU/sec.

B: By default, Azure Cosmos DB indexes all your data fields upon ingestion. You can modify the indexing policy in Azure Cosmos DB at any time. In fact, it is often recommended to turn off indexing when migrating data, and then turn it back on when the data is already in Cosmos DB.

Reference: <https://docs.microsoft.com/bs-latn-ba/Azure/cosmos-db/mongodb-pre-migration>

#### QUESTION 15

You need to recommend a storage solution for a sales system that will receive thousands of small files per minute. The files will be in JSON, text, and CSV formats. The files will be processed and transformed before they are loaded into an Azure data warehouse. The files must be stored and secured in folders.

Which storage solution should you recommend?

- A. Azure Data Lake Storage Gen2
- B. Azure Cosmos DB
- C. Azure SQL Database
- D. Azure Blob storage

**Correct Answer:** A

**Section:** [none]

**Explanation**

**Explanation/Reference:**

Explanation:

Azure provides several solutions for working with CSV and JSON files, depending on your needs. The primary landing place for these files is either Azure Storage or Azure Data Lake Store.<sup>1</sup>

Azure Data Lake Storage is an optimized storage for big data analytics workloads.

Incorrect Answers:

D: Azure Blob Storage containers is a general purpose object store for a wide variety of storage scenarios. Blobs are stored in containers, which are similar to folders.

Reference:

<https://docs.microsoft.com/en-us/azure/architecture/data-guide/scenarios/csv-and-json>

#### **QUESTION 16**

You are designing an Azure Cosmos DB database that will support vertices and edges.

Which Cosmos DB API should you include in the design?

- A. SQL
- B. Cassandra
- C. Gremlin
- D. Table

**Correct Answer:** C

**Section: [none]**

**Explanation**

**Explanation/Reference:**

Explanation:

The Azure Cosmos DB Gremlin API can be used to store massive graphs with billions of vertices and edges.

Reference:

<https://docs.microsoft.com/en-us/azure/cosmos-db/graph-introduction>

### **QUESTION 17**

**Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.**

**After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.**

You plan to store delimited text files in an Azure Data Lake Storage account that will be organized into department folders.

You need to configure data access so that users see only the files in their respective department folder.

Solution: From the storage account, you enable a hierarchical namespace, and you use RBAC.

Does this meet the goal?

A. Yes

B. No

**Correct Answer: B**

**Section: [none]**

**Explanation**

**Explanation/Reference:**

Explanation:

Disable the hierarchical namespace. And instead of RBAC use access control lists (ACLs).

Note: Azure Data Lake Storage implements an access control model that derives from HDFS, which in turn derives from the POSIX access control model.

Blob container ACLs does not support the hierarchical namespace, so it must be disabled.

Reference: <https://docs.microsoft.com/en-us/azure/storage/blobs/data-lake-storage-known-issues> <https://docs.microsoft.com/en-us/azure/data-lake-store/data-lake-store-access-control>

#### QUESTION 18

**Note:** This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

**After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.**

You plan to store delimited text files in an Azure Data Lake Storage account that will be organized into department folders.

You need to configure data access so that users see only the files in their respective department folder.

Solution: From the storage account, you disable a hierarchical namespace, and you use access control lists (ACLs).

Does this meet the goal?

- A. Yes
- B. No



**Correct Answer:** A

**Section:** [none]

**Explanation**

**Explanation/Reference:**

Explanation:

Azure Data Lake Storage implements an access control model that derives from HDFS, which in turn derives from the POSIX access control model.

Blob container ACLs does not support the hierarchical namespace, so it must be disabled.

Reference: <https://docs.microsoft.com/en-us/azure/storage/blobs/data-lake-storage-known-issues> <https://docs.microsoft.com/en-us/azure/data-lake-store/data-lake-store-access-control>

#### QUESTION 19

You plan to store 100 GB of data used by a line-of-business (LOB) app.

You need to recommend a data storage solution for the data. The solution must meet the following requirements:

- Minimize storage costs.
- Natively support relational queries.
- Provide a recovery time objective (RTO) of less than one minute.

What should you include in the recommendation?

- A. Azure Cosmos DB B. Azure SQL Database
- C. Azure SQL Data Warehouse
- D. Azure Blob storage

**Correct Answer:** D

**Section:** [none]

**Explanation**

**Explanation/Reference:**

Incorrect Answers:

A: Azure Cosmos DB would require an SQL API.



## Testlet 1

### Case study

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

### To start the case study

To display the first question in this case study, click the **Next** button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an **All Information** tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the **Question** button to return to the question.

### Background

#### Current environment

The company has the following virtual machines (VMs):

VM	Roles	Database size	VM type	Destination
CONT_SQL1	Microsoft SQL Server	2 TB	Hyper-V	Azure SQL Database
CONT_SQL2	Microsoft SQL Server	2 TB	Hyper-V	Azure SQL Database
CONT_SQL3	Microsoft SQL Server	100 GB	Hyper-V	Azure VM
CONT_SAP1	SAP	1 TB	Vmware	On-premises
CONT_SAP2	SAP	1 TB	Vmware	On-premises
CPNT_SSRS	Microsoft SQL Server Reporting Services	1 TB	Hyper-V	Azure VM

### Requirements

#### Storage and processing



You must be able to use a file system view of data stored in a blob.

You must build an architecture that will allow Contoso to use the DB FS filesystem layer over a blob store. The architecture will need to support data files, libraries, and images. Additionally, it must provide a web-based interface to documents that contain runnable command, visualizations, and narrative text such as a notebook.

CONT\_SQL3 requires an initial scale of 35000 IOPS.

CONT\_SQL1 and CONT\_SQL2 must use the vCore model and should include replicas. The solution must support 8000 IOPS.

The storage should be configured to optimized storage for database OLTP workloads.

## Migration

- You must be able to independently scale compute and storage resources.
  - You must migrate all SQL Server workloads to Azure. You must identify related machines in the on-premises environment, get disk size data usage information.
  - Data from SQL Server must include zone redundant storage.
  - You need to ensure that app components can reside on-premises while interacting with components that run in the Azure public cloud. ▪
- SAP data must remain on-premises.
- The Azure Site Recovery (ASR) results should contain per-machine data.

## Business requirements

- You must design a regional disaster recovery topology.
- The database backups have regulatory purposes and must be retained for seven years.
- CONT\_SQL1 stores customers sales data that requires ETL operations for data analysis. A solution is required that reads data from SQL, performs ETL, and outputs to Power BI. The solution should use managed clusters to minimize costs. To optimize logistics, Contoso needs to analyze customer sales data to see if certain products are tied to specific times in the year.
- The analytics solution for customer sales data must be available during a regional outage.

## Security and auditing

- Contoso requires all corporate computers to enable Windows Firewall. ▪
- Azure servers should be able to ping other Contoso Azure servers.
- Employee PII must be encrypted in memory, in motion, and at rest. Any data encrypted by SQL Server must support equality searches, grouping, indexing, and joining on the encrypted data.
  - Keys must be secured by using hardware security modules (HSMs).
  - CONT\_SQL3 must not communicate over the default ports

## Cost

- All solutions must minimize cost and resources.
- The organization does not want any unexpected charges.

- The data engineers must set the SQL Data Warehouse compute resources to consume 300 DWUs.
- CONT\_SQL2 is not fully utilized during non-peak hours. You must minimize resource costs for during non-peak hours.

#### QUESTION 1

You need to optimize storage for CONT\_SQL3.



<https://vceplus.com/>

What should you recommend?

- A. AlwaysOn
- B. Transactional processing
- C. General
- D. Data warehousing



**Correct Answer: B**

**Section: [none]**

**Explanation**

#### **Explanation/Reference:**

Explanation:

CONT\_SQL3 with the SQL Server role, 100 GB database size, Hyper-VM to be migrated to Azure VM.

The storage should be configured to optimized storage for database OLTP workloads.

Azure SQL Database provides three basic in-memory based capabilities (built into the underlying database engine) that can contribute in a meaningful way to performance improvements:

In-Memory Online Transactional Processing (OLTP)

Clustered columnstore indexes intended primarily for Online Analytical Processing (OLAP) workloads

Nonclustered columnstore indexes geared towards Hybrid Transactional/Analytical Processing (HTAP) workloads

Reference: <https://www.databasejournal.com/features/mssql/overview-of-in-memory-technologies-of-azure-sql-database.html> **Question Set 2**

### QUESTION 1

You are designing an Azure SQL Data Warehouse. You plan to load millions of rows of data into the data warehouse each day.

You must ensure that staging tables are optimized for data loading.

You need to design the staging tables.

What type of tables should you recommend?

- A. Round-robin distributed table
- B. Hash-distributed table
- C. Replicated table
- D. External table

**Correct Answer: A**

**Section: [none]**

**Explanation**

**Explanation/Reference:**

Explanation:

To achieve the fastest loading speed for moving data into a data warehouse table, load data into a staging table. Define the staging table as a heap and use roundrobin for the distribution option.

Incorrect:

Not B: Consider that loading is usually a two-step process in which you first load to a staging table and then insert the data into a production data warehouse table. If the production table uses a hash distribution, the total time to load and insert might be faster if you define the staging table with the hash distribution. Loading to the staging table takes longer, but the second step of inserting the rows to the production table does not incur data movement across the distributions.

Reference: <https://docs.microsoft.com/en-us/azure/sql-data-warehouse/guidance-for-loading-data>

### QUESTION 2

A company has an application that uses Azure SQL Database as the data store.

The application experiences a large increase in activity during the last month of each year.

You need to manually scale the Azure SQL Database instance to account for the increase in data write operations.

Which scaling method should you recommend?

- A. Scale up by using elastic pools to distribute resources.
- B. Scale out by sharding the data across databases.
- C. Scale up by increasing the database throughput units.

**Correct Answer: C**

**Section: [none]**

**Explanation**

**Explanation/Reference:**

Explanation:

As of now, the cost of running an Azure SQL database instance is based on the number of Database Throughput Units (DTUs) allocated for the database. When determining the number of units to allocate for the solution, a major contributing factor is to identify what processing power is needed to handle the volume of expected requests.

Running the statement to upgrade/downgrade your database takes a matter of seconds.

Incorrect Answers:

A: Elastic pools is used if there are two or more databases.

Reference: [https://www.skylinetechnologies.com/Blog/Skyline-Blog/August\\_2017/dynamically-scale-azure-sql-database](https://www.skylinetechnologies.com/Blog/Skyline-Blog/August_2017/dynamically-scale-azure-sql-database)

### QUESTION 3

A company installs IoT devices to monitor its fleet of delivery vehicles. Data from devices is collected from Azure Event Hub.

The data must be transmitted to Power BI for real-time data visualizations.

You need to recommend a solution.

What should you recommend?

- A. Azure HDInsight with Spark Streaming
- B. Apache Spark in Azure Databricks
- C. Azure Stream Analytics
- D. Azure HDInsight with Storm

**Correct Answer: C**

**Section: [none]**

**Explanation****Explanation/Reference:**

Explanation:

Step 1: Get your IoT hub ready for data access by adding a consumer group.

Step 2: Create, configure, and run a Stream Analytics job for data transfer from your IoT hub to your Power BI account.

Step 3: Create and publish a Power BI report to visualize the data.

Reference:

<https://docs.microsoft.com/en-us/azure/iot-hub/iot-hub-live-data-visualization-in-power-bi>

**QUESTION 4**

You have a Windows-based solution that analyzes scientific data. You are designing a cloud-based solution that performs real-time analysis of the data.

You need to design the logical flow for the solution.

Which two actions should you recommend? Each correct answer presents part of the solution.

**NOTE:** Each correct selection is worth one point.

- A. Send data from the application to an Azure Stream Analytics job.
- B. Use an Azure Stream Analytics job on an edge device. Ingress data from an Azure Data Factory instance and build queries that output to Power BI.
- C. Use an Azure Stream Analytics job in the cloud. Ingress data from the Azure Event Hub instance and build queries that output to Power BI.
- D. Use an Azure Stream Analytics job in the cloud. Ingress data from an Azure Event Hub instance and build queries that output to Azure Data Lake Storage.
- E. Send data from the application to Azure Data Lake Storage.
- F. Send data from the application to an Azure Event Hub instance.

**Correct Answer:** CF

**Section:** [none]

**Explanation****Explanation/Reference:**

Explanation:

Stream Analytics has first-class integration with Azure data streams as inputs from three kinds of resources: ▪

Azure Event Hubs

- Azure IoT Hub
- Azure Blob storage

Reference: <https://docs.microsoft.com/en-us/azure/stream-analytics/stream-analytics-define-inputs>

### QUESTION 5

#### DRAG DROP

You are designing a Spark job that performs batch processing of daily web log traffic.

When you deploy the job in the production environment, it must meet the following requirements:

- Run once a day.
- Display status information on the company intranet as the job runs.

You need to recommend technologies for triggering and monitoring jobs.

Which technologies should you recommend? To answer, drag the appropriate technologies to the correct locations. Each technology may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

**NOTE:** Each correct selection is worth one point.

**Select and Place:**

#### Answer Area



#### Technologies

Livy

Beeline

Azure Logic App

Azure API App

#### Requirement


Triggering of jobs

Monitoring of jobs

#### Technology

Correct Answer:

## Answer Area



Section: [none]

Explanation

Explanation/Reference:

Explanation:

Box 1: Livy

You can use Livy to run interactive Spark shells or submit batch jobs to be run on Spark.

Box 2: Beeline

Apache Beeline can be used to run Apache Hive queries on HDInsight. You can use Beeline with Apache Spark.

Note: Beeline is a Hive client that is included on the head nodes of your HDInsight cluster. Beeline uses JDBC to connect to HiveServer2, a service hosted on your HDInsight cluster. You can also use Beeline to access Hive on HDInsight remotely over the internet.

Reference: <https://docs.microsoft.com/en-us/azure/hdinsight/spark/apache-spark-livy-rest-interface> <https://docs.microsoft.com/en-us/azure/hdinsight/hadoop/apache-hadoop-use-hive-beeline> **QUESTION 6**

You are designing a real-time stream solution based on Azure Functions. The solution will process data uploaded to Azure Blob Storage.

The solution requirements are as follows:

- New blobs must be processed with a little delay as possible.
  - Scaling must occur automatically. ▪
- Costs must be minimized.

What should you recommend?

- A. Deploy the Azure Function in an App Service plan and use a Blob trigger.
- B. Deploy the Azure Function in a Consumption plan and use an Event Grid trigger.
- C. Deploy the Azure Function in a Consumption plan and use a Blob trigger.
- D. Deploy the Azure Function in an App Service plan and use an Event Grid trigger.

**Correct Answer: C**

**Section: [none]**

**Explanation**

**Explanation/Reference:**

Explanation:

Create a function, with the help of a blob trigger template, which is triggered when files are uploaded to or updated in Azure Blob storage.

You use a consumption plan, which is a hosting plan that defines how resources are allocated to your function app. In the default Consumption Plan, resources are added dynamically as required by your functions. In this serverless hosting, you only pay for the time your functions run. When you run in an App Service plan, you must manage the scaling of your function app.

Reference: <https://docs.microsoft.com/en-us/azure/azure-functions/functions-create-storage-blob-triggered-function>

**QUESTION 7**

You plan to migrate data to Azure SQL Database.

The database must remain synchronized with updates to Microsoft Azure and SQL Server.

You need to set up the database as a subscriber.



What should you recommend?

- A. Azure Data Factory
- B. SQL Server Data Tools
- C. Data Migration Assistant
- D. SQL Server Agent for SQL Server 2017 or later
- E. SQL Server Management Studio 17.9.1 or later

**Correct Answer:** E

**Section:** [none]

**Explanation**

**Explanation/Reference:**

Explanation:

To set up the database as a subscriber we need to configure database replication. You can use SQL Server Management Studio to configure replication. Use the latest versions of SQL Server Management Studio in order to be able to use all the features of Azure SQL Database.

Reference: <https://www.sqlshack.com/sql-server-database-migration-to-azure-sql-database-using-sql-server-transactional-replication/>

### QUESTION 8

You design data engineering solutions for a company.

A project requires analytics and visualization of large set of data. The project has the following requirements:

- Notebook scheduling
- Cluster automation
- Power BI Visualization

You need to recommend the appropriate Azure service.

Which Azure service should you recommend?

- A. Azure Batch
- B. Azure Stream Analytics
- C. Azure ML Studio
- D. Azure Databricks
- E. Azure HDInsight

**Correct Answer:** D

**Section:** [none]

**Explanation**

**Explanation/Reference:**

Explanation:

A databrick job is a way of running a notebook or JAR either immediately or on a scheduled basis.

Azure Databricks has two types of clusters: interactive and job. Interactive clusters are used to analyze data collaboratively with interactive notebooks. Job clusters are used to run fast and robust automated workloads using the UI or API.

You can visualize Data with Azure Databricks and Power BI Desktop.

Reference:

<https://docs.azuredatabricks.net/user-guide/clusters/index.html>

<https://docs.azuredatabricks.net/user-guide/jobs.html>

### QUESTION 9

You are designing an Azure Databricks interactive cluster. The cluster will be used infrequently and will be configured for auto-termination.

You need to ensure that the cluster configuration is retained indefinitely after the cluster is terminated. The solution must minimize costs.

What should you do?

- A. Clone the cluster after it is terminated.
- B. Terminate the cluster manually when processing completes.
- C. Create an Azure runbook that starts the cluster every 90 days.
- D. Pin the cluster.

**Correct Answer:** D

**Section:** [none]

**Explanation**

**Explanation/Reference:**

Explanation:

To keep an interactive cluster configuration even after it has been terminated for more than 30 days, an administrator can pin a cluster to the cluster list.

Reference:

<https://docs.azuredatabricks.net/clusters/clusters-manage.html#automatic-termination>

**QUESTION 10**

You need to design a telemetry data solution that supports the analysis of log files in real time.

Which two Azure services should you include in the solution? Each correct answer presents part of the solution.

**NOTE:** Each correct selection is worth one point.

- A. Azure Databricks
- B. Azure Data Factory
- C. Azure Event Hubs
- D. Azure Data Lake Storage Gen2
- E. Azure IoT Hub

**Correct Answer:** AC

**Section:** [none]

**Explanation**

**Explanation/Reference:**

Explanation:

You connect a data ingestion system with Azure Databricks to stream data into an Apache Spark cluster in near real-time. You set up data ingestion system using Azure Event Hubs and then connect it to Azure Databricks to process the messages coming through.


Note: Azure Event Hubs is a highly scalable data streaming platform and event ingestion service, capable of receiving and processing millions of events per second. Event Hubs can process and store events, data, or telemetry produced by distributed software and devices. Data sent to an event hub can be transformed and stored using any real-time analytics provider or batching/storage adapters.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-databricks/databricks-stream-from-eventhubs>

**QUESTION 11**

You are planning a design pattern based on the Lambda architecture as shown in the exhibit.



Which Azure service should you use for the hot path?

- A. Azure Databricks
- B. Azure SQL Database
- C. Azure Data Factory
- D. Azure Database for PostgreSQL

**Correct Answer:** A

**Section:** [none]

**Explanation**

**Explanation/Reference:**


Explanation:

In Azure, all of the following data stores will meet the core requirements supporting real-time processing:

- Apache Spark in Azure Databricks
- Azure Stream Analytics
- HDInsight with Spark Streaming

- HDInsight with Storm
- Azure Functions
- Azure App Service WebJobs

Note: Lambda architectures use batch-processing, stream-processing, and a serving layer to minimize the latency involved in querying big data.



Reference:

<https://azure.microsoft.com/en-us/blog/lambda-architecture-using-azure-cosmosdb-faster-performance-low-tco-low-devops/> <https://docs.microsoft.com/en-us/azure/architecture/data-guide/technology-choices/stream-processing>

**QUESTION 12**

You need to design a real-time stream solution that uses Azure Functions to process data uploaded to Azure Blob Storage.

The solution must meet the following requirements:

- Support up to 1 million blobs.
  - Scaling must occur automatically. ▪
- Costs must be minimized.

What should you recommend?

- A. Deploy the Azure Function in an App Service plan and use a Blob trigger.
- B. Deploy the Azure Function in a Consumption plan and use an Event Grid trigger.
- C. Deploy the Azure Function in a Consumption plan and use a Blob trigger.
- D. Deploy the Azure Function in an App Service plan and use an Event Grid trigger.

**Correct Answer: C**

**Section: [none]**

**Explanation**

**Explanation/Reference:**

Explanation:

Create a function, with the help of a blob trigger template, which is triggered when files are uploaded to or updated in Azure Blob storage.

You use a consumption plan, which is a hosting plan that defines how resources are allocated to your function app. In the default Consumption Plan, resources are added dynamically as required by your functions. In this serverless hosting, you only pay for the time your functions run. When you run in an App Service plan, you must manage the scaling of your function app.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-functions/functions-create-storage-blob-triggered-function>

**QUESTION 13**

A company purchases IoT devices to monitor manufacturing machinery. The company uses an IoT appliance to communicate with the IoT devices.

The company must be able to monitor the devices in real-time.

You need to design the solution.

What should you recommend?



- A. Azure Data Factory instance using Azure PowerShell
- B. Azure Analysis Services using Microsoft Visual Studio
- C. Azure Stream Analytics cloud job using Azure PowerShell
- D. Azure Data Factory instance using Microsoft Visual Studio

**Correct Answer:** C

**Section:** [none]

**Explanation**

**Explanation/Reference:**

Explanation:

Stream Analytics is a cost-effective event processing engine that helps uncover real-time insights from devices, sensors, infrastructure, applications and data quickly and easily.

Monitor and manage Stream Analytics resources with Azure PowerShell cmdlets and powershell scripting that execute basic Stream Analytics tasks.

Reference:

<https://cloudblogs.microsoft.com/sqlserver/2014/10/29/microsoft-adds-iot-streaming-analytics-data-production-and-workflow-services-to-azure/>



## Testlet 1

### Case study

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

#### To start the case study

To display the first question in this case study, click the **Next** button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an **All Information** tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the **Question** button to return to the question.

#### Overview

Litware, Inc. owns and operates 300 convenience stores across the US. The company sells a variety of packaged foods and drinks, as well as a variety of prepared foods, such as sandwiches and pizzas.

Litware has a loyalty club whereby members can get daily discounts on specific items by providing their membership number at checkout.

Litware employs business analysts who prefer to analyze data by using Microsoft Power BI, and data scientists who prefer analyzing data in Azure Databricks notebooks.

#### Requirements. Business Goals

Litware wants to create a new analytics environment in Azure to meet the following requirements:

- See inventory levels across the stores. Data must be updated as close to real time as possible.
- Execute ad hoc analytical queries on historical data to identify whether the loyalty club discounts increase sales of the discounted products. ▪

Every four hours, notify store employees about how many prepared food items to produce based on historical demand from the sales data.

#### Requirements. Technical Requirements



Litware identifies the following technical requirements:

- Minimize the number of different Azure services needed to achieve the business goals
- Use platform as a service (PaaS) offerings whenever possible and avoid having to provision virtual machines that must be managed by Litware.
- Ensure that the analytical data store is accessible only to the company's on-premises network and Azure services. ▪ Use Azure Active Directory (Azure AD) authentication whenever possible.
- Use the principle of least privilege when designing security.
- Stage inventory data in Azure Data Lake Storage Gen2 before loading the data into the analytical data store. Litware wants to remove transient data from Data Lake Storage once the data is no longer in use. Files that have a modified date that is older than 14 days must be removed.
- Limit the business analysts' access to customer contact information, such as phone numbers, because this type of data is not analytically relevant. ▪

Ensure that you can quickly restore a copy of the analytical data store within one hour in the event of corruption or accidental deletion. **Requirements.**

### **Planned Environment**

Litware plans to implement the following environment:

- The application development team will create an Azure event hub to receive real-time sales data, including store number, date, time, product ID, customer loyalty number, price, and discount amount, from the point of sale (POS) system and output the data to data storage in Azure.
- Customer data, including name, contact information, and loyalty number, comes from Salesforce and can be imported into Azure once every eight hours. Row modified dates are not trusted in the source table.
- Product data, including product ID, name, and category, comes from Salesforce and can be imported into Azure once every eight hours. Row modified dates are not trusted in the source table.
- Daily inventory data comes from a Microsoft SQL server located on a private network.
- Litware currently has 5 TB of historical sales data and 100 GB of customer data. The company expects approximately 100 GB of new data per month for the next year.
- Litware will build a custom application named FoodPrep to provide store employees with the calculation results of how many prepared food items to produce every four hours.
- Litware does not plan to implement Azure ExpressRoute or a VPN between the on-premises network and Azure.

### **QUESTION 1**

What should you recommend to prevent users outside the Litware on-premises network from accessing the analytical data store?

- A. a server-level virtual network rule
- B. a database-level virtual network rule
- C. a database-level firewall IP rule
- D. a server-level firewall IP rule

**Correct Answer: A**

**Section: [none]**

**Explanation**

**Explanation/Reference:**

Explanation:

Scenario: Ensure that the analytical data store is accessible only to the company's on-premises network and Azure services.

Virtual network rules are one firewall security feature that controls whether the database server for your single databases and elastic pool in Azure SQL Database or for your databases in SQL Data Warehouse accepts communications that are sent from particular subnets in virtual networks.

Server-level, not database-level: Each virtual network rule applies to your whole Azure SQL Database server, not just to one particular database on the server. In other words, virtual network rule applies at the server-level, not at the database-level.

Reference: <https://docs.microsoft.com/en-us/azure/sql-database/sql-database-vnet-service-endpoint-rule-overview>

## **QUESTION 2**

**DRAG DROP**

You discover that the highest chance of corruption or bad data occurs during nightly inventory loads.

You need to ensure that you can quickly restore the data to its state before the nightly load and avoid missing any streaming data.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

**Select and Place:**

### Actions

Swap the restored database warehouse name.

Restore from an automatic restore point to a different region.

Restore from the latest automatic restore point to a new data warehouse.

Before the nightly load, create a user-defined restore point.

Restore the data warehouse to a new name on the same server.

Export the data to Azure Blob storage.

### Answer Area



**Correct Answer:**

Actions	Answer Area
	Before the nightly load, create a user-defined restore point.
Restore from an automatic restore point to a different region.	Restore the data warehouse to a new name on the same server.
Restore from the latest automatic restore point to a new data warehouse.	Swap the restored database warehouse name.
Export the data to Azure Blob storage.	

**Section:** [none]

**Explanation**

**Explanation/Reference:**

Explanation:

Scenario: Daily inventory data comes from a Microsoft SQL server located on a private network.

Step 1: Before the nightly load, create a user-defined restore point

SQL Data Warehouse performs a geo-backup once per day to a paired data center. The RPO for a geo-restore is 24 hours. If you require a shorter RPO for geobackups, you can create a user-defined restore point and restore from the newly created restore point to a new data warehouse in a different region.

Step 2: Restore the data warehouse to a new name on the same server.

Step 3: Swap the restored database warehouse name.

Reference:

<https://docs.microsoft.com/en-us/azure/sql-data-warehouse/backup-and-restore>

### QUESTION 3

What should you recommend using to secure sensitive customer contact information?

- A. data labels
- B. column-level security
- C. row-level security
- D. Transparent Data Encryption (TDE)

**Correct Answer: B**

**Section: [none]**

**Explanation**

**Explanation/Reference:**

Explanation:

Scenario: Limit the business analysts' access to customer contact information, such as phone numbers, because this type of data is not analytically relevant.

Always Encrypted is a feature designed to protect sensitive data stored in specific database columns from access (for example, credit card numbers, national identification numbers, or data on a need to know basis). This includes database administrators or other privileged users who are authorized to access the database to perform management tasks, but have no business need to access the particular data in the encrypted columns. The data is always encrypted, which means the encrypted data is decrypted only for processing by client applications with access to the encryption key.

Incorrect Answers:

A: Transparent Data Encryption (TDE) encrypts SQL Server, Azure SQL Database, and Azure SQL Data Warehouse data files, known as encrypting data at rest. TDE does not provide encryption across communication channels.

Reference: <https://docs.microsoft.com/en-us/azure/sql-database/sql-database-security-overview> **Testlet 2**

### Case study

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

### **To start the case study**

To display the first question in this case study, click the **Next** button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an **All Information** tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the **Question** button to return to the question.

## **Overview**

### **General Overview**

ADatum Corporation is a medical company that has 5,000 physicians located in more than 300 hospitals across the US. The company has a medical department, a sales department, a marketing department, a medical research department, and a human resources department.

You are redesigning the application environment of ADatum.

### **Physical Locations**

ADatum has three main offices in New York, Dallas, and Los Angeles. The offices connect to each other by using a WAN link. Each office connects directly to the Internet. The Los Angeles office also has a datacenter that hosts all the company's applications.

### **Existing Environment**

#### **Health Review**

ADatum has a critical OLTP web application named Health Review that physicians use to track billing, patient care, and overall physician best practices.

#### **Health Interface**

ADatum has a critical application named Health Interface that receives hospital messages related to patient care and status updates. The messages are sent in batches by each hospital's enterprise relationship management (ERM) system by using a VPN. The data sent from each hospital can have varying columns and formats.

Currently, a custom C# application is used to send the data to Health Interface. The application uses deprecated libraries and a new solution must be designed for this functionality.

## Health Insights

ADatum has a web-based reporting system named Health Insights that shows hospital and patient insights to physicians and business users. The data is created from the data in Health Review and Health Interface, as well as manual entries.

## Database Platform

Currently, the databases for all three applications are hosted on an out-of-date VMware cluster that has a single instance of Microsoft SQL Server 2012.

## Problem Statements

ADatum identifies the following issues in its current environment:

- Over time, the data received by Health Interface from the hospitals has slowed, and the number of messages has increased.
- When a new hospital joins ADatum, Health Interface requires a schema modification due to the lack of data standardization.
- The speed of batch data processing is inconsistent.

## Business Requirements

### Business Goals

ADatum identifies the following business goals:

- Migrate the applications to Azure whenever possible.
- Minimize the development effort required to perform data movement.
- Provide continuous integration and deployment for development, test, and production environments.
- Provide faster access to the applications and the data and provide more consistent application performance.
- Minimize the number of services required to perform data processing, development, scheduling, monitoring, and the operationalizing of pipelines.

### Health Review Requirements

ADatum identifies the following requirements for the Health Review application:

- Ensure that sensitive health data is encrypted at rest and in transit.
- Tag all the sensitive health data in Health Review. The data will be used for auditing.

### Health Interface Requirements

ADatum identifies the following requirements for the Health Interface application:

- Upgrade to a data storage solution that will provide flexible schemas and increased throughput for writing data. Data must be regionally located close to each hospital, and reads must display be the most recent committed version of an item.
- Reduce the amount of time it takes to add data from new hospitals to Health Interface.
- Support a more scalable batch processing solution in Azure.
- Reduce the amount of development effort to rewrite existing SQL queries.

### Health Insights Requirements

ADatum identifies the following requirements for the Health Insights application:

- The analysis of events must be performed over time by using an organizational date dimension table.
- The data from Health Interface and Health Review must be available in Health Insights within 15 minutes of being committed.
- The new Health Insights application must be built on a massively parallel processing (MPP) architecture that will support the high performance of joins on large fact tables.

### QUESTION 1

You need to recommend a security solution that meets the requirements of Health Review.

What should you include in the recommendation?

- A. dynamic data masking
- B. Transport Layer Security (TLS)
- C. Always Encrypted
- D. row-level security

**Correct Answer: C**

**Section: [none]**

**Explanation**

**Explanation/Reference:**

Explanation:

Must ensure that sensitive health data is encrypted at rest and in transit.

Always Encrypted is a feature designed to protect sensitive data stored in Azure SQL Database or SQL Server databases. Always Encrypted allows clients to encrypt sensitive data inside client applications and never reveal the encryption keys to the database engine (SQL Database or SQL Server).



Reference: <https://docs.microsoft.com/en-us/azure/security/fundamentals/encryption-atrest> <https://docs.microsoft.com/en-us/azure/security/fundamentals/database-security-overview>

## QUESTION 2

You need to recommend a solution to quickly identify all the columns in Health Review that contain sensitive health data.

What should you include in the recommendation?

A. classifications



- B. data masking
- C. SQL Server auditing
- D. Azure tags

**Correct Answer:** A

**Section:** [none]

**Explanation**

**Explanation/Reference:**

Explanation:

Data Discovery & Classification introduces a set of advanced capabilities aimed at protecting data and not just the data warehouse itself. Classification/Labeling – Sensitivity classification labels tagged on the columns can be persisted in the data warehouse itself.

Reference:

<https://azure.microsoft.com/sv-se/blog/announcing-public-preview-of-data-discovery-classification-for-microsoft-azure-sql-data-warehouse/>

### Question Set 3

#### QUESTION 1

You plan to use Azure SQL Database to support a line of business app.

You need to identify sensitive data that is stored in the database and monitor access to the data.

Which three actions should you recommend? Each correct answer presents part of the solution.

**NOTE:** Each correct selection is worth one point.

- A. Enable Data Discovery and Classification.
- B. Implement Transparent Data Encryption (TDE).
- C. Enable Auditing.
- D. Run Vulnerability Assessment.
- E. Use Advanced Threat Protection.

**Correct Answer:** CDE

**Section:** [none]

**Explanation**

**Explanation/Reference:**



#### QUESTION 2

**Note:** This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

**After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.**

You have an Azure SQL database that has columns. The columns contain sensitive Personally Identifiable Information (PII) data.

You need to design a solution that tracks and stores all the queries executed against the PII data. You must be able to review the data in Azure Monitor, and the data must be available for at least 45 days.

**Solution:** You create a `SELECT` trigger on the table in SQL Database that writes the query to a new table in the database, and then executes a stored procedure that looks up the column classifications and joins to the query text.

Does this meet the goal?

- A. Yes
- B. No

**Correct Answer:** B

**Section:** [none]

**Explanation**

**Explanation/Reference:**

Explanation:

Instead add classifications to the columns that contain sensitive data and turn on Auditing.

Note: Auditing has been enhanced to log sensitivity classifications or labels of the actual data that were returned by the query. This would enable you to gain insights on who is accessing sensitive data.

Reference: <https://azure.microsoft.com/en-us/blog/announcing-public-preview-of-data-discovery-classification-for-microsoft-azure-sql-data-warehouse/>

### QUESTION 3

You need to recommend a security solution for containers in Azure Blob storage. The solution must ensure that only read permissions are granted to a specific user for a specific container.

What should you include in the recommendation?

- A. shared access signatures (SAS)
- B. an RBAC role in Azure Active Directory (Azure AD)
- C. public read access for blobs only
- D. access keys

**Correct Answer:** A

**Section:** [none]

**Explanation**

**Explanation/Reference:**

Explanation:

You can delegate access to read, write, and delete operations on blob containers, tables, queues, and file shares that are not permitted with a service SAS.

Note: A shared access signature (SAS) provides secure delegated access to resources in your storage account without compromising the security of your data. With a SAS, you have granular control over how a client can access your data. You can control what resources the client may access, what permissions they have on those resources, and how long the SAS is valid, among other parameters.

Incorrect Answers:

C: You can enable anonymous, public read access to a container and its blobs in Azure Blob storage. By doing so, you can grant read-only access to these resources without sharing your account key, and without requiring a shared access signature (SAS).

Public read access is best for scenarios where you want certain blobs to always be available for anonymous read access.

Reference: <https://docs.microsoft.com/en-us/azure/storage/common/storage-sas-overview>

#### QUESTION 4

You are designing the security for an Azure SQL database.

You have an Azure Active Directory (Azure AD) group named Group1.

You need to recommend a solution to provide Group1 with read access to the database only.

What should you include in the recommendation?

- A. a contained database user
- B. a SQL login
- C. an RBAC role
- D. a shared access signature (SAS)



**Correct Answer:** A

**Section:** [none]

**Explanation**

#### Explanation/Reference:

Explanation:

Create a User for a security group

A best practice for managing your database is to use Windows security groups to manage user access. That way you can simply manage the customer at the Security Group level in Active Directory granting appropriate permissions. To add a security group to SQL Data Warehouse, you use the Display Name of the security group as the principal in the CREATE USER statement.

```
CREATE USER [<Security Group Display Name>] FROM EXTERNAL PROVIDER WITH DEFAULT_SCHEMA = [<schema>];
```

In our AD instance, we have a security group called Sales Team with an alias of salesteam@company.com. To add this security group to SQL Data Warehouse you simply run the following statement:

```
CREATE USER [Sales Team] FROM EXTERNAL PROVIDER WITH DEFAULT_SCHEMA = [sales];
```

Reference: <https://blogs.msdn.microsoft.com/sqlldw/2017/07/28/adding-ad-users-and-security-groups-to-azure-sql-data-warehouse/>

### QUESTION 5

#### HOTSPOT

You use Azure Data Lake Storage Gen2 to store data that data scientists and data engineers will query by using Azure Databricks interactive notebooks. The folders in Data Lake Storage will be secured, and users will have access only to the folders that relate to the projects on which they work.

You need to recommend which authentication methods to use for Databricks and Data Lake Storage to provide the users with the appropriate access. The solution must minimize administrative effort and development effort

Which authentication method should you recommend for each Azure service? To answer, select the appropriate options in the answer area

**NOTE:** Each correct selection is worth one point.

**Hot Area:**

Answer Area

Databricks:

Azure Active Directory
Azure Key Vault secrets
Personal access tokens

Data Lake Storage:

Azure Active Directory
Shared access keys
Shared access signatures

Correct Answer:

### Answer Area

Databricks:

	▼
Azure Active Directory	
Azure Key Vault secrets	
Personal access tokens	

Data Lake Storage:

	▼
Azure Active Directory	
Shared access keys	
Shared access signatures	

Section: [none]

Explanation

Explanation/Reference:

Explanation:

Databricks: Personal access tokens

To authenticate and access Databricks REST APIs, you use personal access tokens. Tokens are similar to passwords; you should treat them with care. Tokens expire and can be revoked.

Data Lake Storage: Azure Active Directory

Azure Data Lake Storage Gen1 uses Azure Active Directory for authentication.

References:

<https://docs.azuredatabricks.net/dev-tools/api/latest/authentication.html> <https://docs.microsoft.com/en-us/azure/data-lake-store/data-lakes-store-authentication-using-azure-active-directory>

### QUESTION 6

You store data in an Azure SQL data warehouse.

You need to design a solution to ensure that the data warehouse and the most current data is available within one hour of a datacenter failure.

Which three actions should you include in the design? Each correct answer presents part of the solution.

**NOTE:** Each correct selection is worth one point.

- A. Each day, restore the data warehouse from a geo-redundant backup to an available Azure region.
- B. If a failure occurs, update the connection strings to point to the recovered data warehouse.
- C. If a failure occurs, modify the Azure Firewall rules of the data warehouse.
- D. Each day, create Azure Firewall rules that allow access to the restored data warehouse.
- E. Each day, restore the data warehouse from a user-defined restore point to an available Azure region.

**Correct Answer:** BDE

**Section:** [none]

**Explanation**

**Explanation/Reference:**

Explanation:

E: You can create a user-defined restore point and restore from the newly created restore point to a new data warehouse in a different region.

Note: A data warehouse snapshot creates a restore point you can leverage to recover or copy your data warehouse to a previous state.

A data warehouse restore is a new data warehouse that is created from a restore point of an existing or deleted data warehouse. On average within the same region, restore rates typically take around 20 minutes.

Incorrect Answers:

A: SQL Data Warehouse performs a geo-backup once per day to a paired data center. The RPO for a geo-restore is 24 hours. You can restore the geo-backup to a server in any other region where SQL Data Warehouse is supported. A geo-backup ensures you can restore data warehouse in case you cannot access the restore points in your primary region.

Reference: <https://docs.microsoft.com/en-us/azure/sql-data-warehouse/backup-and-restore>

### QUESTION 7

You are planning a big data solution in Azure.

You need to recommend a technology that meets the following requirements:

- Be optimized for batch processing.
- Support autoscaling.
- Support per-cluster scaling.

Which technology should you recommend?

- A. Azure Data Warehouse
- B. Azure HDInsight with Spark
- C. Azure Analysis Services
- D. Azure Databricks

**Correct Answer:** D

**Section:** [none]

**Explanation**

**Explanation/Reference:**

Explanation:

Azure Databricks is an Apache Spark-based analytics platform. Azure Databricks supports autoscaling and manages the Spark cluster for you.

Incorrect Answers:

A, B:

Capability	Azure Data Lake Analytics	SQL Data Warehouse	HDInsight with Spark	HDInsight with Hive	HDInsight with Hive LLAP
Autoscaling	No	No	No	No	No

### QUESTION 8

You are designing an Azure SQL data warehouse that will contain a table named Customers. Customers will contain credit card information.



You need to recommend a solution to provide salespeople with the ability to view all the entries in Customers. The solution must prevent all the salespeople from viewing or inferring the credit card information.

What should you include in the recommendation?

- A. row-level security
- B. data masking
- C. column-level security
- D. Always Encrypted

**Correct Answer:** B

**Section:** [none]

**Explanation**

**Explanation/Reference:**

Explanation:

SQL Database dynamic data masking limits sensitive data exposure by masking it to non-privileged users.

The Credit card masking method exposes the last four digits of the designated fields and adds a constant string as a prefix in the form of a credit card.

Example: XXXX-XXXX-XXXX-1234

Reference: <https://docs.microsoft.com/en-us/azure/sql-database/sql-database-dynamic-data-masking-get-started>

### QUESTION 9

You need to recommend a security solution to grant anonymous users permission to access the blobs in a specific container only.

What should you include in the recommendation?

- A. access keys for the storage account
- B. shared access signatures (SAS)
- C. Role assignments
- D. the public access level for the blobs service

**Correct Answer:** D

**Section:** [none]

**Explanation**

**Explanation/Reference:**

Explanation:

You can enable anonymous, public read access to a container and its blobs in Azure Blob storage. By doing so, you can grant read-only access to these resources without sharing your account key, and without requiring a shared access signature (SAS).

Public read access is best for scenarios where you want certain blobs to always be available for anonymous read access.

Reference:

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-manage-access-to-resources>

**QUESTION 10**

You are designing a solution that will use Azure Databricks and Azure Data Lake Storage Gen2.

From Databricks, you need to access Data Lake Storage directly by using a service principal.

What should you include in the solution?

- A. shared access signatures (SAS) in Data Lake Storage
- B. access keys in Data Lake Storage
- C. an organizational relationship in Azure Active Directory (Azure AD)
- D. an application registration in Azure Active Directory (Azure AD)

**Correct Answer: D**

**Section: [none]**

**Explanation**

**Explanation/Reference:**

Explanation:

Create and grant permissions to service principal

If you selected the access method requires a service principal with adequate permissions, and you do not have one, follow these steps:

1. Create an Azure AD application and service principal that can access resources. Note the following properties:
  - client-id: An ID that uniquely identifies the application.
  - directory-id: An ID that uniquely identifies the Azure AD instance.
  - service-credential: A string that the application uses to prove its identity.
2. Register the service principal, granting the correct role assignment, such as Storage Blob Data Contributor, on the Azure Data Lake Storage Gen2 account.
3. Contributor, on the Azure Data Lake Storage Gen2 account.

Reference:

<https://docs.databricks.com/data/data-sources/azure/azure-datalake-gen2.html>

## Testlet 1

### Case study

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

### To start the case study

To display the first question in this case study, click the **Next** button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an **All Information** tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the **Question** button to return to the question.

### Overview

You develop data engineering solutions for Graphics Design Institute, a global media company with offices in New York City, Manchester, Singapore, and Melbourne.

The New York office hosts SQL Server databases that stores massive amounts of customer data. The company also stores millions of images on a physical server located in the New York office. More than 2 TB of image data is added each day. The images are transferred from customer devices to the server in New York.

Many images have been placed on this server in an unorganized manner, making it difficult for editors to search images. Images should automatically have object and color tags generated. The tags must be stored in a document database, and be queried by SQL. You are hired to design a solution that can store, transform, and visualize customer data. **Requirements**

### Business

The company identifies the following business requirements:

- You must transfer all images and customer data to cloud storage and remove on-premises servers.
- You must develop an analytical processing solution for transforming customer data.
- You must develop an image object and color tagging solution.
- Capital expenditures must be minimized.
- Cloud resource costs must be minimized.

### Technical

The solution has the following technical requirements:

- Tagging data must be uploaded to the cloud from the New York office location.
  - Tagging data must be replicated to regions that are geographically close to company office locations.
  - Image data must be stored in a single data store at minimum cost.
  - Customer data must be analyzed using managed Spark clusters. ▪
- Power BI must be used to visualize transformed customer data.
- All data must be backed up in case disaster recovery is required.

### Security and optimization

All cloud data must be encrypted at rest and in transit. The solution must support:

- parallel processing of customer data
- hyper-scale storage of images
- global region data replication of processed image data

### QUESTION 1

You need to design a backup solution for the processed customer data.

What should you include in the design?

- A. AzCopy
- B. AdlCopy
- C. Geo-Redundancy
- D. Geo-Replication

**Correct Answer: C**

**Section: [none]**

**Explanation**

**Explanation/Reference:**

Explanation:

Scenario: All data must be backed up in case disaster recovery is required.

Geo-redundant storage (GRS) is designed to provide at least 99.99999999999999% (16 9's) durability of objects over a given year by replicating your data to a secondary region that is hundreds of miles away from the primary region. If your storage account has GRS enabled, then your data is durable even in the case of a complete regional outage or a disaster in which the primary region isn't recoverable.

Reference: <https://docs.microsoft.com/en-us/azure/storage/common/storage-redundancy-grs>

## **QUESTION 2**

You plan to use an Azure SQL data warehouse to store the customer data.

You need to recommend a disaster recovery solution for the data warehouse.

What should you include in the recommendation?

- A. AzCopy
- B. Read-only replicas
- C. AdlCopy
- D. Geo-Redundant backups

**Correct Answer: D**

**Section: [none]**

**Explanation**

**Explanation/Reference:**

Reference:

<https://docs.microsoft.com/en-us/azure/sql-data-warehouse/backup-and-restore>

## **Testlet 2**

**Case study**



This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.


### To start the case study

To display the first question in this case study, click the **Next** button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an **All Information** tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the **Question** button to return to the question.

### Background

#### Current environment

The company has the following virtual machines (VMs):



VM	Roles	Database size	VM type	Destination
CONT_SQL1	Microsoft SQL Server	2 TB	Hyper-V	Azure SQL Database
CONT_SQL2	Microsoft SQL Server	2 TB	Hyper-V	Azure SQL Database
CONT_SQL3	Microsoft SQL Server	100 GB	Hyper-V	Azure VM
CONT_SAP1	SAP	1 TB	Vmware	On-premises
CONT_SAP2	SAP	1 TB	Vmware	On-premises
CPNT_SSRS	Microsoft SQL Server Reporting Services	1 TB	Hyper-V	Azure VM

### Requirements

#### Storage and processing

You must be able to use a file system view of data stored in a blob.

You must build an architecture that will allow Contoso to use the DB FS filesystem layer over a blob store. The architecture will need to support data files, libraries, and images. Additionally, it must provide a web-based interface to documents that contain runnable command, visualizations, and narrative text such as a notebook.

CONT\_SQL3 requires an initial scale of 35000 IOPS.

CONT\_SQL1 and CONT\_SQL2 must use the vCore model and should include replicas. The solution must support 8000 IOPS.

The storage should be configured to optimized storage for database OLTP workloads.

## Migration

- You must be able to independently scale compute and storage resources.
  - You must migrate all SQL Server workloads to Azure. You must identify related machines in the on-premises environment, get disk size data usage information.
  - Data from SQL Server must include zone redundant storage.
  - You need to ensure that app components can reside on-premises while interacting with components that run in the Azure public cloud. ▪
- SAP data must remain on-premises.
- The Azure Site Recovery (ASR) results should contain per-machine data.

## Business requirements

- You must design a regional disaster recovery topology.
- The database backups have regulatory purposes and must be retained for seven years.
- CONT\_SQL1 stores customers sales data that requires ETL operations for data analysis. A solution is required that reads data from SQL, performs ETL, and outputs to Power BI. The solution should use managed clusters to minimize costs. To optimize logistics, Contoso needs to analyze customer sales data to see if certain products are tied to specific times in the year.
- The analytics solution for customer sales data must be available during a regional outage.

## Security and auditing

- Contoso requires all corporate computers to enable Windows Firewall. ▪
- Azure servers should be able to ping other Contoso Azure servers.
- Employee PII must be encrypted in memory, in motion, and at rest. Any data encrypted by SQL Server must support equality searches, grouping, indexing, and joining on the encrypted data.
  - Keys must be secured by using hardware security modules (HSMs).
  - CONT\_SQL3 must not communicate over the default ports

## Cost

- All solutions must minimize cost and resources.
- The organization does not want any unexpected charges.

- The data engineers must set the SQL Data Warehouse compute resources to consume 300 DWUs.
- CONT\_SQL2 is not fully utilized during non-peak hours. You must minimize resource costs for during non-peak hours.

### QUESTION 1

You need to recommend a backup strategy for CONT\_SQL1 and CONT\_SQL2.

What should you recommend?

- A. Use AzCopy and store the data in Azure.
- B. Configure Azure SQL Database long-term retention for all databases.
- C. Configure Accelerated Database Recovery.
- D. Use DWLoader.

**Correct Answer:** B

**Section:** [none]

**Explanation**

**Explanation/Reference:**

Explanation:

Scenario: The database backups have regulatory purposes and must be retained for seven years.

### QUESTION 2

You need to design the disaster recovery solution for customer sales data analytics.

Which three actions should you recommend? Each correct answer presents part of the solution.

**NOTE:** Each correct selection is worth one point.

- A. Provision multiple Azure Databricks workspaces in separate Azure regions.
- B. Migrate users, notebooks, and cluster configurations from one workspace to another in the same region.
- C. Use zone redundant storage.
- D. Migrate users, notebooks, and cluster configurations from one region to another.
- E. Use Geo-redundant storage.
- F. Provision a second Azure Databricks workspace in the same region.

**Correct Answer:** ADE

**Section:** [none]

**Explanation**



**Explanation/Reference:**

Explanation:

Scenario: The analytics solution for customer sales data must be available during a regional outage.

To create your own regional disaster recovery topology for databricks, follow these requirements:

1. Provision multiple Azure Databricks workspaces in separate Azure regions
2. Use Geo-redundant storage.
3. Once the secondary region is created, you must migrate the users, user folders, notebooks, cluster configuration, jobs configuration, libraries, storage, init scripts, and reconfigure access control.

Note: Geo-redundant storage (GRS) is designed to provide at least 99.99999999999999% (16 9's) durability of objects over a given year by replicating your data to a secondary region that is hundreds of miles away from the primary region. If your storage account has GRS enabled, then your data is durable even in the case of a complete regional outage or a disaster in which the primary region isn't recoverable.

Reference: <https://docs.microsoft.com/en-us/azure/storage/common/storage-redundancy-grs>



### Question Set 3

#### QUESTION 1

**Note:** This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

**After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.**

A company is developing a solution to manage inventory data for a group of automotive repair shops. The solution will use Azure SQL Data Warehouse as the data store.

Shops will upload data every 10 days.

Data corruption checks must run each time data is uploaded. If corruption is detected, the corrupted data must be removed.

You need to ensure that upload processes and data corruption checks do not impact reporting and analytics processes that use the data warehouse.

Proposed solution: Create a user-defined restore point before data is uploaded. Delete the restore point after data corruption checks complete.

Does the solution meet the goal?

- A. Yes
- B. No



**Correct Answer:** A

**Section:** [none]

**Explanation**

**Explanation/Reference:**

Explanation:

User-Defined Restore Points

This feature enables you to manually trigger snapshots to create restore points of your data warehouse before and after large modifications. This capability ensures that restore points are logically consistent, which provides additional data protection in case of any workload interruptions or user errors for quick recovery time.

Note: A data warehouse restore is a new data warehouse that is created from a restore point of an existing or deleted data warehouse. Restoring your data warehouse is an essential part of any business continuity and disaster recovery strategy because it re-creates your data after accidental corruption or deletion.

Reference: <https://docs.microsoft.com/en-us/azure/sql-data-warehouse/backup-and-restore>

## QUESTION 2

**Note:** This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

**After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.**

A company is developing a solution to manage inventory data for a group of automotive repair shops. The solution will use Azure SQL Data Warehouse as the data store.

Shops will upload data every 10 days.

Data corruption checks must run each time data is uploaded. If corruption is detected, the corrupted data must be removed.

You need to ensure that upload processes and data corruption checks do not impact reporting and analytics processes that use the data warehouse.

Proposed solution: Configure database-level auditing in Azure SQL Data Warehouse and set retention to 10 days.

Does the solution meet the goal?

- A. Yes
- B. No



**Correct Answer:** B

**Section:** [none]

**Explanation**

**Explanation/Reference:**

Explanation:

Instead, create a user-defined restore point before data is uploaded. Delete the restore point after data corruption checks complete.

Reference: <https://docs.microsoft.com/en-us/azure/sql-data-warehouse/backup-and-restore>

## QUESTION 3

HOTSPOT

You are designing a recovery strategy for your Azure SQL Databases.

The recovery strategy must use default automated backup settings. The solution must include a Point-in time restore recovery strategy.

You need to recommend which backups to use and the order in which to restore backups.

What should you recommend? To answer, select the appropriate configuration in the answer area.

**NOTE:** Each correct selection is worth one point.

**Hot Area:**

### Answer Area

Restore order	Backup type
first	<div>▼</div> <ul style="list-style-type: none"> <li>full weekly backup</li> <li>full daily backup</li> <li>differential weekly backup</li> <li>differential daily backup</li> </ul>
second	<div>▼</div> <ul style="list-style-type: none"> <li>full daily backup</li> <li>differential backup from the last 12 hours</li> <li>all differential backups since the last full backup</li> <li>all log backups since the last full backup</li> </ul>
third	<div>▼</div> <ul style="list-style-type: none"> <li>all log backups since the last differential backup</li> <li>differential backup from the last 12 hours</li> <li>all differential backups since the last full backup</li> <li>all log backups since the last full backup</li> </ul>

**Correct Answer:**

## Answer Area

Restore order

Backup type

first

▼
full weekly backup
full daily backup
differential weekly backup
differential daily backup

second

▼
full daily backup
differential backup from the last 12 hours
all differential backups since the last full backup
all log backups since the last full backup

third

▼
all log backups since the last differential backup
differential backup from the last 12 hours
all differential backups since the last full backup
all log backups since the last full backup

Section: [none]

Explanation

Explanation/Reference:

Explanation:

All Basic, Standard, and Premium databases are protected by automatic backups. Full backups are taken every week, differential backups every day, and log backups every 5 minutes.

Reference:

<https://azure.microsoft.com/sv-se/blog/azure-sql-database-point-in-time-restore/>

#### QUESTION 4

You are developing a solution that performs real-time analysis of IoT data in the cloud.

The solution must remain available during Azure service updates.

You need to recommend a solution.

Which two actions should you recommend? Each correct answer presents part of the solution.

**NOTE:** Each correct selection is worth one point.

- A. Deploy an Azure Stream Analytics job to two separate regions that are not in a pair.
- B. Deploy an Azure Stream Analytics job to each region in a paired region.
- C. Monitor jobs in both regions for failure.
- D. Monitor jobs in the primary region for failure.
- E. Deploy an Azure Stream Analytics job to one region in a paired region.

**Correct Answer:** BC

**Section:** [none]

**Explanation**

#### Explanation/Reference:

Explanation:

Stream Analytics guarantees jobs in paired regions are updated in separate batches. As a result there is a sufficient time gap between the updates to identify potential breaking bugs and remediate them.

Customers are advised to deploy identical jobs to both paired regions.

In addition to Stream Analytics internal monitoring capabilities, customers are also advised to monitor the jobs as if both are production jobs. If a break is identified to be a result of the Stream Analytics service update, escalate appropriately and fail over any downstream consumers to the healthy job output. Escalation to support will prevent the paired region from being affected by the new deployment and maintain the integrity of the paired jobs.

Reference:

<https://docs.microsoft.com/en-us/azure/stream-analytics/stream-analytics-job-reliability>

#### QUESTION 5

A company is developing a mission-critical line of business app that uses Azure SQL Database Managed Instance.

You must design a disaster recovery strategy for the solution/

You need to ensure that the database automatically recovers when full or partial loss of the Azure SQL Database service occurs in the primary region.

What should you recommend?

- A. Failover-group
- B. Azure SQL Data Sync
- C. SQL Replication
- D. Active geo-replication

**Correct Answer:** A

**Section:** [none]

**Explanation**

**Explanation/Reference:**

Explanation:

Auto-failover groups is a SQL Database feature that allows you to manage replication and failover of a group of databases on a SQL Database server or all databases in a Managed Instance to another region (currently in public preview for Managed Instance). It uses the same underlying technology as active georeplication. You can initiate failover manually or you can delegate it to the SQL Database service based on a user-defined policy.

Reference: <https://docs.microsoft.com/en-us/azure/sql-database/sql-database-auto-failover-group>

## QUESTION 6

A company is designing a solution that uses Azure Databricks.

The solution must be resilient to regional Azure datacenter outages.

You need to recommend the redundancy type for the solution.

What should you recommend?

- A. Read-access geo-redundant storage
- B. Locally-redundant storage
- C. Geo-redundant storage
- D. Zone-redundant storage

**Correct Answer:** C

**Section: [none]**

**Explanation**

**Explanation/Reference:**

Explanation:

If your storage account has GRS enabled, then your data is durable even in the case of a complete regional outage or a disaster in which the primary region isn't recoverable.

Reference: <https://medium.com/microsoftazure/data-durability-fault-tolerance-resilience-in-azure-databricks-95392982bac7>

### **QUESTION 7**

A company has many applications. Each application is supported by separate on-premises databases.

You must migrate the databases to Azure SQL Database. You have the following requirements:

- Organize databases into groups based on database usage.
- Define the maximum resource limit available for each group of databases.

You need to recommend technologies to scale the databases to support expected increases in demand.

What should you recommend?

- A. Read scale-out
- B. Managed instances
- C. Elastic pools
- D. Database sharding

**Correct Answer: C**

**Section: [none]**

**Explanation**

**Explanation/Reference:**

Explanation:

SQL Database elastic pools are a simple, cost-effective solution for managing and scaling multiple databases that have varying and unpredictable usage demands. The databases in an elastic pool are on a single Azure SQL Database server and share a set number of resources at a set price.

You can configure resources for the pool based either on the DTU-based purchasing model or the vCore-based purchasing model.

Incorrect Answers:

D: Database sharding is a type of horizontal partitioning that splits large databases into smaller components, which are faster and easier to manage.



Reference:

<https://docs.microsoft.com/en-us/azure/sql-database/sql-database-elastic-pool>

### QUESTION 8

You have an on-premises MySQL database that is 800 GB in size.

You need to migrate a MySQL database to Azure Database for MySQL. You must minimize service interruption to live sites or applications that use the database.

What should you recommend?

- A. Azure Database Migration Service
- B. Dump and restore
- C. Import and export
- D. MySQL Workbench

**Correct Answer:** A

**Section:** [none]

**Explanation**

**Explanation/Reference:**

Explanation:

You can perform MySQL migrations to Azure Database for MySQL with minimal downtime by using the newly introduced continuous sync capability for the Azure Database Migration Service (DMS). This functionality limits the amount of downtime that is incurred by the application.

Reference: <https://docs.microsoft.com/en-us/azure/mysql/howto-migrate-online>

### QUESTION 9

You plan to deploy an Azure SQL Database instance to support an application. You plan to use the DTU-based purchasing model.

Backups of the database must be available for 30 days and point-in-time restoration must be possible.

You need to recommend a backup and recovery policy.

What are two possible ways to achieve the goal? Each correct answer presents a complete solution.

**NOTE:** Each correct selection is worth one point.

- A. Use the Premium tier and the default backup retention policy.
- B. Use the Basic tier and the default backup retention policy.

C. Use the Standard tier and the default backup retention policy.

D. Use the Standard tier and configure a long-term backup retention policy. E. Use the Premium tier and configure a long-term backup retention policy.

**Correct Answer:** DE

**Section:** [none]

**Explanation**

**Explanation/Reference:**

Explanation:

The default retention period for a database created using the DTU-based purchasing model depends on the service tier: ▪

Basic service tier is 1 week.

▪ Standard service tier is 5 weeks. ▪

Premium service tier is 5 weeks.

Incorrect Answers:

B: Basic tier only allows restore points within 7 days.

Reference: <https://docs.microsoft.com/en-us/azure/sql-database/sql-database-long-term-retention>



<https://vceplus.com/>