

HPE2-T35.VCEplus.premium.exam.59q

Number: HPE2-T35
Passing Score: 800
Time Limit: 120 min
File Version: 1.0



Website: <https://vceplus.com>

VCE to PDF Converter: <https://vceplus.com/vce-to-pdf/>

Facebook: <https://www.facebook.com/VCE.For.All.VN/>

Twitter : https://twitter.com/VCE_Plus

HPE2-T35

Using HPE OneView



Exam A

QUESTION 1

Which security feature would you configure to delegate responsibility for a subset of resources to a junior administrator group?

- A. No Password for admin account
- B. SBAC (Scope Based Access Control)
- C. CLI Only access
- D. RBAC (Role Based Access Control)

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 2

An administrator needs to add multiple BladeSystem c7000 enclosures to a new instance of HPE OneView. The enclosures are currently being monitored by a different instance of HPE OneView. What must the administrator do before beginning importing the enclosure to the new HPE OneView appliance?

- A. Add Frame Link Module.
- B. Edit the Enclosure license to be HPE OneView Advanced.
- C. Add enclosure for management.
- D. Delete the enclosure from the current HPE OneView Appliance.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:



QUESTION 3

Your customer is planning to use HPE OneView to manage the following environment:

- 4 HPE BladeSystem c7000 enclosures with BL460c Gen10 and Virtual Connect modules
- 20 HPE ProLiant DL380 Gen10 servers
- 1 HPE 3PAR StoreServ array

Which components will need an HPE OneView license? (Choose two)

- A. Virtual Connect modules
- B. c7000 enclosures
- C. 3PAR array
- D. BL460c Gen10 server blades
- E. DL380 Gen10 servers

Correct Answer: CD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 4

Which HPE OneView feature enables the detection of lost Ethernet connectivity on interconnect uplink ports?

- A. M-LAG

- B. Smart Link
- C. QoS
- D. VxLAN

Correct Answer: B
Section: (none)
Explanation

Explanation/Reference:

QUESTION 5 What mechanism does HPE OneView use to get status data from devices as a fail-safe approach to SNMP traps?

- A. Periodic Polling
- B. Dashboard charts
- C. SNMP trap storms
- D. REST API

Correct Answer: C
Section: (none)
Explanation

Explanation/Reference:

QUESTION 6 What does HPE OneView use for device authentication?

- A. scope based access control
- B. two-factor authentication
- C. SSH
- D. server SSL certificate

Correct Answer: B
Section: (none)
Explanation

Explanation/Reference:

QUESTION 7 What type of default certificate is automatically generated in an HPE OneView appliance?

- A. PKI
- B. self-signed
- C. CA generated
- D. no certificate is pre-installed

Correct Answer: B
Section: (none)
Explanation

Explanation/Reference:

QUESTION 8

You need to add an HPE ProLiant DL380 Gen10 server to the HPE OneView appliance for monitoring. Which information is required to complete this task? (Choose two.)



- A. iLO credentials
- B. Enclosure Group name
- C. firmware baseline
- D. iLO IP address
- E. HPE OneView Advanced license

Correct Answer: CE

Section: (none)

Explanation


Explanation/Reference:

QUESTION 9 HOTSPOT

A customer has a four node ESXi cluster. They update drivers via vCenter Update Manager and want to use HPE OneView Server Profile Templates to update the firmware while the systems are online.

In the Installation Method option area in the exhibit, click on the correct choice.

Hot Area:



Edit ESXi on BL460c Gen9 Server Profile ▾

Server Profile

Firmware

Firmware baseline: Service Pack for ProLiant version 2017.04.0 ▾

Force installation

Installation Method:

- Firmware and OS Drivers using Smart Update Tools
- Firmware only using Smart Update Tools
- Firmware only

Activate firmware:

- Immediately
- At a scheduled date and time
- Not scheduled

Connections

Changed: Firmware baseline to "Service Pack for ProLiant version 2017.04.0"

OK **Cancel**

Correct Answer:

Edit ESXi on BL460c Gen9 Server Profile ▾

Server Profile

Firmware

Firmware baseline ▾

Force installation

Installation Method
 Firmware and OS Drivers using Smart Update Tools
 Firmware only using Smart Update Tools
 Firmware only

Activate firmware
 Immediately At a scheduled date and time Not scheduled



Connections

Changed: Firmware baseline to "Service Pack for ProLiant version 2017.04.0"

Section: (none)
 Explanation

Explanation/Reference:

QUESTION 10

What public resource is available to help administrators who want to automate operations by using the PowerShell interface to the HPE OneView REST API and the Synergy Composable API?

- A. HPE OneView server templates
- B. HPE Support Center
- C. GitHub library
- D. HPE Software Depot

Correct Answer: B
 Section: (none)
 Explanation

Explanation/Reference:

QUESTION 11 Which technology does HPE OneView use to discover HPE ProLiant DL, ML, and the Apollo servers automatically?

- A. IP Hash load balancing
- B. VXLAN discovery
- C. IP range pinging
- D. Management Ring discovery protocol

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 12

Refer to the exhibit.

Add Volume ?

Volume properties

Capacity	10	GiB	
Sharing	Private		
	<input checked="" type="checkbox"/> Permanent		

Advanced

Provisioning	Thin
Data protection level	Network RAID IO (2 Way Mirror)
Permit Adaptive Optimization	Yes <input type="checkbox"/>

Changed Provisioning to 'Thin'

Add
Add +
Cancel



A server administrator is creating a new SAN-attached volume as a part of a server profile definition. What will happen to the volume when the server administrator detects the profile two weeks later?

- A. The volume will be kept in both HPE OneView and the StoreVirtual array, the presentation to the server will be kept at the array.
- B. The volume will be deleted from HPE OneView and kept at the StoreVirtual array.
- C. The volume will be kept in both HPE OneView and the StoreVirtual array, the presentation to the server will be removed from the array.

D. The volume will be deleted from both HPE OneView and the StoreVirtual array.

Correct Answer: B


Section: (none)

Explanation

Explanation/Reference:

QUESTION 13

Refer to the exhibit.



Create Volume General ?

General

Volume template: **Hyper-V** x

Volume template description: not set

Storage pool: cgp-growth-limit-ITiB

Storage System: ThreePAR-1

Volume Properties

Capacity: 20.00 GiB

Sharing: Private Shared

Change Volume Template to "Hyper-V" **Create** Create + Cancel

An administrator is creating new volumes in preparation for a new Hyper-V cluster. On the Create Volume screen, the storage administrator notices that the capacity of the volume can't be edited. What is preventing the administrator from increasing the volume size?

- A. The capacity is a locked value in the volume template.
- B. The storage pool is out of capacity, so no additional storage can be allocated.
- C. The wrong storage system is selected.
- D. The administrator doesn't have permissions to create volumes.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 14

DRAG DROP

Match the minimum HPE OneView license required to each function. (Matches may be used more than once.) **Select**

and Place:

Answer Area

HPE OneView Standard

HPE OneView Advanced

HPE OneView License

Function

Partner Integrations

Storage provisioning

Firmware Management

Inventory

Health Monitoring

Remote Support



Correct Answer:

Answer Area

HPE OneView Standard

HPE OneView Advanced

HPE OneView License

HPE OneView Advanced

HPE OneView Advanced

HPE OneView Advanced

HPE OneView Standard

HPE OneView Standard

HPE OneView Advanced

Function

Partner Integrations

Storage provisioning

Firmware Management

Inventory

Health Monitoring

Remote Support

Section: (none)
Explanation

Explanation/Reference:

QUESTION 15 What unique identifier does HPE OneView use to interact with each resource individually?

- A. serial number
- B. MAC address
- C. URI
- D. WWN

Correct Answer: C
Section: (none)
Explanation

Explanation/Reference:

QUESTION 16 How does HPE OneView 4.0 along with HPE ProLiant Gen 10 benefit customers who are concerned about malware attacks?

- A. Continuously scans server firmware for malware code
- B. Forces secure boot for both Legacy and UEFI BIOS mode.
- C. Introduces Trusted Platform Module 2.0 support.
- D. Provides a Secure Boot option setting as part of the server profile.


Correct Answer: B
Section: (none)
Explanation

Explanation/Reference:

QUESTION 17



Refer to the exhibit.



The screenshot shows the RESTClient interface. The request is a POST to `http://192.168.19.41/rest/login-session`. The headers include `X-API-Version: 500` and `Content-Type: //application/json`. The body is a JSON object: `{ "userName": "administrator", "password": "iloverest", "authDomain": "LOCAL" }`. The response is a 403 Forbidden error with the following JSON body:

```
1 { "errorSource": null, "nestedErrors": [], "errorCode": "GENERIC_HTTP_403", "data": {}, "recommendedActions": [ "Check the request URI, then resend the request." ], "details": "You are allowed to access the requested resource.", "message": "Forbidden" }
```

A server administrator using the REST API is troubleshooting the error seen in the exhibit. What needs to be fixed in the command?

- A. add the missing authentication token to the header
- B. change http to https in the URL
- C. change the "login-sessions" string in the URL to "login-session"
- D. change the POST method to PUT

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 18 What is required when creating an Ethernet Network in HPE OneView?

(Choose two.)

- A. WWPN
- B. association with subnet ID
- C. CHAP Password
- D. Network Name

E. VLAN Type

Correct Answer: DE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 19

Refer to the exhibit.

	Value
Name	ProdNet 100
VLAN ID	100
Type	Tagged

What is the PowerShell command to create an Ethernet Network resource?

- A. Get-HPOVNetwork -Name "ProdNet 100" | New-HPOVServerProfileConnection -ConnectionID 1 -Name "ProdNet 100"
- B. New-HPOVUplinkSet -Name "ProdNet 100" -Networks (Get-HPOVNetwork -Name "ProdNet100")
- C. New-HPOVNetwork -Name "ProdNet 100" -VlanId 100
- D. New-HPOVNetworkSet -Name "ProdNet 100"

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 20 Which HPE OneView function can be used on HPE ProLiant DL Gen10 servers with HPE OneView Advanced license applied?

(Choose two.)

- A. BIOS configuration
- B. OS deployment
- C. network connection definition
- D. MAC address virtualization
- E. firmware update

Correct Answer: BE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 21

You remove an HPE SY 480 compute module from its bay and install a host bus adapter (HBA) into the compute module. When you install the module back into its original bay you notice that the server profile in HPE OneView is showing "unassigned". What is the reason for this?

- A. There is no connection configured for the HBA in the "Connections" section of the Server profile.
- B. The Server Profile is inconsistent with its Server Profile Template.
- C. The server hardware type is invalid.
- D. The Affinity is configured to "Device bay + hardware".

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 22 What is the eTag attribute of resource objects used for?

- A. to identify the version of the IP protocol
- B. to identify the current revision of the resource
- C. to identify the server in a bay
- D. to identify the server profile assigned to a bay

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 23 In addition to the REST client, what is another way to access the HPE REST APIs? (Choose two.)

- A. Native BASH Linux shell
- B. PuTTY client
- C. Windows PowerShell
- D. Unified Extensible Firmware Interface (UEFI)
- E. cURL command line utility

Correct Answer: AE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 24

Where would you go in the HPE OneView Main Menu to access information about the environment status that can be exported to csv?

- A. Activity
- B. Dashboard
- C. Reports
- D. Data Centers

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:



QUESTION 25 What are benefits of using HPE OneView along with 3rd Party integrations?

(Choose two.)

- A. Extensive management of 3rd Party server and storage devices
- B. Faster application development
- C. Integrated management of 3rd Party software licenses
- D. Standardized templates to optimize industry standard applications
- E. Simplified infrastructure lifecycle operations

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:

QUESTION 26 What functionality does Storm Control provide in HPE OneView?

- A. Prevents resource exhaustion on the switch by throttling data flow on network interfaces.
- B. Prevents network performance degradation by suppressing excessive inbound broadcasts.
- C. Prevents duplicate MAC addresses and WWNs from occurring in HPE OneView.
- D. Prevents malware from hiding the embedded code in the network traffic.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:



QUESTION 27

Refer to the exhibit.

OneView Search

Server Profile Templates 3 All statuses All labels All resources

+ Create server profile template

- Name
- esx 3 based
- ESX BL460c Gen10 template**
- HYPERV TEMPLATE

ESX BL460c Gen10 template Connections

Update Completed 1s

Connections

[Expand all](#) [Collapse all](#)

ID	Name	Network	Port	Boot
▼ 1		<u>management</u> VLAN1	FlexibleLOM 1:1 -a	Not bootable
	Interconnect	<i>pending assignment</i>		
	Type	Ethernet		
	MAC address	<i>pending assignment</i>		
	Requested bandwidth	2.5 Gb/s		
▶ 2		<u>management</u> VLAN1	FlexibleLOM 1:2 -a	Not bootable
▶ 3		<u>prod 13</u> VLAN13	FlexibleLOM 1:1 -c	Not bootable
▶ 4		<u>prod 13</u> VLAN13	FlexibleLOM 1:2 -c	Not bootable

A server administrator cannot locate the MAC addresses assigned to the server profile template. What could be the reason?

- A. The server hardware is not supported by HPE OneView.
- B. The Logical interconnect does not contain the VLAN in any defined uplink set.
- C. The server profile template has not yet been assigned to the hardware.
- D. MAC addresses are only assigned when a server profile is created from a template.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 28

DRAG DROP

Match the HPE OneView element to its function.

Select and Place:

Answer Area

ELEMENT

metric streaming message bus (MSMB)

RESTful API

state change message bus (SCMB)

FUNCTION

Used by message bus consumers to carry out CRUD operations

Provide information about changes in managed resources

Provide temperature, power, or CPU utilization for managed resources

Correct Answer:

Answer Area

ELEMENT

metric streaming message bus (MSMB)

RESTful API

state change message bus (SCMB)

FUNCTION

RESTful API

state change message bus (SCMB)

metric streaming message bus (MSMB)

Used by message bus consumers to carry out CRUD operations

Provide information about changes in managed resources

Provide temperature, power, or CPU utilization for managed resources

Section: (none)
Explanation

Explanation/Reference:

QUESTION 29 What is the best place to find installed firmware for all systems managed by HPE OneView?

- A. HPE Service Pack for HPE ProLiant
- B. HPE OneView for Microsoft System Center
- C. HPE Insight Online
- D. HPE OneView predefined reports

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 30 What permissions are included with the user role: "Server profile architect"?

(Choose two.)

- A. delete server profile templates
- B. delete scopes
- C. perform firmware updates
- D. update scopes
- E. create server profile templates

Correct Answer: AE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 31

Which listed HPE OneView integration points are available within System Center with the HPE OneView Advanced License? (Choose two.)

- A. Service Manager
- B. Azure Resource Manager
- C. Operations Manager
- D. Data Protection Manager
- E. Virtual Machine Manager



Correct Answer: CE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 32

After HPE BL460c Gen10 server failure, the system operator quickly replaces the failed server with a new one in the same bay. However, the server profile does not get applied automatically. What may have prevented the profile from being applied?

- A. The affinity value is set to "device bay + server hardware".
- B. The server profile attribute is set to "Occupied".
- C. The firmware "Force installation" option is selected.
- D. The Volume Template properties are locked.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 33

When the HPE OneView appliance starts up for the very first time, what is the administrator required to do immediately after logging in for the first time?

- A. Configure the management IP
- B. Add licenses

- C. Change the Administrator password
- D. Create a backup

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 34 What are benefits of the RESTful API for HPE OneView?

(Choose two.)

- A. REST is a heavyweight toolkit that can create and modify just about any type of resource.
- B. REST is an HPE invention built into HPE OneView and iLO that enables management of devices through the Red Fish standard.
- C. REST enables automating anything that can be done from the UI using a favorite scripting or programming language.
- D. REST enables developers and users to create their own apps, or provide integration with other applications.

Correct Answer: CD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 35 Which license is required to remotely access the DL server console and event logs?

- A. HPE OneView Advanced
- B. Insight Remote Support
- C. iLO Amplifier Pack
- D. Global Dashboard



Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 36 What is required for a user to authenticate to an HPE OneView appliance configured for two-factor authentication?

- A. One-time Passwords
- B. Smartcard
- C. SMS
- D. Self-signed certificate

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 37

You assign a server profile to an existing BL Gen 8 server within a managed enclosure with Affinity set to "Device Bay + Server Hardware". What would happen if you replace the server in the enclosure with a new BL Gen 10 server hardware resource?

- A. It will apply the profile if a server with the correct serial number installed.

- B. It will apply the profile if the correct server hardware type is installed.
- C. It will prevent the profile from being applied if a different server is inserted to that bay.
- D. It will prevent the profile if the server is configured with Secure Boot mode in the BIOS.


Correct Answer: D
Section: (none)
Explanation

Explanation/Reference:

QUESTION 38
HOTSPOT


A server administrator needs to expand a VMware vSphere farm and use an already existing server profile as a baseline. Click the area where new server profile templates can be created from a selected server profile.

Hot Area:



The screenshot shows the VMware OneView interface for Server Profiles. On the left, a list of profiles includes ESX 3, ESX 4 (highlighted), HYPERV 1, HYPERV 2, and HYPERV FARM_D 5. A '+ Create Profile' button is highlighted with a red box. The main area shows the 'Overview' for the selected 'ESX 4' profile. The 'General' tab is active, displaying details such as Description (not set), Server profile template (none), Server hardware (Enc1,bay 4), Server hardware type (BL460cGen10 1), Enclosure group (default), Affinity (Device bay), Server power (Off), Serial number (v) (VCGOEEI001), UUID (v) (51ad0a7b-ad5c-44d8-83c6-f2acf42ce8e3), and iSCSI initiator name (v) (iqn.2015-02.com.hpe:oneview-vcgoeei001). The 'Firmware' tab is also visible. An 'Actions' button is highlighted with a red box in the top right corner.

Correct Answer:



The screenshot shows the OneView interface for Server Profiles. The top navigation bar includes the OneView logo, a search bar, and filters for 'Server Profiles' (5), 'All statuses', 'All labels', and 'All resources'. A search result shows '5 matches out of 5'. On the left, a list of profiles includes ESX 3, ESX 4 (selected), HYPERV 1, HYPERV 2, and HYPERV FARM_D 5. The main area displays the 'ESX 4 Overview' with an 'Actions' button. The 'General' section lists the following details:

Description	not set
Server profile template	none
Server hardware	<u>Enc1,bay 4</u>
Server hardware type	<u>BL460cGen10 1</u>
Enclosure group	<u>default</u>
Affinity	Device bay
Server power	Off
Serial number (v)	VCGOEEI001
UUID (v)	51ad0a7b-ad5c-44d8-83c6-f2acf42ce8e3
ISCS initiator name (v)	iqn.2015-02.com.hpe:oneview-vcgoeei001

The 'Firmware' section is partially visible at the bottom.

Section: (none)

Explanation

Explanation/Reference:

QUESTION 39

An administrator is configuring a server profile template, but does not see the Ethernet network called "VLAN 210" that had been created earlier. What could the cause be?

- A. VLAN 210 was never configured in the Logical Interconnect Group.
- B. VLAN 210 does not exist on the upstream switches.
- C. VLAN 210 is already in a Network Set.
- D. VLAN 210 has Private Network enabled.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 40

An administrator needs to customize the BIOS and local RAID configuration for a collection of HPE ProLiant servers. What should the administrator use to accomplish this task?

- A. Smart Start Scripting Toolkit

- B. Global Dashboard
- C. server hardware
- D. Server Profile Template

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 41

A customer creates a server profile template with two new volumes. The first is an 8GB LUN for the boot drive. The second is a 500GB LUN for the ESXi cluster. shared storage. After the server profiles are assigned to the servers they each have an 8GB drive and a 500GB drive but the 500GB drive isn't shared across the member nodes within the cluster.

What is the most likely problem with the Server Profile Template?

- A. Both volumes were created as Private.
- B. Both volumes were created as Private.
- C. ESXi can't share drives created dynamically via HPE OneView.
- D. Mapping multiple LUNs aren't supported with HPE OneView Server Profile Templates.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 42

DRAG DROP

Match the HPE management tools to their function.

Select and Place:



Answer Area

TOOLS

HPE SUT

HPE OneView Global Dashboard

HPE Synergy Composer

HPE iLO

FUNCTION

[Redacted]

Provides health status across multiple HPE OneView appliance environments

[Redacted]

Provides hardware configuration for integrated compute, storage, and fabric

[Redacted]

Enables scheduled firmware and driver updates

[Redacted]

Provides hardware management and remote control of a server

Correct Answer:

Answer Area

TOOLS

HPE SUT

HPE OneView Global Dashboard

HPE Synergy Composer

HPE iLO



FUNCTION

HPE OneView Global Dashboard

Provides health status across multiple HPE OneView appliance environments

HPE Synergy Composer

Provides hardware configuration for integrated compute, storage, and fabric

HPE SUT

Enables scheduled firmware and driver updates

HPE iLO

Provides hardware management and remote control of a server

Section: (none)
Explanation

Explanation/Reference:
QUESTION 43

After assigning a server profile to an HPE ProLiant blade, you notice that the serial number being reported on the server profile page is not the one that matches the label on the server. You want the reported serial number to match the label. What do you need to do?

- A. Create a new Server Profile and go to the “Advanced” section, then change the radio button for the serial number/UUID from “Virtual” to “Physical” and apply it to the server.
- B. Edit the Server Profile and go to the “Advanced” section, then change the radio button for serial number/UUID from “Virtual” to “Physical”.
- C. Create a new Server Profile Template and go to the “Advanced” section, then change the radio button for the serial number/UUID from “Virtual” to “Physical”.
- D. Edit the Server Profile and go to the “Advanced” section, then change the radio button for serial number/ UUID from “Virtual” to “Physical” and enter the serial number.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 44 Before applying server profiles to a group of servers, what is the first thing you should check?

- A. The servers are all the same hardware type.
- B. The servers have the correct firmware installed.
- C. The servers are powered down.
- D. The servers are all Synergy compute modules.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:



QUESTION 45

A server administrator is integrating HPE OneView authentication with Active Directory and needs to add read-only access to members of a domain group. Which step is part of the procedure?

- A. Add the domain group as Organization Unit in Directory settings.
- B. Add the domain group as Base DN in Directory settings.
- C. Define the Active Directory domain and associated directory server(s) in Directory settings.
- D. Add the Active Directory server in Users and Group menus.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 46

DRAG DROP

Identify the HPE OneView object you would use to accomplish each task.

Select and Place:

Answer Area

OBJECT

Enclosure Group
Logical Interconnect
Logical Interconnect Groups
Network Set

TASK

	Quickly add/remove associated Ethernet networks across one or more server profiles
	Define Virtual Connect configuration policy with uplinks, associated networks, QoS and advanced Ethernet settings
	Active configuration of interconnect modules within a logical enclosure including uplinks, downlinks and stacking links
	Common collection of settings and LIGs used across multiple enclosures

Correct Answer:

Answer Area

OBJECT

Enclosure Group
Logical Interconnect
Logical Interconnect Groups
Network Set



TASK

Network Set	Quickly add/remove associated Ethernet networks across one or more server profiles
Logical Interconnect Groups	Define Virtual Connect configuration policy with uplinks, associated networks, QoS and advanced Ethernet settings
Logical Interconnect	Active configuration of interconnect modules within a logical enclosure including uplinks, downlinks and stacking links
Enclosure Group	Common collection of settings and LIGs used across multiple enclosures

Section: (none)
Explanation

Explanation/Reference:

QUESTION 47 The administrator has configured Server Profile Templates to use Virtual serial numbers. Where can you go in HPE OneView to see hardware-based serial numbers?
(Choose two.)

- A. Server Profile Templates page
- B. Server Hardware page
- C. Server Profile page
- D. Server Hardware Types page
- E. Reports > Server inventory page.

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 48 Which resource categories can be included in a scope?
(Choose two.)

- A. racks
- B. data centers
- C. firmware bundles
- D. enclosures

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:



QUESTION 49

A server administrator is creating a new SAN-attached volume as a part of a server profile definition. They have not marked the volume permanent. What will happen to the volume when the server administrator deletes the profile two weeks later?

- A. The volume will be deleted from HPE OneView and kept at the StoreServ array.
- B. The volume will be kept in both HPE OneView and the StoreServ array, the presentation to the server will be removed from the array.
- C. The volume will be kept in both HPE OneView and StoreServ array, the presentation to the server will be kept at the array.
- D. The volume will be deleted from both HPE OneView and the StoreServ array.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 50

An administrator is creating a volume template in HPE OneView to manage storage volumes on an HPE 3PAR StoreServ storage system. In addition to the storage pool and capacity, which parameters in the template must the administrator specify? (Choose two.)

- A. provisioning type
- B. drive type
- C. sharing mode
- D. deduplication method
- E. storage type

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 51

Which HPE server platforms can be managed using HPE OneView? (Choose two.)

- A. HPE Edgeline
- B. HPE ProLiant DL
- C. HPE ProLiant BL
- D. HPE Integrity
- E. HPE Moonshot

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 52 A server administrator wants to prevent excessive unknown destination frames from affecting the network performance of Synergy compute modules. Which HPE OneView setting at the Logical Interconnect Group level can help?

- A. storm control
- B. loop protection
- C. SNMPv3
- D. IGMP snooping

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 53 Which option from the HPE OneView main menu provides the utilization data for a server?

- A. Settings
- B. Server Hardware
- C. Data Centers
- D. Power Delivery Devices

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 54

Which feature of HPE OneView for VMware vCenter enables you to create additional nodes for an existing environment?

- A. Grow Cluster
- B. REST API
- C. VMware autodeploy



D. Image Streamer

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 55 Which HPE product would you recommend to a customer who is running multiple HPE OneView appliances and Hyper Converged Systems to monitor their entire environment in a single application?

- A. Global Dashboard
- B. HPE Synergy Composer
- C. iLO Amplifier Pack
- D. Central Management Console

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 56

A customer wants to open tickets automatically within ServiceNow from alerts generated within HPE OneView. Which HPE OneView integration will allow the customer to do this?

- A. SSH
- B. REST API
- C. FTP
- D. HTTP



Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 57 What is the most likely reason for CPU, temperature, or power utilization not being presented in HPE OneView?

- A. The agent on the server stopped communicating with HPE OneView.
- B. The wrong SNMP data was entered into iLO.
- C. The wrong HPE OneView Advanced License Key was entered.
- D. The server doesn't have an iLO Advanced License.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 58 How does HPE OneView simplify infrastructure management?

(Choose two.) A. Manages physical servers and virtual machines.

B. Provides unified platform that supports management across compute, storage, and fabric.

- C. Provides integrations with 3rd Party infrastructure automation tools through an API driven interface.
- D. Provides industry leading infrastructure security through Silicon Root of Trust.

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 59

Your customer added some Gen10 servers to an environment managed by HPE OneView. The position of the Gen10 servers in the intelligent racks is not automatically detected. What can cause this problem?

- A. Gen10 servers are mixed with Gen9 or Gen8 servers, which is not supported.
- B. Intelligent Rack is not properly licensed in HPE OneView.
- C. Location sensor is not enabled for Gen10 servers.
- D. Gen10 servers do not support Location Discovery Services.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference: