

2V0-41.19.33q

Number: 2V0-41.19
Passing Score: 800
Time Limit: 120 min

2V0-41.19



Website: <https://vceplus.com>
VCE to PDF Converter: <https://vceplus.com/vce-to-pdf/>
Facebook: <https://www.facebook.com/VCE.For.All.VN/>
Twitter : https://twitter.com/VCE_Plus

<https://vceplus.com/>

VMware Professional NSX-T Data Center 2.4

Exam A

QUESTION 1

Which CLI command is used to start the NSX Manager virtual machine in the KVM environment?

<https://vceplus.com/>



<https://vceplus.com/>

- A. virsh start <NSX-Manager-Name>
- B. virsh poweron <nsx-manager-name>
- C. virsh poweron <nsx-manager-ID>
- D. virsh start <NSX-Manager-ID>

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-NSX-T-Data-Center/2.1/com.vmware.nsxt.install.doc/GUID-928BAF6E-4684-43A0-8766-8FE191FE1FA7.html>

QUESTION 2

What are the supported N-VDS modes?

- A. DPDK Datapath
- B. Enhanced Datapath
- C. Overlay Datapath
- D. Standard Datapath
- E. Secure Datapath

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

<https://vceplus.com/>


N-VDS Mode: There are 2 modes for N-VDS: Standard or Enhanced Datapath.

Reference: <http://www.vstellar.com/2018/08/03/learning-nsx-t-part-8configuring-transport-zone-and-transport-nodes/>

QUESTION 3



Refer to the exhibit.



A NSX-T Data Center administrator wants to ensure that any machine on a public network can communicate with a Web VM running in a NSX-T Data Center environment.

Which NAT type must be created on the Tier-0 or Tier-1 Gateway to achieve this?

- A. 1:1 NAT
- B. Reverse NAT
- C. DNAT
- D. SNAT

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-NSX-T-Data-Center/2.4/administration/GUID-73A54BCC-46D5-4A18-9DA6-870F279805BE.html>

QUESTION 4

An NSX administrator created a Segment from the Simplified UI and wants to find the Replication Mode configured on the Segment. Which NSX CLI command lists the Replication mode?

- A. get logical-switches
- B. get logical-switch <Logical-switch-UUID>
- C. get logical-switch <Local-Switch-UUID> status
- D. get logical-switch status



Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: https://docs.vmware.com/en/VMware-NSX-Data-Center-for-vSphere/6.3/nsx_63_cli.pdf

QUESTION 5

What is the most restrictive NSX-T built-in role which allow a user to apply configuration changes on a NSX Edge?

- A. Network Operator
- B. Network Engineer
- C. Cloud Service Administrator
- D. NSX Administrator

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

**NSX
Administrator**

Users in this role can perform all tasks related to deployment and administration of this NSX Manager instance. For example, install virtual appliances, configure port groups.

Reference: <https://docs.vmware.com/en/VMware-NSX-Data-Center-for-vSphere/6.4/com.vmware.nsx.admin.doc/GUID-79F9067D-2F29-45DA-85C709EFC31549EA.html>

QUESTION 6

What are three NSX Manager roles? (Choose three.)

- A. zookeeper
- B. manager
- C. policy
- D. controller
- E. cloud
- F. master



Correct Answer: BCD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

In NSX-T 2.4 the NSX-T Manager is a Converged Appliance where Policy, Management and Control Roles are available

Reference: <http://www.cloudxtreme.info/nsx-t-manager-clustering/>

QUESTION 7

Which network tool could an administrator use on an ESXi 6.7 host to capture packets when troubleshooting connectivity issues?

- A. Wireshark

- B. pktcap-uw
- C. net-stats D. tcpdump

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

If you do when troubleshooting connectivity issues on your Virtualization environment. This post will help you to capture Network traffic on ESXi host using **pktcapuw** tool.

Reference: <http://www.vmwarearena.com/how-to-capture-network-trafficpacket-on-esxi-hosts/>

QUESTION 8

Which three hardware-based offloads provide maximum performance for physical network interface cards? (Choose three.)

- A. Netfilter Flow Offload (NFO)
- B. Priority Flow Control (PFC)
- C. Receive Side Scaling (RSS)
- D. TCP Segmentation Offload (TSO)
- E. Source Route Bridging (SRB)
- F. Large Receive Offload (LRO)



Correct Answer: BDF

Section: (none)

Explanation

Explanation/Reference:

QUESTION 9

Which two commands could be used on an ESXI transport node to validate connectivity to the NSX Manager? (Choose two.)

- A. nsxcli --cmd get manager status
- B. esxcli network ip connection list | grep rabbitmq
- C. nsxcli --cmd get managers
- D. nsxcli --cmd get manager connectivity status

<https://vceplus.com/>

E. esxcli network ip connection list | grep 5671

Correct Answer: BE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 10

Which two statements describe the characteristics of the Services Router (SR) component of a Tier-0 Gateway? (Choose two.)

- A. Edge cluster is mandatory for SR to be created.
- B. SR can exist on both hypervisor transport nodes and Edge transport nodes.
- C. SR is automatically created when stateful services are enabled.
- D. Edge transport nodes are required for SR to be created.
- E. SR can be created from the NSX Advanced Networking & Security tab in the UI.

Correct Answer: AE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 11

Which statement is true regarding the audit user account? (Choose two.)

- A. The admin user must set the password for the audit account to log in to NSX Manager.
- B. The administrator must run the set audit user password <password> command.
- C. The audit user has read-write access to the NSX Manager.
- D. The audit user is disabled by default and must be enabled to log in to the NSX Manager.
- E. The administrator must run the set user audit password <password> command.

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 12

An NSX administrator is migrating vSphere port groups configured in vSphere to N-VDS.

What are two migration options? (Choose two.)

- A. Migrate vSphere port groups using the esxcli command line.
- B. Migrate vSphere port group through the NSX Manager API Calls.
- C. Migrate Networking from the vCenter Server.
- D. Migrate from the **NSX Manager UI, go to Fabric -> Profile -> Uplink Profiles** path.
- E. Migrate from the **NSX Simplified UI> Click Transport Node > Configure NSX > PNIC Only Migration** path.

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 13

What is the function of a domain in a NSX-T Data Center?

- A. defines the scope of transport zones
- B. defines the scope of security policies and groups
- C. defines the scope of physical networks
- D. defines the scope of transport nodes

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-NSX-T-Data-Center/2.4.0/rn/VMware-NSX-T-Data-Center-240-Release-Notes.html>

QUESTION 14

Which port is used by a transport node to communicate with NSX Manager in NSX-T Data Center 2.4?

- A. 5671



- B. 1234
- C. 1235
- D. 5678

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: https://docs.vmware.com/en/VMware-NSX-T-Data-Center/2.4/nsxt_24_install.pdf

QUESTION 15

The security administrator turns on logging for a firewall rule.

Where is the log stored on ESXi and KVM transport nodes?



<https://vceplus.com/>

- A. /var/log/vmware/nsx/firewall.log
- B. /var/log/fw.log
- C. /var/log/messages.log
- D. /var/log/dfwptlogs.log

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

<https://vceplus.com/>

QUESTION 16

Which visual tool within the NSX User Interface should an administrator use to monitor hop-by-hop connectivity between two virtual machines or logical ports?

- A. IPFIX
- B. Port Connection
- C. Port Mirroring
- D. Port Status

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Port connection tool – this tool is a visualization of connectivity between two container logical ports. As the topology is built, realized state data like machine information, logical port status, and tunnel health status, gets represented as hop by hop connectivity between various points in the path.

Reference: <https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/products/nsx/vmware-containers-and-container-networking-whitepaper.pdf>

QUESTION 17

An NSX administrator would like to configure syslog for a KVM transport node.

Which host log files could be exported to a remote syslog server?

- A. /var/log/vmware/nsx-syslog
- B. /var/log/cfgAgent.log
- C. /var/log/nsx-audit.log
- D. /var/log/cloudnet/nsx-ccp.log

Correct Answer: A


Section: (none)

Explanation

Explanation/Reference:

QUESTION 18

Refer to the exhibit.



A vSphere administrator is trying to connect T1-Web-01 virtual machine to a NSX-T logical switch and is receiving an error.

Which service must be restarted to connect the virtual machine to a NSX-T logical switch?

- A. /etc/init.d/nsx-opsagent start
- B. /etc/init.d/nsx-proxy start
- C. /etc/init.d/nsxa start
- D. /etc/init.d/nsx-datapath start

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 19

Which three steps must be taken to assign a new IP address to a member of a NSX Management Cluster that was deployed manually? (Choose three.)

- A. Delete NSX Manager VM
- B. Change IP address of NSX Manager in vApp Properties
- C. Execute detach node <node-id> from the NSX Manager CLI
- D. Deploy new NSX Manager VM
- E. Delete NSX Management cluster member from NSX Simplified UI

Correct Answer: ABC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 20

What is required to configure a load balancer in inline mode?

- A. DNAT
- B. SNAT
- C. Client and server connected to different Tier-1 Gateways
- D. Client and server running on different transport nodes

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:



QUESTION 21

In a NSX-T Data Center environment, an administrator is observing low throughput and congestion between the Tier-0 Gateway and the upstream physical routers. Which two actions could address low throughput and congestion? (Choose two.)

- A. Configure a Tier-1 gateway and connect it directly to the physical routers.
- B. Configure ECMP on the Tier-0 gateway.
- C. Configure NAT on the Tier-0 gateway.
- D. Deploy Large size Edge node/s.
- E. Add an additional vNIC to the NSX Edge node.

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 22

How many IPs are required when deploying a highly available NSX Management Cluster with VIP in a production environment?

- A. 3
- B. 5
- C. 4
- D. 6

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

3 NSX Manager Nodes deployed

Reference: <https://docs.vmware.com/en/VMware-Enterprise-PKS/1.5/vmware-enterprise-pks-15/GUID-console-ova-deployment-prereqs.html>

QUESTION 23

Which vmkernel module implements the N-VDS on an ESXi transport node?

- A. openvswitch
- B. enterswitch
- C. nsx-vswitch
- D. dvswitch

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <http://www.vstellar.com/2018/08/03/learning-nsx-t-part-8configuring-transport-zone-and-transport-nodes/>

QUESTION 24

Which two IP Discovery mechanisms are supported in KVM-environments? (Choose two.)

- A. IGMP Snooping
- B. Packet Snooping

- C. DHCP Snooping
- D. ARP Snooping
- E. ND Snooping

Correct Answer: CD

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-NSX-T-Data-Center/2.4.0/rn/VMware-NSX-T-Data-Center-240-Release-Notes.html>

QUESTION 25

An NSX administrator is creating a NAT rule on a Tier-0 Gateway configured in active-standby high availability mode.

Which two NAT rule types are supported for this configuration? (Choose two.)

- A. Port NAT
- B. Source NAT
- C. Destination NAT
- D. 1:1 NAT
- E. Reflexive NAT



Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 26

An administrator wants to validate the BGP connection status between the Tier-0 Gateway and the upstream physical router.

What sequence of commands could be used to check this status on NSX Edge node?

- A. - set vrf <ID>
- show logical-routers- show <LR-D> bgp
- B. - show logical-routers
- get vrf

- show ip route bgp
- C. - enable <LR-D>
 - get vrf <ID>
 - show bgp neighbor
- D. - get logical-routers
 - vrf <number>
 - get bgp neighbor

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-NSX-T-Data-Center/2.3/com.vmware.nsxt.admin.doc/GUID-9554C339-69DE-4C97-8392-DCCA67682B35.html>

QUESTION 27

An NSX administrator is troubleshooting a connectivity issue with virtual machines running on an ESXi transport node.

Which feature in the NSX Manager Simplified UI shows the mapping between the virtual NIC and the host's physical adapter?

- A. N-VDS Visualization
- B. Activity Monitoring
- C. IPFIX
- D. Port Mirroring

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 28

What are the advantages of using a Tier-0 Gateway in ECMP mode? (Choose two.) I

- A. stateful services leveraged
- B. increased north/south bandwidth
- C. traffic load balancing

- D. Failover of services
- E. traffic predictability

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-NSX-T-Data-Center/2.3/com.vmware.nsxt.admin.doc/GUID-443B6B0D-F179-429E-83F3-E136038332E0.html>

QUESTION 29

A user is assigned these two roles in NSX Manager:

- Load Balancer Administrator
- Network Engineer

What privileges does this user have in the system?

- A. full access permissions on all networking services and full access permissions on load balancing features
- B. read permissions on all networking services and read permissions on load balancing features
- C. read permissions on all networking services and full access permissions on load balancing features
- D. full access permissions on all networking services and read permissions on load balancing features

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 30

An NSX administrator has configured a KVM hypervisor as a transport node.

Which kernel module on KVM implements a N VDS?

- A. dvswitch
- B. nsx-vswitch
- C. openvswitch
- D. etherswitch

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <http://virtualbrigade.com/n-vds/>

QUESTION 31

Refer to the exhibit.



Refer to the exhibit.

vm NSX-T

admin

Home

Networking

Security

Inventory

Tools

System

Advanced Networking & Security

1 Request Bundle

Target Nodes for Log Collection

7/10 Management Nodes

Available (5)

nsx-manager-01

Selected (5)

nsx-manager-01

Log age (days)

All

Include config files and audit logs

Yes

Upload bundle to remote file server

File host name*

10.10.1.20

Port

22

Protocol

SCP

FTP

Destination path*

Manager upload

Disabled

Username*

Password*

SSH fingerprint*

START BUNDLE COLLECTION

RESET

Support bundle request status and download action of remotely file server options are not checked, will be available on the same node in the management cluster within the original request is submitted.

<https://vceplus.com/>

[www.vceplus.com](https://vceplus.com/) - Free Questions & Answers - Online Courses - Convert VCE to PDF - VCEplus.com

An NSX administrator is retrieving a log bundle at the request of VMware Global Support. It is taking a long time to get the log bundle. The administrator reviews the configuration.

Which two changes to the configuration must be made to speed up the creation of the bundle. (Choose two.)

- A. Disable upload bundle to remote file server
- B. Change transfer protocol
- C. Do not use ssh fingerprint
- D. Create the support bundle from vCenter
- E. Disable Include core files and audit logs

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 32

How is the intra-tier transit link connection created between SR and DR for a Tier-0 Gateway?

- A. Manually create a gateway interface and mark it as transit.
- B. Automatically created when DR is created.
- C. Automatically created when SR is initialized.
- D. Manually create external uplink interface and mark it as transit.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://blogs.vmware.com/networkvirtualization/2018/01/nsx-t-routing-part-2.html/>

QUESTION 33

Which two components are involved in the logical switching and N-VDS configuration during ESXi transport node installation? (Choose two.)

- A. etherswitch
- B. Open vSwitch

- C. nsx-opsAgent
- D. vdl2
- E. nsx-vswitch

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:



<https://vceplus.com/>

<https://vceplus.com/>