

C1000-004.VCEplus.premium.exam.70q

Number: C1000-004  
Passing Score: 800  
Time Limit: 120 min  
File Version: 1.0



**Website:** <https://vceplus.com>

**VCE to PDF Converter:** <https://vceplus.com/vce-to-pdf/>

**Facebook:** <https://www.facebook.com/VCE.For.All.VN/>

**Twitter :** [https://twitter.com/VCE\\_Plus](https://twitter.com/VCE_Plus)

**C1000-004**

**IBM Cúram SPM V7.X Application Developer**



**Version 1.0**

## Exam A

### QUESTION 1

Which two of the following are valid targets for the server-side build command? (Choose two.)

- A. generated
- B. beandoc
- C. codetables
- D. messages
- E. database

**Correct Answer:** AE

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: [https://www.ibm.com/developerworks/community/blogs/5e15a5a7-d4d6-4880-bd9c-e6819061a832/resource/HandyGuideToCuramBuildTargets\\_v1.0.pdf?lang=en](https://www.ibm.com/developerworks/community/blogs/5e15a5a7-d4d6-4880-bd9c-e6819061a832/resource/HandyGuideToCuramBuildTargets_v1.0.pdf?lang=en)

### QUESTION 2

You have two structs, Struct A and Struct B. Struct A contains an attribute called att1 of type MYDOMAIN1, based on SVR\_INT64. Struct B contains an attribute called att1 of type MYDOMAIN2, based on SVR\_STRING.

What happens when the assignment statement **structA.assign(structB)** is executed?

- A. It auto casts structA's attribute data types to match that of structB.
- B. It auto casts structB's attribute data types to match that of structA.
- C. It will throw a cast error.
- D. It will throw error "assign" method cannot have arguments".

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**

### QUESTION 3

Customization of out-of-the-box (OOTB) artifacts is implemented in IBM Cúram SPM by overriding OOTB artifacts with custom ones or by merging OOTB artifacts with custom ones.

Which two artifacts types are customized by merging? (Choose two.)

- A. "-config.xml
- B. \*.nav
- C. \*.properties
- D. \*.uimE. \*.vim

**Correct Answer:** CD

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 4** Suppose that you created a new Process class in your model and performed a build generated command.

What do you need to do next?

- A. Implement the methods in the generated impl version of the class.



- B. Copy the generated impl class from the build/svr/gen/temp folder into the impl package.
- C. Implement the modeled methods in the base class.
- D. Create a new class in the impl package.

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

#### QUESTION 5

How is the menu option button in this image created?

#### Communications



Subject	Type	Name	Communication Status	Date	Status

- A. A PAGE-level ACTION\_SET with more than 2 ACTION\_CONTROLS is added.
- B. A PAGE-level ACTION\_SET with 1 ACTION\_CONTROL containing a LINK element is added.
- C. A LIST-level ACTION\_SET with 1 ACTION\_CONTROL containing a LINK element is added.
- D. A LIST-level ACTION\_SET with more than 2 ACTION\_CONTROLS is added.

**Correct Answer:** C

**Section:** (none)


**Explanation**

**Explanation/Reference:**



#### QUESTION 6

Consider the following assignable relationship:



Which statement about the modeling is true?

- A. You cannot assign an entity to a struct.
- B. You cannot assign an entity to a struct that aggregates other structs.
- C. You cannot assign an entity to a list struct.
- D. There is nothing wrong with the modeling.

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 7** Which two statements about customizing a client page are true?  
(Choose two.)

- A. Copy the UIM or VIM file to a custom folder and make all changes to the copied file.
- B. The custom page can have a different name to the page that you are customizing.
- C. You can make the changes directly to the out-of-the-box UIM or VIM file.
- D. Do not change the name of the page.
- E. The generator will ensure that the UIM file in the component with the lowest priority is the one that will be used.

**Correct Answer:** CD

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 8**

Consider the definition of the code table item in the following extract from TrafficLights.ctx:



```
<codetables package="curam.codetable">
  <codetable java_identifier="TRAFFICLIGHTS" name="TrafficLights">
    <code default="true" java_identifier="GO" status="ENABLED" value="TL1">
      <locale language="en" sort_order="0">
        <description>Green</description>
      </locale>
    </code>
  </codetable>
</codetables>
```

Which Java statement checks the status of an attribute called trafficLight?

- A. if (trafficLight.equals(curam.codetable.TRAFFICLIGHTS.GO)) {
- B. if (trafficLight.equals(curam.codetable.TRAFFICLIGHTS.TL1)) {
- C. if (trafficLight.equals(curam.codetable.TRAFFICLIGHTS.GREEN)) {
- D. if (trafficLight.equals("Green")) {

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 9** Which statement about UIM  
pages is correct?

- A. A UIM page can appear in more than one component, and the version displayed at runtime depends on which components the user is allowed to access.
- B. A UIM page cannot appear in more than one component.
- C. UIM pages appear in more than one component will be merged.
- D. If a UIM page appears in more than one component, only the page from the highest priority component will be displayed at runtime.

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: [https://www.ibm.com/support/knowledgecenter/SS8S5A\\_6.1.0/com.ibm.curam.content.doc/WebClientReference/r\\_WEBCREf\\_Reference1Attributes22.html](https://www.ibm.com/support/knowledgecenter/SS8S5A_6.1.0/com.ibm.curam.content.doc/WebClientReference/r_WEBCREf_Reference1Attributes22.html)

**QUESTION 10** Which statement about customizing restricted code tables is true?

- A. Use the Administration Suite to disable the restricted property for the code table before customizing it.
- B. Customize the code table as normal, but the code table may be removed in the next release.
- C. Custom code tables can be defined as restricted when you first create them.
- D. Raise a support case if a restricted code table needs to be customized.

**Correct Answer:** A

**Section:** (none)


**Explanation**

**Explanation/Reference:**

Reference: <https://www.ibm.com/support/pages/ibm-cúram-social-program-management-platform-6030>

**QUESTION 11**

Consider the entity and struct shown in the model:



What is the correct way to model the input parameter for a façade operation that calls readyByAttribute?

- A. Type=SampleEntity1, Shadow Type=Key
- B. Type=SampleStruct1, Shadow Type=unspecified
- C. Type=SampleStruct1, Shadow Type=Key
- D. Type=SampleEntity1, Shadow Type=unspecified

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 12** Which statement about the different approachable to generating unique IDs is true?

- A. A dedicated BPO should be used to generate readable keys.
- B. A programmatic or model-based approach allows a developer to access the unique ID form their code once the key is generated.
- C. The model-based approach should be used to generate keys from the Default KeySet.
- D. A key set must be specified when using the programmatic approach.

**Correct Answer:** D

**Section:** (none)


**Explanation**

**Explanation/Reference:**

Reference: [https://www.ibm.com/support/knowledgecenter/SS8S5A\\_7.0.9/com.ibm.curam.content.doc/ServerDeveloper/c\\_SERDEV\\_Unique1UniqueIds1.html](https://www.ibm.com/support/knowledgecenter/SS8S5A_7.0.9/com.ibm.curam.content.doc/ServerDeveloper/c_SERDEV_Unique1UniqueIds1.html)

**QUESTION 13**

You want to add a custom attribute to an out-of-the-box (OOTB) struct called CaseDetails. You create a custom struct called CustomCaseDetails. Both structs are shown in the diagram.



Which association should you model next?

- A. CustomCaseDetails subclasses CaseDetails.
- B. CustomCaseDetails aggregates CaseDetails.
- C. CaseDetails is assigned to CustomCaseDetails.
- D. CaseDetails aggregates CustomCaseDetails.

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 14**

Which documentation resource contains a list of allowed and discouraged overrides for domain definitions?

- A. Modeling Reference Guide.
- B. Server Developer's Guide.
- C. Web Client Reference Guide.
- D. Development Compliancy Guide.

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: [https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=1&ved=2ahUKEwiT8LiF6oTnAhUpylUKHUkfD\\_IQFjAAegQIARAC&url=ftp%3A%2F%2Fpublic.dhe.ibm.com%2Fsoftware%2Fsolutions%2Fcuram%2F6.0.4.0%2Fen%2FDevelopers%2FCuramServerModellingGuide.pdf&usq=AOvVaw3zCdfyWq3-9sTeq24TBILM](https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=1&ved=2ahUKEwiT8LiF6oTnAhUpylUKHUkfD_IQFjAAegQIARAC&url=ftp%3A%2F%2Fpublic.dhe.ibm.com%2Fsoftware%2Fsolutions%2Fcuram%2F6.0.4.0%2Fen%2FDevelopers%2FCuramServerModellingGuide.pdf&usq=AOvVaw3zCdfyWq3-9sTeq24TBILM)

**QUESTION 15** You want to make a field on a page mandatory.

Which task is valid?

- A. Configure the Allow\_Nulls property of the entity's attribute to be set to false.
- B. Configure the Require\_Mandatory property of the entity's attribute to be set to true.
- C. Specify the name of the field in the Mandatory\_Fields property of the modeled operation's argument struct.
- D. Write a custom Java function to check for a value being present and specify the function on the Custom\_Validation\_Function\_Name property of the relevant domain definition.

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: [https://www.ibm.com/support/knowledgecenter/SS8S5A\\_7.0.9/com.ibm.curam.content.doc/ServerModelling/ctr\\_CuramServerModellingGuide.html](https://www.ibm.com/support/knowledgecenter/SS8S5A_7.0.9/com.ibm.curam.content.doc/ServerModelling/ctr_CuramServerModellingGuide.html)

**QUESTION 16** Which two values are valid for the NAME attribute of a TARGET element?  
(Choose two.)

- A. TEXT
- B. A named SERVER\_INTERFACE
- C. PAGE
- D. CONST
- E. THIS



**Correct Answer:** BC

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: [https://www.ibm.com/support/knowledgecenter/SS8S5A\\_7.0.9/com.ibm.curam.content.doc/WebClientReference/r\\_WEBCREf\\_Reference1Link1.html](https://www.ibm.com/support/knowledgecenter/SS8S5A_7.0.9/com.ibm.curam.content.doc/WebClientReference/r_WEBCREf_Reference1Link1.html)

**QUESTION 17** StructA aggregates two structs, namely, StructB and StructC.

Which statement about the aggregation is correct?

- A. No two structs in the aggregation can have attributes with the same name.
- B. Unique role names must be specified for the aggregations.
- C. Unique labels must be specified for the aggregations.
- D. Other aggregations cannot include StructA, StructB, or StructC.

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**



**QUESTION 18** Which statement about domain definitions is true?

- A. To customize a domain named MYDOMAIN, create a new domain definition named MYDOMAIN in your custom package.
- B. Domain definitions are a UML concept.
- C. All attributes and entities must be based on domain definitions.
- D. A Domain may consist of a mixture of primitive types and other domain definitions.

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: [https://www.ibm.com/support/knowledgecenter/SS8S5A\\_7.0.9/com.ibm.curam.content.doc/ServerModelling/r\\_SERMOD\\_Definitions1DomainDefinitionClasses1.html](https://www.ibm.com/support/knowledgecenter/SS8S5A_7.0.9/com.ibm.curam.content.doc/ServerModelling/r_SERMOD_Definitions1DomainDefinitionClasses1.html)

**QUESTION 19** What is specified in the .app file for application-

wide searching? A. References to search pages.

- B. The name of the parameter that stores the search input value.
- C. The name of the server interface that is called to perform the search.
- D. A default search input value.

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 20** Which two values are valid for the MODE attribute of the MENU element?  
(Choose two.)

- A. EXPANDABLE
- B. IN\_PAGE\_NAVIGATION
- C. TRUE
- D. FALSE
- E. WIZARD\_PROGRESS\_BAR

**Correct Answer:** CD

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 21**

Which task is valid when developing REST APIs in IBM Cúram SPM?

- A. Run 'build database' whenever you modify ResourcesConfig.xml.
- B. Define operations of type <<rest>> in a class of type <<facade>>.
- C. Document the structs and operations in ResourcesConfig.xml so that the documentation appears in Swagger UI.
- D. Specify the mandatory fields in the model.

**Correct Answer:** D

**Section:** (none)

**Explanation**





**Explanation/Reference:**

Reference: [https://www.ibm.com/support/knowledgecenter/SS8S5A\\_7.0.9/com.ibm.curam.content.doc/MSDK/msdk\\_t\\_add\\_mandatory\\_fields.html](https://www.ibm.com/support/knowledgecenter/SS8S5A_7.0.9/com.ibm.curam.content.doc/MSDK/msdk_t_add_mandatory_fields.html)

**QUESTION 22** Which three of the following are Application Tier Layers in the IBM Cúram SPM application?  
(Choose three.)

- A. Remote Interface Layer.
- B. Session Layer.
- C. Data Control Layer.
- D. Business Object Layer.
- E. Access Control Layer.
- F. Data Access Layer.

**Correct Answer:** ADF

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: <http://www.knowledgewala.com/ibm-curam-7-x-certification-important-notes/>

**QUESTION 23**

Examine this fragment of UIM code:

```
<!--Show an image within the cluster -->
<CLUSTER TITLE="Cluster.Title.Description">
  <IMAGE LABEL="Image.Label.Logo" IMAGE="Curamlogo.jpg"/>
</CLUSTER>
```

Which two statements about the UIM code are true? (Choose two.)

- A. Curamlogo.jpg corresponds to the name of an image file under the WebContent/Images directory.
- B. There can be no other UIM elements declared inside the CLUSTER.
- C. The IMAGE attribute can be specified as part of the CLUSTER element.
- D. The text associated with Image.Label.Logo is used as text for the image.
- E. A build client will fail because the IMAGE element should be declared inside a CONTAINER.

**Correct Answer:** AC

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 24** You want to execute a custom SQL script called MyChanges.sql.

Which statement describes how to execute MyChanges.sql when the database is built?

- A. Add MyChanges.sql to your custom data\test folder, from where it loads automatically.
- B. Add MyChanges.sql to your custom data\test folder and reference it from a DMX file.
- C. Add MyChanges.sql to your custom folder and reference it from datamanager\_config.xml.
- D. Add MyChanges.sql to your custom folder and reference it from the database ANT script.

**Correct Answer:** B

**Section:** (none)


**Explanation**

**Explanation/Reference:**

Reference: [https://www.ibm.com/support/knowledgecenter/en/SS8S5A\\_7.0.9/com.ibm.curam.content.doc/ServerDeveloper/r\\_SERDEV\\_Targets1ExtraTargets1.html](https://www.ibm.com/support/knowledgecenter/en/SS8S5A_7.0.9/com.ibm.curam.content.doc/ServerDeveloper/r_SERDEV_Targets1ExtraTargets1.html)

**QUESTION 25**

Consider this out-of-the-box (OOTB) façade:



Which statement represents a compliant approach when customizing the mandatory fields of the createAccount() operation?

- A. Change the Mandatory Field option for create createAccount() in a custom façade that subclasses AccountFaçade and set Replace\_Superclass=No.
- B. Change the Mandatory Field option for create createAccount() in a custom façade that does not subclass AccountFaçade.
- C. Change the Mandatory Field option for create createAccount() in a custom façade that subclasses AccountFaçade and set Replace\_Superclass=Yes.
- D. It is not possible a Mandatory field option, so a support case should be raised if the developer thinks it needs to be changed.

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 26** Which three of the following are IBM Cúram Application Modules?

(Choose three.)

- A. Technical Services.
- B. Business Intelligence and Analytics.
- C. Provider Management.
- D. Social Program Management Platform.
- E. Child Welfare.
- F. Case Management.



**Correct Answer:** BCE

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: [https://www.ibm.com/support/knowledgecenter/SS8S5A\\_7.0.4/com.ibm.curam.content.doc/product\\_overview/c\\_enterprise\\_modules.html](https://www.ibm.com/support/knowledgecenter/SS8S5A_7.0.4/com.ibm.curam.content.doc/product_overview/c_enterprise_modules.html)

**QUESTION 27** You added a code

to a code table.

Which three build targets must you run so that the code displays on a client page? (Choose three.)

- A. client
- B. codetable
- C. database
- D. clean
- E. ctgen
- F. implemented

**Correct Answer:** BCE

**Section: (none)**

**Explanation**

**Explanation/Reference:**

Reference: [https://www.ibm.com/developerworks/community/blogs/5e15a5a7-d4d6-4880-bd9c-e6819061a832/resource/HandyGuideToCuramBuildTargets\\_v1.0.pdf?lang=en](https://www.ibm.com/developerworks/community/blogs/5e15a5a7-d4d6-4880-bd9c-e6819061a832/resource/HandyGuideToCuramBuildTargets_v1.0.pdf?lang=en)

**QUESTION 28** You need to download the IBM  
Cúram 7.0.1 release.

Which tool do you use?

- A. Passport Advantage.
- B. Fix Central.
- C. RFE Tool.
- D. SR Tool.

**Correct Answer: B**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

Reference: <https://www.ibm.com/support/pages/ibm-cúram-social-program-management-7050>

**QUESTION 29** Which statement about the use of Google Guice in IBM  
Cúram SPM is true?

- A. It is an adaptor for entity classes.
- B. It provides a factory mechanism.
- C. It dispatches events to listeners.
- D. It removes the need for façade classes.



**Correct Answer: D**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

**QUESTION 30** Consider this warning in the source code editor when  
EmployerFactory is referenced:

“Discouraged access: The type EmployerFactory is not accessible due to restriction on required library EJBServer/components/core/lib/core.jar.”

Which annotation is EmployerFactory declared with?

- A. @AccessLevel(DEPRECATED)
- B. @AccessLevel(INTERNAL)
- C. @AccessLevel(EXTERNAL)
- D. @AccessLevel(RESTRICTED)

**Correct Answer: D**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

**QUESTION 31** In RSA, the Cúram properties tab allows you to specify the Left\_Class\_Shadow\_Type and Right\_Class\_Shadow\_Type for certain associations. For which two associations can you specify the shadow class types? (Choose two.)

- A. Subclassing.
- B. Assignable.
- C. Foreign Key.
- D. Index.
- E. Aggregation.

**Correct Answer:** AB

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 32**

Examine this UIM code snippet:

```
<SERVER_INTERFACE CLASS="Employer" NAME="DISPLAY" OPERATION="getEmployee"/>
```

```
<PAGE_PARAMETER NAME="personID"/>
```

```
<CONNECT>
```

```
<SOURCE NAME="PAGE" PROPERTY="personID"/>
```

```
<TARGET NAME="DISPLAY" PROPERTY="key$personID"/>
```

```
</CONNECT>
```

```
<LIST>
```

```
<FIELD LABEL="Field.Title.PersonReference" WIDTH="20">
```

```
<CONNECT>
```

```
<SOURCE NAME="DISPLAY" PROPERTY="personReference"/>
```

```
</CONNECT>
```

```
<LINK PAGE_ID="Person_Home">
```

```
<CONNECT>
```

```
<SOURCE NAME="DISPLAY" PROPERTY="name"/>
```

```
<TARGET NAME="PAGE" PROPERTY="name"/>
```

```
</CONNECT>
```

```
</LINK>
```

```
</FIELD>
```

```
...
```

```
</LIST>
```



How will the field element be displayed in the list?

- A. As an editable text field.
- B. As a non-editable text field.
- C. As a text field hyperlink.
- D. As a drop-down list field.

**Correct Answer:** B

**Section: (none)**

**Explanation**

**Explanation/Reference:**

**QUESTION 33** Examine the following piece of code:

```
curam.impl.MyProcess = curam.fact.MyProcessFactory.newInstance();
```

If `curam.impl.MyProcess` is defined as an abstract class as recommended, which statement is true?

- A. The code is incorrect because `MyProcess` should be from the base package.
- B. The code is incorrect because `MyProcess` should be from the `intf` package.
- C. The code is incorrect because the class `curam.fact.MyProcessFactory` does not contain a static method *`newInstance()`*.
- D. There is nothing wrong with this code.

**Correct Answer: C**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

**QUESTION 34** You made a change to application navigation artifacts.

Which two build targets ensure that the runtime behavior of application navigation accurately corresponds to what has been configured? (Choose two.)

- A. `build generated`
- B. `build database`
- C. `build navconfig`
- D. `build inserttabconfiguration`
- E. `build clean client`



**Correct Answer: AB**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

**QUESTION 35** You are asked to implement a feature that checks client eligibility. The feature should be executed from a page. However, the time to perform the eligibility check may take longer than the accessible waiting time for users.

Which type of process should you use to implement the feature?

- A. Timer.
- B. Deferred.
- C. Event.
- D. Batch.

**Correct Answer: D**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

**QUESTION 36**

The code table file called MyCodetable.ctx is defined in the following components: core, custom, and mycomponent.

core\MyCodeTable.ctx

```
<codetables package="curom.codetable">
  <codetable java_identifier="MYCODETABLE" name="MyCodeTable">
    <code default="true" java_identifier="CODE1" status="ENABLED" value="CV1">
      <locale language="en" sort_order="0">
        <description>Core value 1</description>
      </locale>
    </code>
    <code default="true" java_identifier="CODE2" status="ENABLED" value="CV2">
      <locale language="en" sort_order="0">
        <description>Core value 2</description>
      </locale>
    </code>
  </codetable>
</codetables>
```

custom\MyCodeTable.ctx

```
</codetables package="curom.codetable">
  <codetable java_identifier="MYCODETABLE" name="MyCodeTable">
    <code default="true" java_identifier="CODE1" status="ENABLED" value="CV1">
      <locale language="en" sort_order="0">
        <description>Custom value 1</description>
      </locale>
    </code>
  </codetable>
</codetables>
```

mycomponent\MyCodeTable.ctx

```
</codetables package="curom.codetable">
  <codetable java_identifier="MYCODETABLE" name="MyCodeTable">
    <code default="true" java_identifier="CODE1" status="ENABLED" value="CV1">
      <locale language="en" sort_order="0">
        <description>Mycomponent value 1</description>
      </locale>
    </code>
  </codetable>
</codetables>
```



The SERVER\_COMPONENT\_ORDER variable is set as SERVER\_COMPONENT\_ORDER=custom,mycomponent.

Which will be the set of code\value pairs for MyCodetable?

- A. CV1 - Mycomponent Value 1 CV2 - Core Value 2
- B. CV1 - Custom value 1 CV2 - Core value 2
- C. CV1 - Mycomponent Value 1
- D. CV1 - Custom value 1

**Correct Answer: C**



**Section: (none)**

**Explanation**

**Explanation/Reference:**

**QUESTION 37** Which two statements about configurable validations are true? (Choose two.)

- A. All out-of-the-box validations are configurable.
- B. Configurable validations are disabled by default.
- C. Configurable validations are listed in the Analysis Documentation.
- D. Configurable validations can be enabled and disabled by using the Administration Suite.
- E. Configurable validation error messages are defined in the ValidationConfiguration.xml file.

**Correct Answer: AD**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

Reference: [https://www.ibm.com/support/knowledgecenter/SS8S5A\\_6.1.1/com.ibm.curam.content.doc/SystemAdministration/c\\_SYSCONFIGAppConfigEnableDisableValidations.html](https://www.ibm.com/support/knowledgecenter/SS8S5A_6.1.1/com.ibm.curam.content.doc/SystemAdministration/c_SYSCONFIGAppConfigEnableDisableValidations.html)

**QUESTION 38** Which statement about customizing code table items in a way that avoids conflicts during future upgrade is true?

- A. Continue the sequential names for the code items that already have been chosen by IBM.
- B. Update the code table item in the out-of-the-box (OOTB) file.
- C. Choose code item names that have different letter prefixes to any existing names.
- D. There is no limit to the length of the table item name.

**Correct Answer: C**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

**QUESTION 39** You want to add a custom operation to an out-of-the-box entity.

Which action should you perform in RSA?

- A. Add a generalization between the two entity classes.
- B. Add an aggregation between the two entity classes.
- C. Add an assignable between the two entity classes.
- D. Create a new entity class with the same name as the base entity class.

**Correct Answer: B**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

**QUESTION 40** Which two statements about the UIM generator are true? (Choose two.) A. It is an editor for designing the layout of UIM pages.



- B. It uses the ServerAccessBeans.xml file to create SERVER\_INTERFACE elements.
- C. It can be used to set the phase of a SERVER\_INTERFACE.
- D. It is run as part of build client.
- E. It uses the *build beandoc* command to create SERVER\_INTERFACE elements.

**Correct Answer:** BD

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: <https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=2&ved=2ahUKEwjazZDrkobnAhWsyYUKHTo3DBsQFjABegQIAhAB&url=ftp%3A%2F%2Fpublic.dhe.ibm.com%2Fsoftware%2Fsolutions%2Fcuram%2F6.0.5.1%2Fen%2Fhtml%2FDevelopers%2FCuramWebClientReferenceManual%2F%20WEBCREF%20Development1UimGeneratorTool1.html&usg=AOvVaw30A9F9skqTHfWfyBqhYAwH>

#### QUESTION 41

You get the following error message while adding custom functionality:

**Error!**



The page you have requested is not available. One possible cause is that you are not licensed for the necessary Cúram module. If that is the case, you can use the User Interface administration screens to remove these links.

What is the most likely cause of the error?

- A. An artifact links to a page that does not exist.
- B. The security for the UIM page is not defined.
- C. A Page parameter is incorrectly specified.
- D. A Server Interface has the wrong PHASE.

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: <https://www-01.ibm.com/support/docview.wss?uid=swg1PO01739>

**QUESTION 42** Which statement about handcrafted service layer classes is true?

- A. The generators create the intf, base, and factory classes, while the developer provides the impl class.
- B. Entity classes are not modeled, as they are provided by the Entity Interface.
- C. The DAO Interface provides search (readmulti) operations.
- D. Handcrafted service layer classes do not use structs.

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

#### QUESTION 43

You can localize custom validations that are written in Java by using an external locale-specific properties file.

Which two of the following are correct locale-specific properties files for such validations? (Choose two.)

- A. ErrorMessages\_fr.properties
- B. ErrorMessages\_US\_en.properties
- C. ErrorMessages.properties\_fr

- D. ErrorMessage\_en\_US.properties
- E. en\_ErrorMessage.propereties

**Correct Answer:** AD

**Section:** (none)


**Explanation**

**Explanation/Reference:**

Reference: <https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=10&ved=2ahUKEwiggeblbnAhUFUhoKHdnBnQQFjAJegQIARAC&url=ftp%3A%2F%2Fftp.support.lotus.com%2Fsoftware%2Fsolutions%2Fcuram%2F6.0.5.4%2Fen%2Fpdf%2FCuramWebClientReferenceManual.pdf&usg=AOvVaw3fE5ixnKYGZfQVHWmATNNA>

#### QUESTION 44

In the screenshot below, what type of application navigation element can be expected to correspond with the element highlighted in red?



- A. Section.
- B. Menu.
- C. Tab.
- D. Navigation Tab.

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**

#### QUESTION 45

The following ACTION\_SET is defined at the page level in a UIM file:

```
<ACTION_SET ALIGNMENT="CENTER">
  <ACTION_CONTROL IMAGE="SaveButton" LABEL="ActionControl.Label.Save"
    Type="SUBMIT">
  </ACTION_CONTROL>
  <SEPARATOR/>
  <ACTION_CONTROL IMAGE="CancelButton" LABEL="ActionControl.Label.Edit">
  </ACTION_CONTROL>
</ACTION_SET>
```

What is the output from this UIM fragment?

- A. A page drop-down menu that contains two menu items and one separator.
- B. Two buttons that display beside each other next to the page title.
- C. Two button that display beside each other below the page title bar.
- D. A page drop-down menu that contains two menu items and no separate.

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 46** Which two statements about domain plug-ins are true? (Choose two.)

- A. They are associated with domain definitions via domain definition property in RSA.
- B. They are inherited from parent domain definitions.
- C. They perform validation checks defined as domain definition properties.
- D. They are implemented by using JSP Scriptlets.
- E. They execute in the EJB container.

**Correct Answer:** AD

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 47** You need to return the total number of people who are under 21 and not studying or in employment.

Which operation is the most suitable to define for the Person Entity?

- A. readmulti
- B. nsreadmulti
- C. nkreadmulti
- D. ns.

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: [https://www.ibm.com/support/knowledgecenter/SS8S5A\\_7.0.9/com.ibm.curam.content.doc/ServerModelling/r\\_SERMOD\\_Operations6NonstandardReadmultiGeneratedSql1.html](https://www.ibm.com/support/knowledgecenter/SS8S5A_7.0.9/com.ibm.curam.content.doc/ServerModelling/r_SERMOD_Operations6NonstandardReadmultiGeneratedSql1.html)

**QUESTION 48** Which two statements about EVX events are true? (Choose two.)

- A. Developers can define custom listeners for out-of-the-box events.
- B. EVX files map events to listeners.
- C. Event handlers and event raisers execute in separate transactions.
- D. Event filters handlers can be defined in the same class.
- E. EVX events implement the Strategy pattern.

**Correct Answer:** DE

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: [https://www.ibm.com/support/knowledgecenter/en/SS8S5A\\_7.0.9/com.ibm.curam.content.doc/ServerDeveloper/r\\_SERDEV\\_Handlers1EventHandlerRegistration1.html](https://www.ibm.com/support/knowledgecenter/en/SS8S5A_7.0.9/com.ibm.curam.content.doc/ServerDeveloper/r_SERDEV_Handlers1EventHandlerRegistration1.html)

**QUESTION 49** Which entity customization is compliant?

- A. Override a stereotyped operation.
- B. Enable an exit point.
- C. Add an attribute by using subclassing.
- D. Add an attribute by using aggregation.

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**



**QUESTION 50**

An out-of-the-box (OOTB) application called Care Worker defines shortcuts in files called CWShortcuts.ssp, which are located in the tab folder of several OOTB components.

Which task will you perform to add a custom shortcut for the Care Worker application?

- A. Copy CWShortcuts.ssp from the OOTB component that you are customizing to your custom clientapps folder and add the link.
- B. Merge the CWShortcuts.ssp files from all of the OOTB components, copy the merged version to your custom clientapps folder, and add the link.
- C. Copy CWShortcuts.ssp from the OOTB component that you are customizing to your custom PFMApViews\tab folder, and add the link.
- D. Merge the CWShortcuts.ssp files from all of the OOTB components, copy the merged version to your custom PFMApViews\tab folder, and add the link.

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 51** Which two statements about dynamic conditional clusters are true? (Choose two.)

- A. A dynamic cluster will always be displayed when the page initially loads.
- B. The implementation of dynamic conditional clusters uses JavaScript.
- C. Dynamic conditional clusters cannot be nested for performance reasons.
- D. If a cluster is hidden when the data is submitted, default data is sent to the server.
- E. If there are mandatory fields in a hidden cluster, default values are sent to the server when the data is submitted.

**Correct Answer:** AB

**Section: (none)**

**Explanation**

**Explanation/Reference:**

Reference: [https://www.ibm.com/support/knowledgecenter/SS8S5A\\_7.0.9/com.ibm.curam.content.doc/WebClientReference/r\\_WEBCREF\\_Reference1UimDynamicConditionalClusters.html](https://www.ibm.com/support/knowledgecenter/SS8S5A_7.0.9/com.ibm.curam.content.doc/WebClientReference/r_WEBCREF_Reference1UimDynamicConditionalClusters.html)

**QUESTION 52**

Examine the below message definition. What is the result when the runtime locale is set to fr\_CA?

```
<message name="MESSAGE_WHERE">
  <locale country="CA" language="en">Washroom</locale>
  <locale country="GB" language="en">Lavatory</locale>
  <locale language="en">Restroom</locale>
</message>
```

- A. Washroom.
- B. Lavatory.
- C. Restroom.
- D. An error is displayed.

**Correct Answer: A**

**Section: (none)**


**Explanation**

**Explanation/Reference:**



**QUESTION 53**

You want to model attribute2 as a code table in the following entity.



Which two steps are required? (Choose two.)

- A. Set the domain definition for attribute2 to CODETABLE\_CODE.
- B. Set the Type for SAMPLE\_DOMAIN2 to CODETABLE\_CODE.
- C. Define the code table name as a property of attribute2.
- D. Define the code table name as a property of SAMPLE\_DOMAIN2.
- E. Define the code table name as a property of CODETABLE\_CODE.

**Correct Answer: BC**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

**QUESTION 54** Which two statements about page parameters are true? (Choose two.)

- A. Any number of PAGE\_PARAMETERS can be declared on a page, regardless of whether they are used.
- B. Each parameter that is passed from one page to another must be declared on the accepting page as PAGE\_PARAMETER.C. The order of the PAGE\_PARAMETERS declared on a page must match the order that they are sent from the sending page.
- D. Where a parameter is passed into a PAGE, the corresponding PAGE\_PARAMETER must include the calling PAGE\_ID.
- E. You can define page parameters in .mnu, and .nav files using the page-param element.

**Correct Answer:** DE

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 55** You discover a possible bug in the out-of-the-box application.

Which three items does IBM recommend that you send to the Cúram Support Team when you raise the issue. (Choose three.)

- A. Output from 'build' configreport'.
- B. Tech Notes for the release.
- C. JMX statistics.
- D. CADG output.
- E. Custom code base.
- F. Screen shots.



**Correct Answer:** ADF

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: <https://www.ibm.com/support/pages/collecting-data-cúram-social-program-management-issues>

**QUESTION 56** Which documentation resource provides a list of configurable validation messages?

- A. IBM Cúram Server Developer's Guide.
- B. JavaDoc.
- C. Analysis Documentation.
- D. IBM Cúram Development Compliancy Guide.

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 57**

A UIM page in the custom component contains the following SCRIPT element:



```
<SCRIPT EVENT="ONCLICK"  
    ACTION="myAction()"  
    SCRIPT_FILE="MyJavaScript.js" />
```

In the web client application is installed in <client-dir>, which folder should you use to store MyJavaScript.js file?

- A. <client-dir>\components\WebContent
- B. <client-dir>\components\custom\javascript
- C. <client-dir>\components\custom\WebContent
- D. <client-dir>\components\javascript

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: <https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=1&ved=2ahUKEwjLgPfpYbnAhUJhRoKHUo8BoEQFjAAegQIAxAC&url=ftp%3A%2F%2Fpublic.dhe.ibm.com%2Fsoftware%2Fsolutions%2Fcuram%2F6.0.5.0%2Fen%2Fpdf%2FDevelopers%2FCuramWebClientReferenceManual.pdf&usg=AOvVaw3-Zdp41RwPJ82g-QTlodpu>

**QUESTION 58** Which two exceptions are checked exceptions in IBM Cúram SPM? (Choose two.)

- A. curam.util.exception.AppException.
- B. curam.util.exception.AppRuntimeException.
- C. curam.util.exception.DatabaseException.
- D. curam.util.exception.RecordNotFoundException.
- E. curam.util.exception.InformationException.



**Correct Answer:** AE

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: [https://www.ibm.com/support/knowledgecenter/SS8S5A\\_7.0.9/com.ibm.curam.content.doc/ServerDeveloper/r\\_SERDEV\\_Exceptions1UsingExceptions1.html](https://www.ibm.com/support/knowledgecenter/SS8S5A_7.0.9/com.ibm.curam.content.doc/ServerDeveloper/r_SERDEV_Exceptions1UsingExceptions1.html)

**QUESTION 59** Which two of the following are stored in the datamanager\_config.xml file? (Choose two.)

- A. Database table names used by the application.
- B. Database type and port numbers.
- C. References to folders containing DMX files.
- D. References to SQL scripts to be run on a build.
- E. References to CTX files containing code tables to be inserted on a build.

**Correct Answer:** BD

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: [https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=6&ved=2ahUKEwji4fWqqIbnAhXEzIUkHYeIDIsQFjAFegQIBRAC&url=ftp%3A%2F%2Fftp.support.lotus.com%2Fsoftware%2Fsolutions%2Fcuram%2F6.0.5.5.3%2Fen%2Fpdf%2FCuramServerDeveloperGuide.pdf&usg=AOvVaw3ySuCgvFqEPA\\_Tw8NTC6gw](https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=6&ved=2ahUKEwji4fWqqIbnAhXEzIUkHYeIDIsQFjAFegQIBRAC&url=ftp%3A%2F%2Fftp.support.lotus.com%2Fsoftware%2Fsolutions%2Fcuram%2F6.0.5.5.3%2Fen%2Fpdf%2FCuramServerDeveloperGuide.pdf&usg=AOvVaw3ySuCgvFqEPA_Tw8NTC6gw)

**QUESTION 60**

You used the IBM Cúram SPM Administration application to modify an out-of-the-box (OOTB) Intelligent Evidence Gathering (IEG) script. You then extracted the script to the file system.

Which two tasks do you need to perform to ensure that the script loads the next time the database is built? (Choose two.)



- A. Copy the IEG script into your custom DMX file.
- B. Copy the IEG script to your custom DMX file to reference the script.
- C. Modify the entry in the custom DMX file to reference the script.
- D. Replace the IEG script in the OOTB folder with the custom script.
- E. Load the IEG script to the APPRESOURCE folder.

**Correct Answer:** BE

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 61** When customizing out-of-the-box (OOTB) artifacts in RSA, which customization is compliant?

- A. Modifying relationships in place between OOTB classes.
- B. Assigning OOTB structs to other OOTB structs.
- C. Creating a new foreign key where the OOTB Entity is the child.
- D. Assigning a custom struct to an OOTB struct or entity.

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 62** Which two of the following are valid subdirectories of a server component directory? (Choose two.)

- A. configuration
- B. codetable
- C. database
- D. EJBserver
- E. message

**Correct Answer:** AD

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 63**

Examine this UIM code snippet:



```
<LIST>
  <FIELD LABEL="List.Title.Type" WIDTH="15">
    <CONNECT>
      <SOURCE NAME="SI_DISPLAY" PROPERTY="type"/>
    <CONNECT>
      <LINK PAGE_ID="Sample_viewCase">
        <CONNECT>
          <SOURCE NAME="SI_DISPLAY" PROPERTY="caseID"/>
          <TARGET NAME="PAGE" PROPERTY="caseID"/>
        </CONNECT>
      </LINK>
    </FIELD>
    ...
  </LIST>
```

Which two missing elements are required for this FIELD element to compile successfully? (Choose two.)

- A. A PAGE\_PARAMETER with NAME="caseID".
- B. A server interface with PHASE="DISPLAY".
- C. A server interface with PHASE="ACTION".
- D. A server interface call that returns an attribute called 'type'.
- E. An ACTION\_CONTROL of type ACTION.



**Correct Answer:** AE

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 64** A developer has defined an outbound (accessing) web server in Cúram SPM.

Which build command must they execute?

- A. build database
- B. build webservices
- C. build websphereEAR or build weblogicEAR
- D. build wasonnector2

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 65**

Which two statements about port-processing informational messages are true? (Choose two.)

- A. The INFORMATIONAL element is used to display the messages.

- B. failOperation() is called to return the messages.
- C. Messages can be logged using the setLoggable method.
- D. Messages are added with type InformationalElement.InformationType.kError.
- E. Informational messages must be converted to a list of structs before they are returned to the client.

**Correct Answer:** AB

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: [https://www.ibm.com/support/knowledgecenter/SS8S5A\\_7.0.0/com.ibm.curam.content.doc/WebClientReference/r\\_WEBCREf\\_Reference1Informational1.html](https://www.ibm.com/support/knowledgecenter/SS8S5A_7.0.0/com.ibm.curam.content.doc/WebClientReference/r_WEBCREf_Reference1Informational1.html)

**QUESTION 66** Which statement about developing pods IBM Cúram SPM is true?

- A. UIM pages that display pods must include PodContainer.vim.
- B. PodLoader classes call renders to generate HTML for each pod.
- C. UIM pages source HTML from the PodContainerInterface to display the pods.
- D. The PodContainerManager reads properties files to determine the pods to display for the page.

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: <https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=1&ved=2ahUKEwj2qSFslfnAhURLBoKHbmmBdEQFjAAegQIAhAB&url=ftp%3A%2F%2Fpublic.dhe.ibm.com%2Fsoftware%2Fsolutions%2Fcuram%2F6.0.4.0%2Fen%2FDevelopers%2FCuramPodDevelopersGuide.pdf&usg=AOvVaw0w-gSsRuZoBUGDxZPZzaoS> (14)

**QUESTION 67** Which two class types can be modeled in IBM Cúram SPM? (Choose two.)

- A. default
- B. rest
- C. batch
- D. façade
- E. inboundprocess

**Correct Answer:** DE

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Reference: [https://www.ibm.com/support/knowledgecenter/SS8S5A\\_7.0.9/com.ibm.curam.content.doc/ServerModelling/ctr\\_CuramServerModellingGuide.html](https://www.ibm.com/support/knowledgecenter/SS8S5A_7.0.9/com.ibm.curam.content.doc/ServerModelling/ctr_CuramServerModellingGuide.html)

**QUESTION 68**

An entity class called MyEntity includes a non-database method that is defined using the <<blank>> stereotype.

In which Java class is the method implemented?

- A. curam.intf.MyEntity
- B. curam.base.MyEntity
- C. curam.impl.MyEntity
- D. curam.fact.MyEntity

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 69** You want to define infrastructure validation for MYDOMAIN, which is based on SVR\_INT64.

Which validation property can you define for MYDOMAIN?

- A. Pattern\_Match.
- B. Enable\_Validation.
- C. Maximum\_Size.
- D. Custom\_Validation\_Function\_Name.

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 70** Which statement describes the purpose of the Persistence Infrastructure Adapter?

- A. It translates high-level data requests to entity operations.
- B. It maps calls from façade classes to handcrafted process classes.
- C. It dispatches persistence events to their listeners.
- D. It binds Entity interfaces to replaceable implementations.

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

