

## HP.Pre.HPE0-S60.20q - DEMO

Number: HPE0-S60  
Passing Score: 800  
Time Limit: 120 min



**Exam Code:** HPE0-S60  
**Exam Name:** HPE Compute Solutions  
**Website:** <https://VCEup.com/>  
**Team-Support:** <https://VCEplus.io/>



**QUESTION 1**

You are troubleshooting an HPE OneView server profile that presents a critical state. The server profile was configured with a Link Aggregation Group What should you check to fix the issue?

- A. if both FiexNICs are configured with the same speed
- B. If the logical enclosure is built on at least three HPE Synergy frames
- C. if both FiexNICs are connected to different networks
- D. if the logical enclosure is configured with redundant master modules

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 2**

Your customer experienced some problems caused by outdated HPE Superdome Flex firmware. Which update method should they use to avoid these issues in the future?

- A. HPE OneView method for I/O firmware update procedure
- B. RMC CLI to update I/O and HPE Persistent Memory firmware
- C. HPE OneView IT HPE Persistent Memory firmware must be updated.
- D. HPE SUM if HPE Persistent Memory firmware must be updated

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 3**

Your customer needs to move an application from an HPE Synergy 480 Gen10 Compute Module to an HPE Synergy 660 Gen 10 Compute Module. The 480 has a switch that has been manually zoned outside of HPE OneView. What must the customer do before migrating the application?

- A. Migrate the application to a Logical JBOD and connect it to the new server
- B. Copy the server profile and assign the clone to the new hardware
- C. Edit the server profile and change server hardware type
- D. Create a new server profile template and apply to the new hardware

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 4**

Your customer has me following HPE Synergy setup

- Three frames fully populated with HPE Synergy 480 Gen10 Plus modules and 25Gb/s downlink speed formulating a single logical enclosure
- Two HPE Virtual Connect SE 100Gb F32 Module for Synergy
- Four HPE Synergy 50Gb interconnect Link Module
- Six HPE Synergy Virtual Connect SE 32Gb FC Modules

The customer needs to add a frame.

Which statement about the expansion of this setup is true?

- A. The additional frame must have HPE Virtual Connect FC modules installed

www.VCEplus.io

- B. The customer can grow the existing logical enclosure up to 5 frames
- C. The customer has to create a new logical enclosure for the additional frame
- D. The additional frame cannot have 12Gb SAS connection modules installed

**Correct Answer: C**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

Explanation:

#### QUESTION 5

Your customer plans to deploy HPE OneView for VMware vCenter Server together with HPE Storage Integration Pack for VMware vCenter. The customer wants to use them to manage HPE Synergy Gen10 compute modules. HPE ProLiant Gen 10 servers and an MSA array.

Which statement about compatibility of the existing environment with the planned software components is true?

- A. Both HPE Synergy Gen10 full-height compute module plugins will require a license
- B. HPE OneView for VMware vCenter Server does not support standalone HPE ProLiant servers
- C. To use the required plugins HPE ProLiant Gen10 systems must be managed using HPE OneView
- D. HPE Storage integration Pack for VMware vCenter does not support MSA arrays

**Correct Answer: B**

**Section: (none)**


**Explanation**

**Explanation/Reference:**

Explanation:

#### QUESTION 6

Refer to the exhibit.



Which statement about this logical interconnect group is true?

- A. Both modules are located in different frames for redundancy
- B. For an uplink set, ports from different modules can be selected
- C. interconnect modules are installed in interconnect bays 1 and 4
- D. An additional license is required to change the enclosure count

www.VCEplus.io

**Correct Answer:** D  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**  
Explanation:

#### QUESTION 7

Your customer plans to add four HPE Synergy frames to an existing management ring. All installed frames are equipped with two 2-port FLM modules, while new frames will be equipped with 4-port FLM modules. Which statement about mixing different FLM modules is true?

- A. Existing 2-port FLM modules must be replaced with 4-port FLM modules
- B. A management ring can contain mixed frame link module configurations
- C. A management ring with mixed FLM modules cannot have more than 12 frames
- D. Mixing different FLM modules is allowed if all of them have the same firmware version

**Correct Answer:** C  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**  
Explanation:

#### QUESTION 8

You plan to configure a Link Aggregation Group (LAG) for two connections within a server profile for a compute node running an ESXi system. What is required from the VMware side to enable LAG?

- A. Virtual Distributed Switch
- B. vSphere Standard license
- C. Load balancing cluster
- D. Dedicated VMKernel port

**Correct Answer:** D  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**  
Explanation:

#### QUESTION 9

Which statement about HPE OneView milestone releases is true?

- A. A milestone release is a release which must be installed on HPE Composer to support current version of the Service Pack for Synergy
- B. A milestone release is a release that is published when HPE releases new hardware components to immediately support new systems
- C. A milestone release is available for selected partners that give access to HPE OneView features which are not officially announced.
- D. A milestone release is a release with an enhanced update architecture that is a prerequisite prior to updating to a subsequent release.

**Correct Answer:** A  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**  
Explanation:

#### QUESTION 10

Your customer has an HPE Synergy frame equipped with a D3940 Storage Module. Each of the compute nodes has an appropriate storage controller installed and two 12Gb SAS switches installed in the first fabric. The customer reports that compute nodes cannot access the storage module. What should you verify first when troubleshooting this problem?

www.VCEplus.io

- A. If the D3940 module is imported in managed state that allows volume provisioning.
- B. If there is a logical interconnect created based on the 12Gb SAS switches.
- C. If the D3940 storage module is properly licensed through HPE OneView interface.
- D. If there is at least one iSCSI network configured that will provide access to the module.

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### QUESTION 11

Your customer wants to add dedicated Fibre Channel connectivity to the HPE Synergy frame running HPE Synergy 480 Gen10 compute modules, each with one CPU socket populated. Currently they use two 12 Gb SAS switches and two HPE Virtual Connect SE 100Gb F32 Modules for HPE Synergy installed in third fabric. What must be done to enable dedicated FC connectivity for this HPE Synergy frame?

- A. A second CPU must be installed for all HPE Synergy 480 Gen10 compute nodes.
- B. For Brocade switches, a logical interconnect group must be created in HPE OneView.
- C. For VC-FC modules, all of server-facing ports must be properly licensed.
- D. SAS switches must be moved to second fabric and FC modules installed in the first one.

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### QUESTION 12

Your customer plans to deploy ESXi systems to HPE Synergy and HPE ProLiant servers using HPE OneView for VMware vCenter Server. Which statement about HPE OneView for VMware vCenter Server functionality is true for this environment?

- A. HPE ProLiant servers need an HPE OneView for VMware vCenter Server license for full functionality.
- B. Individual systems can be added to HPE OneView for VMware vCenter Server through an iLO management processor.
- C. HPE Synergy requires HPE Composer 2 for full functionality of HPE OneView for VMware vCenter Server.
- D. Only systems managed using HPE OneView can use HPE OneView for VMware vCenter Server functionalities.

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### QUESTION 13

A logical interconnect group can span on multiple HPE Synergy frames for which interconnect type?

- A. Brocade 32GB Fibre Channel Switch Module for HPE Synergy
- B. HPE Virtual Connect SE 32 Gb FC Module for Synergy
- C. HPE Virtual Connect SE 100 Gb F32 Module for Synergy
- D. HPE Synergy 12 Gb SAS Connection Module

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 14**

Which HPE Virtual Connect feature allows an administrator to suppress excessive inbound multicast broadcast and destination lookup failure (OLF) packets?

- A. Pause flood protection
- B. Loop protection
- C. LLDP tagging
- D. Storm control

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 15**

Which statement about a new HPE SimpliVity deployment is true?

- A. New HPE SimpliVity deployments give customer flexible choice of hypervisor
- B. All new HPE SimpliVity models are based on AMD CPUs
- C. All new HPE SimpliVity models support deduplication and compression
- D. New HPE SimpliVity deployments are licensed per node not per physical socket

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 16**

You configured a vVol datastore using HPE Storage integration Pack for VMware vCenter.

Which storage object should you check using SSMC to verify whether vVol datastore is configured properly?

- A. App Volume Set
- B. Storage Container
- C. Virtual Volume Set
- D. virtual Volume

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 17**

Which statement about login redistribution is true?

- A. Login redistribution is available only If HPE Primera or HPE Alletra is connected directly to the HPE Synergy frame
- B. Login redistribution is a licensed feature and the number of licenses required depends on the number of active ports
- C. Login redistribution is supported only on the HPE Synergy Virtual Connect SE 32Gb FC Modules
- D. Login redistribution is used for login balancing when they are not distributed evenly over the FC links

**Correct Answer:** C

**Section:** (none)

**Explanation**

www.VCEplus.io

**Explanation/Reference:**

Explanation:

**QUESTION 18**

Which statement about an HPE Oneview support dump is true?

- A. Appliance support dump by default contains a logical enclosure support dump
- B. Support dump is a binary file that can be opened only in a dedicated application
- C. Support dump can be created if HPE Virtual Connect modules are installed in the frame
- D. Preview support dump is available only when creating an appliance support dump

**Correct Answer: B**

**Section: (none)**


**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 19**

Refer to the exhibit.



Which statement about this logical interconnect group is true?

- A. The master modules are located in the interconnect bays 2 and 5
- B. For the given downlink speed, the maximum number of frames is reached
- C. Both master modules are located in the same HPE Synergy frame
- D. To use interconnect bay set 3, all compute nodes must be half-height

**Correct Answer: C**

**Section: (none)**

**Explanation**

www.VCEplus.io

[www.VCEplus.io](http://www.VCEplus.io)