



Exam Code: C1000-074

Exam Name: IBM FileNet P8 V5.5.3 Deployment Professional

Website: <https://VCEup.com/>

Team-Support: Support@VCEup.com

Question No: 1

What happens if the GCD is not available upon startup of the Content Platform Engine?

- A. The Content Platform Engine will use a cached in memory copy of the GCD and is fully functional.
- B. The Content Platform Engine does not need the GCD, cached in memory or local file based copy.
- C. The Content Platform Engine will use a local file based copy and can process requests that do not update the GCD.
- D. The Content Platform Engine will use a local file based copy and is fully functional.

Answer: C

Explanation:

Question No: 2

In a Kerberos-configured environment, the Service Principal Name (SPN) is used to identify the Content Platform Engine service. In this environment, the SPN is configured as follows:

FNCEWS/myce01. MYDOM. COM

What is the hostname of the server where Content Platform Engine resides?

- A. MYDOM.DOM
- B. myceOI
- C. FNCEWS
- D. MYDOM

Answer: D

Explanation:

Question No: 3

Within a FileNet P8 environment, what is an essential high availability building block?

- A. Preventing single points of failure
- B. Use of LTPA keys for intra-cell communications
- C. One instance of Content Platform Engine
- D. A group of servers where there is only one instance of each ECM component

Answer: A

Explanation:

Question No: 4

Which of the following is used by the Content Platform Engine to connect to a database?

- A. JDBC driver
- B. LTPA key
- C. System Administrator access

D. ODBC driver

Answer: A

Explanation:

Question No: 5

Which Directory Server Account, now known as the System User, was stored in the EAR until Content Platform Engine v5.5.0, and as of Content Platform Engine v5.5.1 is now stored in the GCD?

A. Content Platform Engine Service User

B. GCD Administrator

C. Content Platform Engine application server installation administrator

D. Content Platform Engine bootstrap account

Answer: D

Explanation:

Question No: 6

A FileNet Deployment Professional wants to configure the settings that will be used by the Configuration Manager tool to install a new Content Platform Engine based on a previously configured environment. The security policies that apply to the Linux environment prohibit the use of XWindows-based GUIs, so the settings files must be reviewed directly.

What is the name of the file within the Configuration Manager profile that contains the settings for deploying the Content Platform Engine application on the application server?

A. applicationdeployment.xml

B. configureinstallation.xml

C. deployapplication.xml

D. installapplication.xml

Answer: A

Explanation:

Question No: 7

To install the Legacy Component Manager on a server upgraded from 5.2.x, which Content PlatformEngine installer option needs to be selected?

A. Process Engine Client

B. Content Engine Client

C. Content Platform Engine Client

D. Tools

Answer: C

Explanation:

Question No: 8

When deploying Content Platform Engine into a WebSphere cluster, which deployment option should be selected in Configuration Manager?

- A. Cluster
- B. Standard
- C. DMGR
- D. Server

Answer: B

Explanation:

Question No: 9

What can be said about configuring existing IBM Content Manager OnDemand application groups to work with FileNet P8?

- A. By default, application groups do not work with FileNet P8.
- B. The "Federate documents automatically" option in the OnDemand Administrator tool must be disabled.
- C. Selecting the Enable Records Manager to declare records automatically can increase consumption of system resources.
- D. By default, application groups work with FileNet P8.

Answer: A

Explanation:

Question No: 10

In a geographically distributed environment, how does the administrator ensure that data requests are serviced at a site that is local to the database?

- A. Configure Synchronous forwarding.
- B. Configure server communication.
- C. Configure Asynchronous communication.
- D. Configure request forwarding.

Answer: C

Explanation:

Question No: 11

When installing an environment, which role is necessary to complete the required preparation tasks for the Installation and Upgrade Worksheet?

- A. Network System Administrator
- B. Application Server Administrator
- C. Records Administrator
- D. Workflow Administrator

Answer: B

Explanation:

Question No: 12

What are the minimum recommended values for the Content Platform Engine JVM minimum and maximum heap sizes?

- A. 1024 MB/2048 MB
- B. 512 MB/1024 MB
- C. 256 MB/512 MB
- D. 512 MB/512 MB

Answer: A

Explanation:

Question No: 13

When enabling SSL between Content Platform Engine and a Directory Services server, a server certificate is added to the Directory Services server, the WebSphere Application Server's keystore, and the JDK keystore.

What IBM command line tool can be used to import the certificate into the JDK keystore?

- A. keytool
- B. keypass
- C. keymatcher
- D. iKeyman

Answer: A

Explanation:

<https://www.ibm.com/docs/en/filenet-p8-platform/5.2.1?topic=security-enabling-ssl-contentplatform-engine>

Question No: 14

Initially, which is necessary to create a DB2 object store?

- A. Indexes
- B. Tablespace
- C. Workflow system
- D. XA Transactions

Answer: B

Explanation:

https://www.ibm.com/docs/SSNW2F_5.2.1/com.ibm.p8.planprepare.doc/p8ppi168.htm

Question No: 15

While performing a new Content Platform Engine deployment, one of the Configuration Manager tasks did not complete successfully.

Which file provides details why the Deploy Application task did not complete successfully?

- A. deployapplication.failed
- B. deployapplication.bad

C. deployapplication.error

D. deployapplication.unsuccessful

Answer: C

Explanation:

Question No: 16

What does the IBM Content Search Services operating system account (css_os_user) do?

A. Installs the software.

B. Configures the CSS database.

C. Starts and stops the software.

D. Configures the software through ACCE.

Answer: B

Explanation:

Question No: 17

What Java component needs to be installed prior to running the FileNet P8 Content Platform Engine installer?

A. OpenJava JDK

B. IBM Java JRE

C. IBM Java SDK

D. No additional JDK/JRE is required.

Answer: A

Explanation:

Question No: 18

Which Directory Service unique identifier acts as a bind user specified by the application server?

A. cpe_system_user

B. gcd_admin_user

C. cpe_service__user

D. cpe_bootstrap_admin

Answer: D

Explanation:

Question No: 19

While performing a Content Platform Engine upgrade where a Bootstrap task is required, which file indicates that the Configure Bootstrap task completed successfully?

- A. configurebootstrap.done
- B. configurebootstrap.success
- C. configurebootstrap.good
- D. configurebootstrap.ok

Answer: C

Explanation:

Question No: 20

Which step can be skipped when configuring Content Platform Engine on WebSphere as an SSL server?

- A. Enabling SSL support on the application server
- B. Specifying the identity keystore and server truststore
- C. Configuring the server to use the default self-signed certificate
- D. Creating or importing the server's certificate into the identity keystore and server truststore

Answer: C

Explanation:

Question No: 21

Which option would be provided to vwtool to display all the queues configured in the isolated region?

- A. queue *
- B. queueinfo *
- C. configqueue *
- D. queueconfig *

Answer: A

Explanation:

Question No: 22

What type of storage area is an external (non-FileNet P8) content system that provides storage and data retention?

- A. Fixed storage area
- B. Enhanced storage area
- C. Database storage area
- D. File storage area

Answer: A

Explanation:

Question No: 23

As a best practice, how should the Content Platform Engine be configured to protect user credentials when using the EJB transport?

- A. To enable Transport Security Layer (TSL) and Secure Socket Layers (SSL)
- B. To enable Single-Sign On (SSO) and Secure Socket Layers (SSL)
- C. To enable Transport Layer Security (TLS) and Single Sign-On (SSO)
- D. To enable Transport Layer Security (TLS) and Secure Socket Layers (SSL)

Answer: C

Explanation:

Question No: 24

A FileNet Deployment Professional wants to configure the settings that will be used by the Configuration Manager tool to install a new Content Platform Engine based on a previously configured environment. The security policies that apply to the Linux environment prohibit the use of XWindows-based GUIs, so the settings files must be reviewed directly.

What is the name of the file within the Configuration Manager profile that contains the Content Platform Engine text extraction settings?

- A. deployapplication.xml
- B. configurebootstrap.xml
- C. configurejdbcos.xml
- D. configurejdbcgcd.xml

Answer: B

Explanation:

Question No: 25

In a zLinux environment, the Configuration Manager tool is installed by selecting which Content Platform Engine installer option?

- A. Content Platform Engine
- B. Tools
- C. Content Platform Engine Client
- D. .NET Clients

Answer: B

Explanation:

Question No: 26

Which file is used to determine if there were any issues with the data upgrade of a Content Platform Engine?

- A. cpe_upgrade.log
- B. filenet_data__upgrade.log
- C. p8_upgrade_status.log
- D. p8_server_error.log

Answer: C

Explanation:

Question No: 27

While performing a new Content Platform Engine deployment, one of the Configuration Manager tasks did not complete successfully.

What is the default location for the scripts and log file generated by the Configure LDAP task?

- A. Content Platform Engine /nsfa/Atools\configure\profiles\Protf/e A/ame\status
- B. Content Platform Engine /nsfa/Atools\configure\tmp
- C. Content Platform Engine /nsfa/Atools\configure\logs
- D. Content Platform Engine /nsfa/Atools\configure\profiles\Proff/e NameWogs

Answer: D

Explanation:

Question No: 28

Which URL can be used to check the progress on the FileNet P8 domain upgrade?

- A. https://cpe/_oad_ba/ancer:port/P8CE/DataUpgrade
- B. https://cpe/_oad_ba/ancer;port/CPE/Status
- C. https://cpe/_oad_ba/ancer;po*/P8CE/UpgradeStatus
- D. https://cpe/_oad_ba/ancer:port/FileNet/AutomaticUpgradeStatus

Answer: D

Explanation:

https://www.ibm.com/docs/SSYHZ8_20.0.x/com.ibm.dba.upgrading/topics/tsk_postupgrade_fnm.html#:~:text=Enter%20the%20URL%20for%20the,P8%20domain%20and%20object%20stores.

Question No: 29

What tool can be used to print an authentication token or generate a new authentication token for an installed IBM Content Search Services server?

- A. Administrative Console for Content Platform Engine
- B. adminTool
- C. FileNet Configuration Manager
- D. configTool

Answer: D

Explanation:

https://www.ibm.com/docs/SSGLW6_5.5.0/com.ibm.p8.install.doc/p8pin289.htm#:~:text=To%20generate%20a%20new%20authentication,%2Fconfig%22%20%2Dseed%20token_name%20.

Question No: 30

A Content Platform Engine is installed and configured in a highly available environment using WebSphere Application Server on application servers named myserver1.com and myserver2.com in a cluster named mycluster. The typical URI used to connect to the Content Platform Engine environment using the EJB protocol is: corbaloc::myserver1. com: <portnumber>, :myserver2. com:

<portnumber>/cell/clusters/mycluster/FileNet/Engine

What is the default bootstrap port number that would be used in this URI?

- A. 9810
- B. 9180
- C. 2908
- D. 2809

Answer: A

Explanation:

<https://www.ibm.com/docs/en/filenet-p8-platform/5.2.0?topic=chacpe-content-platform-engine-inapplication-server-cluster-by-using-ejb-transport>

Question No: 31

Which of the following best describes a Database Connection?

- A. Object that defines the repository connection for client applications like Content Navigator
- B. Reusable object defined in the GCD that defines the underlying connection to the database
- C. Used in legacy workflow systems only and are no longer needed in Content Platform Engine v5.5.x
- D. Defined in Process Configuration Console to configure external database connections

Answer: A

Explanation:

Question No: 32

A FileNet Deployment Professional wants to configure the settings that will be used by the Configuration Manager tool to install a new Content Platform Engine based on a previously configured environment. The security policies that apply to the Linux environment prohibit the use of XWindows-based GUIs, so the settings files must be reviewed directly.

What is the name of the file within the Configuration Manager profile that contains the settings for configuring the connections to the global configuration database used by Content Platform Engine?

- A. configuregcd.xml
- B. gcdconnection.xml
- C. configurejdbcgcd.xml
- D. configuredatabases.xml

Answer: D

Explanation:

Question No: 33

Which component is started by using the RunTaskman command?

- A. Content Platform Engine

B. IBM FileNet Content Federation Services for Content Integrator

C. IBM Content Search Services

D. Rules Listener

Answer: D

Explanation:

<https://www.ibm.com/docs/sv/filenet-p8-platform/5.2.1?topic=manager-starting-process-task>

Question No: 34

In a Content Platform Engine stovepipe configuration, how can failover be achieved?

A. Using the Content Platform Engine failover capabilities

B. Restarting the failed stack

C. Using a hardware or software load balancer

D. Using the application server failover capabilities

Answer: A

Explanation:

Question No: 35

The Workflow System administration tool - vwtool - can be installed by selecting which Content Platform Engine installer option?

A. Process Engine Client

B. Tools

C. .NET Clients

D. Content Engine Client

Answer: D

Explanation:

Question No: 36

To encrypt the data sent between Content Platform Engine and IBM Content Search Services, what must be configured on the IBM Content Search Services?

A. Set the "Validate Certificate Host field" option to True.

B. Set the "Validate Server Certificate" option to True.

C. Set the secure port.

D. Set "Is SSL Enabled" option to True.

Answer: C

Explanation:

https://www.ibm.com/docs/SSNW2F_5.5.0/com.ibm.p8.install.doc/p8pin314.htm#:~:text=To%20encrypt%20the%20data%20that,port%20number%20and%20enable%20SSL.

Question No: 37

A FileNet Deployment Professional wants to configure the settings that will be used by the Configuration Manager tool to install a new Content Platform Engine based on a previously configured environment. The security policies that apply to the Linux environment prohibit the use of XWindows-based GUIs, so the settings files must be reviewed directly.

What is the name of the file within the Configuration Manager profile that contains the settings for configuring the connections to an object store database used by Content Platform Engine?

- A. configuredatabases.xml
- B. configurejdbcos.xml
- C. configureosdb.xml
- D. osdbconnection.xml

Answer: A

Explanation:

Question No: 38

What should be done immediately after a Content Platform Engine base install?

- A. Install any fix packs, then check the logs.
- B. Do a full offline backup of the filesystem.
- C. Check the installation logs for any errors, resolve any errors before moving on.
- D. Start the server and make sure it works as expected.

Answer: C

Explanation:

Question No: 39

Which tool is used to change the port on which the IBM Content Search Sen/ices server listens for requests?

- A. dumpIndex
- B. checkIndex
- C. adminTool
- D. configTool

Answer: D

Explanation:

Question No: 40

Which account can create, modify, and delete Content Platform Engine P8 domain-level resources?

- A. Workflow system administrator
- B. Content Platform Engine application server installation administrator
- C. GCD Administrator

D. Content Platform Engine Service User

Answer: B

Explanation:

Question No: 41

When configuring Content Platform Engine, which file indicates that the Configure GCD JDBC Data Sources task completed successfully?

- A. configurejdbcgcd.done
- B. configurejdbcgcd.success
- C. configurejdbcgcd.good
- D. configurejdbcgcd.ok

Answer: C

Explanation:

Question No: 42

A Content Platform Engine environment is installed and configured in a highly available environment using WebSphere Application Server on application servers named myserver1.com and myserver2.com in a cluster named mycluster using the default HTTP transport port. The environment also includes a load balancer with the virtual server name myloadbalancer.

What is the typical URL used to connect to the Content Platform Engine environment using Content Engine Web Services?

- A. http://myserver2/wsi/FNCEWS40MTOM/
- B. http://myloadbalancer/wsi/FNCEWS40MTOM/
- C. http://myserver1 /wsi/FNCEWS40MTOIW
- D. http://mycluster/wsi/FNCEWS40MTOM/

Answer: C

Explanation:

Question No: 43

To verify the deployed build and version displayed on the Content Platform Engine Context Startup Page, which file in the installation directory should be checked?

- A. ce_version.txt
- B. ce_startup.txt
- C. ce_release.txt
- D. ce build.txt

Answer: A

Explanation:

<https://www.ibm.com/docs/en/filenet-p8-platform/5.2.1?topic=engine-verifying-content-platformdeployment>

Question No: 44

Prior to creating a connection to the Fixed Content Device in ACCE, which tool(s) is (are) used to create and configure the fixed content device?

- A. FileNet Deployment Manager
- B. Content Navigator
- C. FileNet Configuration Manager
- D. Tools supplied by the vendor of the fixed content provider

Answer: D

Explanation:

Question No: 45

After deploying Content Platform Engine, the GCD section on the FileNet P8 System Health page displays a red icon.

What might this be an indication of?

- A. The bootstrap username and password are defined correctly.
- B. The GCD XA and non-XA data sources are undefined.
- C. The GCD XA and non-XA data sources have unique names.
- D. The GCD contains a domain object.

Answer: A

Explanation:

Question No: 46

What happens when the Content Platform Engine JVM heap runs out of memory?

- A. All processing in the JVM stops.
- B. The JVM restarts to clear its memory.
- C. The JVM borrows memory from other clusters members.
- D. The Content Platform Engine restarts to clear its memory.

Answer: A

Explanation:

<https://www.ibm.com/docs/en/filenet-p8-platform/5.5.x?topic=components-tuning-jvm-heap-size>

Question No: 47

Which role is typically responsible for configuring the directory servers required by FileNet P8 components?

- A. Application server administrator
- B. Security administrator
- C. Installation administrator
- D. Database administrator

Answer: A

Explanation:

Question No: 48

A Content Platform Engine is deployed within an IBM WebSphere Application Server environment.

To enable Kerberos, what additional application login module needs to be created and configured within WebSphere Application Server?

- A. KerberosServiceFileNetP8
- B. IBMFileNetP8KerberosService
- C. FileNetP8KerberosService
- D. KerberosServiceIBMFileNetP8

Answer: C

Explanation:

Question No: 49

A FileNet Deployment Professional has been using the Configuration Manager tool to install a new Content Platform Engine environment. The status of several of the tasks that have already been run in this environment needs to be checked.

What command is passed to the Configuration Manager to check the status of the configuration tasks?

- A. checkstatus
- B. installstatus
- C. systemstatus
- D. configstatus

Answer: C

Explanation:

Question No: 50

Which tool can be used to add a folder to an object store in order to verify that the Content PlatformEngine is deployed successfully?

- A. PCC
- B. CMUI
- C. ACCE
- D. Configuration Console

Answer: A

Explanation:

Question No: 51

A customer wants to implement Single Sign-On (SSO) using Kerberos for the Content Platform Engine, In what state should the non-SSO Content Platform Engine be in before starting?

- A. Be able to start the non-SSO IBM Enterprise Records administration desktop and log in with a username and password.
- B. Be able to start the non-SSO IBM Content Search Services administration desktop and log in with a username and password.
- C. Be able to start the non-SSO IBM Content Navigator administration desktop and log in with a username and password.
- D. Be able to start the non-SSO Administration Console for Content Platform Engine (ACCE) and log in with a username and password.

Answer: A

Explanation:

Question No: 52

Which is a true statement regarding Content Platform Engine client files?

- A. Client files are always backward compatible, so the version is not important.
- B. Clients automatically download the Content Platform Engine client files from the Content Platform Engine. No manual steps are needed.
- C. Clients can use any major version of the Content Platform Engine client files.
- D. The client file version should match the server version to prevent issues.

Answer: A

Explanation:

Question No: 53

Which storage area supports content replication to heterogeneous storage devices?

- A. Advanced Storage Area
- B. Fixed Storage Area
- C. Database Storage Area
- D. File Storage Area

Answer: A

Explanation:

Question No: 54

Which is true about LTPA keys in a stand-alone WebSphere (not ND) environment?

- A. Required for SSL configuration
- B. Are stored in the node's default key store
- C. Are used for cross cell authentication
- D. Must be copied to a shared location so all nodes have access

Answer: B

Explanation:

Question No: 55

Which URL is used to verify the Content Platform Engine server status by using the FileNet P& System Health page?

- A. https://cpe_server.port/CPE/Status
- B. https://cpe__server.port/FileNet/Engine
- C. https://cpe_server.port/FileNet/P8Health
- D. https://cpe_server.port/P8CE/Health

Answer: D

Explanation:

Question No: 56

Which command line utility is used to view information about a configured workflow system in a Content Platform Engine environment?

- A. wftool
- B. petool
- C. vwtool
- D. cpetool

Answer: C

Explanation:

Question No: 57

The Content Platform Engine uses ODWEK to access which Fixed Content Device?

- A. IBM Content Manager OnDemand
- B. IBM Content Manager
- C. Documentum Content Server
- D. IBM FileNet Content Services

Answer: A

Explanation:

https://www.ibm.com/docs/he/SSNW2F_5.2.1/com.ibm.p8.cfs.admin.doc/cfsod004.htm#:~:text=Content%20Platform%20Engine%20uses%20ODWEK%20to%20access%20the%20Content%20Manager%20OnDemand%20repositories.

Question No: 58

Which is the most appropriate tool to move object store taxonomy from one environment to another?

- A. FileNet Deployment Manager (FDM)
- B. Administrative Console for Content Platform Engine (ACCE)
- C. FileNet Configuration Manager (FCM)
- D. FileNet Enterprise Manager (FEM)

Answer: D

Explanation:

Question No: 59

Which unique identifier has Full Control access rights to the P8 domain, and has also been granted rights through its membership in the workflow administrators group?

- A. workflow_system_admin
- B. cpe_system_user
- C. object_store_admin
- D. cpe_bootstrap_admin

Answer: B

Explanation:

https://www.ibm.com/docs/SSNW2F_5.5.0/com.ibm.p8.planprepare.doc/p8ppi282.htm#:~:text=The%20cpe_system_user%20is%20a%20user,membership%20in%20the%20object%20store.

Question No: 60

Which storage area consists of a file storage staging area on the FileNet P8 system and a separate content device?

- A. File Storage Area
- B. Database Storage Area
- C. Fixed Storage Area
- D. Operating System Storage Area

Answer: C

Explanation:

https://www.ibm.com/docs/SSNW2F_5.5.0/com.ibm.p8.ce.admin.tasks.doc/p8pcc090.htm#:~:text=A%20fixed%20storage%20area%20consists,or%20a%20federated%20content%20system.

Question No: 61

Which type of user is required to install Content Platform Engine on AIX?

- A. LDAP user with UNIX rights
- B. Any user account that has the ability to log onto the server
- C. root user or user with su access to root
- D. Operating system user with appropriate file system permissions

Answer: D

Explanation:

<https://www.ibm.com/docs/en/filenet-p8-platform/5.5.x?topic=accounts-content-platform-engineinstaller-account>